

1 Autoplay on Trial: An Online Experiment on the Suspect 1
2 Behind Excessive Screen Time 2

3 Reha Tuncer* 3

4 June 30, 2025 4

5 **Abstract** 5

6 Interface design can be strategically employed to ‘nudge’ consumers to take certain ac- 6
7 tions and is suspected of promoting addictive online behavior. A prevalent interface 7
8 element across numerous popular social media and streaming platforms is the default 8
9 autoplay feature. In this study, we present an incentivized online experiment to inves- 9
10 tigate whether the autoplay feature alone can cause an unwarranted increase in desired 10
11 viewing times. While controlling for content, we demonstrate that the autoplay feature, 11
12 in isolation, does not override participants’ previously indicated preferences for media 12
13 consumption. We discuss the our findings in terms of what actually renders online plat- 13
14 forms addictive. Our results have direct policy implications for the proposed blanket 14
15 ban on autoplay by the US Congress (SMART Act). 15

*I am grateful to Ernesto Reuben and Kerstin Bongard-Blanchy for their guidance in the design and conception of this experiment, to Sophie Doublet for her help in interface design, to Suvadeep Mukherjee for his guidance in building web experiments. I am also thankful for the invaluable comments from the Behavioral Economics Summer School at the University of Copenhagen, the doctoral workshop at UC Louvain, the Experiments Workshop Soletto at Sapienza University Rome, Samuel Greiff, Manuel Munoz Herrera, Hande Erkut and countless colleagues.

1 Introduction

The rise of social media and streaming platforms have generated discussion around potential societal benefits and concerns about harms such as addiction and self-control issues. A number of recent economic studies have found convincing evidence that people spend significantly more time than they would like to on their smartphones in general (Hoong, 2021) and on social media (Allcott, Gentzkow, & Song, 2022), and social media use was associated with decreased subjective well being (Allcott, Braghieri, Eichmeyer, & Gentzkow, 2020). The reason behind such findings need not be elusive. Online content serving platforms, like Facebook or Netflix, monetize consumer attention and have the ability to control the setting in which consumption decisions occur (e.g., format of information, presentation of choices). Such firms are potentially incentivized to increase the ‘addictiveness’ of their platforms by altering the content and design provided to users, as occupying more of consumers’ free time can lead to higher revenues (Ichihashi & Kim, 2023; Kleinberg, Mullainathan, & Raghavan, 2022). Designing for addiction, in turn, would lead to increased content consumption but decreased utility from consumption, as implied by the extensive literature on present bias (see Ericson and Laibson (2019) for a review). Wary policymakers across both sides of the Atlantic have already made efforts to restrain the negative effects such incentives could have on consumer welfare (see SMART Act by US Congress and Digital Services Act by EU). Both acts are attempts to regulate the increasingly relevant digital environments which contain effective ways to solicit consumers’ attention and influence them to make transactional decisions that may go against their best interests (Lupiáñez-Villanueva et al., 2022). Although both regulators and scientists alike successfully identify the problem, it remains to be seen what specific aspects of such online platforms are problematic, as a blanket regulation over the entire landscape of digital services could offset the many benefits users derive from them. Our study constitutes the first such attempt to our knowledge in disentangling the many interrelated features online platforms have and pinpoints to what specifically requires the attention of the regulators. Relevant to our experimental setting is the

proposed ban on defaults regarding media player controls, where the platform serves content “without an express, separate prompt by the user (such as pushing a button or clicking an icon)”.

Interface designers and computer scientists have already documented the many ways in which interface design can be instrumentalized to ‘nudge’ users in practice (see [Caraban, Karapanos, Gonçalves, and Campos \(2019\)](#) for a review). Nudge theory suggests knowledge about systematic biases in decision-making can be leveraged to support people in making better decisions for themselves ([Thaler & Sunstein, 2009](#)). Much of the existing literature is dedicated to improving decision-making in the context of benevolent government-sponsored nudges (see [Mertens, Herberz, Hahnel, and Brosch \(2022\)](#) for a review). More recently, however, discussions also extended to private sector interventions. This branch of the literature addresses the implications of changing behavior for ‘better’ decisions from the firm’s point of view ([Beggs, 2016](#); [Mills, 2023](#); [Smith, Goldstein, & Johnson, 2013](#)). When firms nudge, there should be a distinction between whether the firm or the recipient of the nudge benefits from it. In other words, nudges can become problematic if the objective of the intervention is to maximize the benefit received by the firm instead of the decision-maker. Media player defaults, such as autoplay, are potentially one such example that could be driving the concerning results attested by literature. If these defaults are conceived to increase welfare of consumers instead, they should be preferred to active decisions or other alternatives. [Carroll, Choi, Laibson, Madrian, and Metrick \(2009\)](#) make a similar comparison between defaults and active decisions in the context of saving decisions, with a focus on modelling decision cost attached to making explicit choices.

The understudied ‘autoplay’ feature, is an interface nudge prevalent across social media and streaming platforms that automatically transitions users to the next video content without providing an explicit opportunity to discontinue consumption. Unless opted-out by users, platforms including Facebook, Netflix, YouTube and TikTok provide autoplay as the *default* media player configuration as of mid-2023. Defaults are effective because they (i) reduce effort, (ii) imply endorsement, and (iii) work hand in hand with

cognitive biases such as loss aversion (Smith et al., 2013). In case of autoplay, the default makes watching successive videos more salient as it removes the opportunity from users to decide whether or not to continue watching. Studies have shown that media player design promotes “mindless” content consumption and reduces user agency (Lukoff et al., 2021). Removing the opportunity to decide whether or not to continue watching leads to increased watching times in children (Hiniker, Heung, Hong, & Kientz, 2018), known to exhibit less self-control than adults. If indeed autoplay promotes digital addiction as suggested by the proposed legislation and the literature, we would expect it to alter the decisions of viewers with self control issues even when proposed content is kept same. We therefore hypothesize that holding content constant, autoplay should result in increased viewing times compared to the control group making active decisions. Further, the concerns of addiction could be verified by contrasting actual watching choices to participants’ previous commitment choices regarding how much they initially wanted to watch videos across conditions. In sum, we conceptualize autoplay as facilitating continuous watching, and compare it in an incentivized experiment to a ‘neutral’ setting where users must actively select videos to watch them.

To determine whether autoplay alters viewers’ past commitment choices, we designed an online experiment where participants spent 20 minutes on a higher-paying real effort task (retyping CAPTCHAs)¹ or a lower-paying leisure task (watching videos). In the treatment condition, videos played automatically, while in the control condition, participants had to click to watch each video. To investigate the effects of autoplay on viewers with heterogeneous self-control issues, we included an additional task to elicit self control issues in our sample. In this task, participants visited the experiment website one day before the 20 minute session and practiced both the real effort task and the leisure task for 2 minutes in a so-called “practice session”. Participants were already randomly assigned to the treatment during the practice session and were able to

¹Charness, Gneezy, and Henderson (2018) categorize CAPTCHAs as a decoding task similar to Augenblick, Niederle, and Sprenger (2015) with the following useful properties: Low difficulty of implementation, small differences regarding the skill required to accomplish the task, and limited learning opportunities to improve at accomplishing the task.

familiarize themselves with the tasks and the media player treatment. After the practice session, participants decided how long they would like to spend on the next day for each task with the help of a slider indicating their payoffs. This decision was reminded to the participants on the second day, but it was not binding for most.² In a separate data collection with a smaller sample, we also measured the demand for a commitment device using a multiple price list to see if participants would pay to turn off the autoplay feature. Our two task experimental setup was inspired by [Kool and Botvinick \(2014\)](#), while the real effort task is akin to [Augenblick et al. \(2015\)](#), and the leisure task resembles [Bonein and Denant-Boémont \(2015\)](#). The contribution of our study is on its novel experimental design which allows testing both established and recent theories on societally relevant topics such as digital addiction. The entire task interface is constructed from scratch with the help of professional designers, and it aims to mimic the user experience on a social media platform. The design brings together extensive possibilities of data collection on behavior with the ease of scaling, while holding internal validity at a high standard. In sum, our design welcomes a plethora of new research questions that can be studied through economic experiments.

2 Design

2.1 Overview

To explore the relationship between default video player settings and self-control, we designed a choice environment that captures the tension between productive effort and immediate gratification. Our experimental setup is centered around two competing tasks: A primary typing task that is tedious and offers limited learning opportunities, and a secondary video-watching task that provides immediate entertainment value. This design mirrors real-world situations where individuals must allocate time between effortful productive activities and readily available leisure alternatives.

²5% of participants who are excluded from the main analysis were bound by the choice they made on the first day to add weight to the decision.

The key feature in our design is the manipulation of autoplay setting in the video interface. Participants can switch between tasks at any time, but the ease of continuing with the leisure activity varies systematically across treatment conditions. This allows us to isolate the causal effect of interface design on time allocation decisions while holding constant individual time preferences and other task characteristics.

2.2 Timeline and Session Structure

We conducted a two-day online experiment to examine how autoplay features affect time allocation between productive and leisure tasks. The multi-day structure allowed us to measure the gap between stated preferences and actual behavior under two different video interface conditions. Participants completed two separate data collection sessions with a cooling-off period of 24 hours (up to 48 hours) between sessions.

Day 1 sessions included a practice session to familiarize participants with the experimental interface, followed by preference elicitation measures. Day 2 featured the main 20-minute work session where participants made actual time allocation decisions. We conducted two waves of data collection during May 2023, as described in Table 1.

Table 1: Summary of experimental design and timeline

	Practice Session	Time Choice	Main Session	Multiple Price List	Decision Horizon
Day 1 (May 10)	✓	✓			24-hour
Day 2 (May 11)			✓		immediate
Day 1 (May 18)	✓	✓		✓	24-hour
Day 2 (May 19)			✓		immediate

Note: This table shows the experimental components administered across two data collection waves, with columns ordered chronologically within each day. The first wave (May 10-11) established baseline treatment effects, while the second wave (May 18-19) incorporated the Multiple Price List treatment to measure demand for commitment devices. Decision horizon refers to the time between preference elicitation and the main experimental session.

139 2.3 Payment Structure and Incentives 139

140 We implemented a performance-based payment system to ensure participants faced 140
141 meaningful trade-offs between tasks. We based payment directly on the seconds par- 141
142 ticipants actively spent on each task, with different compensation rates for the typing 142
143 and video-watching activities. This created clear opportunity costs for time allocation 143
144 decisions while avoiding any completion bonuses that might distort behavior. 144

145 Participants who completed all required elements of the experiment received payment 145
146 within seven days after the second session.³ To maintain data quality, participants who 146
147 failed to meet specified quality criteria for the typing task were not compensated for 147
148 time spent on that task. 148

149 2.4 Technical Implementation and Interface Design 149

150 We designed the experimental platform to provide precise control over the testing envi- 150
151 ronment while maintaining ecological validity. We presented both tasks within a single 151
152 web page using distinct tabs, allowing participants to switch between activities seam- 152
153 lessly while preserving progress. The typing task always served as the default upon 153
154 session initiation, requiring an active choice to switch to the video-watching alternative. 154

155 Our interface incorporated several key features to track behavior precisely. A progress 155
156 bar and timer provided real-time feedback on session duration. We logged all critical 156
157 interactions including tab switches, keystrokes during typing, video controls, and cursor 157
158 movements outside the experimental window. This granular tracking enabled us to 158
159 construct detailed measures of attention and engagement across tasks. 159

160 2.5 Internal Validity Controls 160

161 Online experiments present unique challenges for maintaining experimental control, in- 161
162 cluding participant multitasking, technical disruptions, and environmental variation. We 162

³Prolific policy gives researchers 21 days to transfer funds to participants. The typical delay between study completion and payment is however only a couple of days on average, as indicated on the Prolific website ([link](#)).

163 implemented comprehensive measures to address these concerns and ensure data quality. 163

164 **Participant and Technology Screening:** We selectively admitted participants 164
165 using multiple screening criteria to ensure stable experimental conditions. Internet speed 165
166 requirements filtered out participants with unstable connections (minimum 30 Mbps on 166
167 day 1, 25 Mbps on day 2). We restricted participation to users with Windows, Linux, 167
168 or Mac operating systems using Chromium-based browsers exclusively. We excluded 168
169 Safari and Mozilla Firefox due to restrictive autoplay configurations. Mobile devices 169
170 and tablets were prohibited to standardize the user experience. 170

171 **Platform Controls:** The experimental website enforced linear navigation, prevent- 171
172 ing participants from moving backward through the experiment. We disabled right-click 172
173 functions and keyboard shortcuts. Any attempt to navigate backward reset progress 173
174 to the landing page. We clearly communicated these restrictions to participants at the 174
175 experiment’s outset. 175

176 **Attention and Engagement Monitoring:** We implemented real-time tracking 176
177 of participant attention using JavaScript packages to detect interface visibility disrup- 177
178 tions.⁴ This system captured actions such as minimizing the browser, switching between 178
179 web pages, or launching other applications. The tracking provided second-by-second 179
180 accountability of participant engagement. 180

181 **Post-Experiment Validation:** After completing the experiment, participants re- 181
182 ported any connectivity disruptions and confirmed their genuine engagement with the 182
183 video-watching task. We combined these self-reports with our objective tracking mea- 183
184 sures to identify and filter data potentially compromised by distractions or divided at- 184
185 tention. 185

186 2.6 Tasks 186

187 The experiment centers on participants’ time allocation decisions between two distinct 187
188 activities that differ substantially in their cognitive demands and entertainment value. 188
189 Both the Typing and Watching Tasks were presented to participants twice: First during 189

⁴For more information about the package, see [here](#).

the Practice Session to familiarize participants with the interface and task mechanics, and second during the Main Session where performance determined compensation. In both sessions, depending on the randomized assignment to conditions, the key experimental manipulation occurs in the Watching Task.

2.6.1 Typing Task

The Typing Task requires retyping successive CAPTCHAs. CAPTCHAs are computer-generated images that contain random uppercase and lowercase letters as well as randomly placed white spaces.⁵ Each CAPTCHA has a total length of 35 characters, including the white spaces.

We designed the images to be blurred and distorted by lines and dots added on top to increase comprehension difficulty.⁶ The interface always presents these CAPTCHA images with a text box and a submit button. When the submit button is clicked, the next CAPTCHA image appears and the text input for the previous one is stored. The task is identical across all conditions, as illustrated in Figure 1.

We established easy-to-meet quality requirements to ensure participants remained active. These requirements include an overall typing accuracy of at least 70 percent in submitted CAPTCHAs⁷ and a minimum of one CAPTCHA submission per minute spent on the task.


Participants must meet these quality requirements to receive compensation for the Typing Task. We remunerated the Typing Task at 0.38 pennies per second participants worked on it. A hidden timer recorded each second participants kept the Typing Task in the visible part of their screen. Participants in both conditions spent on average 41

⁵White spaces were added to improve readability after pretests. The number of white spaces was limited to a maximum of 5 instances per CAPTCHA to control the typing time per image.

⁶The randomization procedure to generate CAPTCHAs is available [here](#).

⁷We use Python's `difflib` string-matching algorithm to measure accuracy. It consists of finding the longest common substring and then finding recursively the number of matching characters in the non-matching regions on both sides of the longest common substring. Overall accuracy of 70 percent implies an average of 10.5 ($0.3 * 35$) mistakes across all submitted CAPTCHAs.

Figure 1: Typing Task tab



Note: This figure describes the typing interface tab. As participants always begin in the “Type” tab by default, there is a banner that reminds participants to click the tab buttons to switch tasks. This banner disappeared as soon as participants switched tasks once.

213 2.6.2 Watching Task 213

214 In this task, participants watch successive short videos in a customized media player. 214
 215 Since we are interested in isolating the media player’s default settings, the video content 215
 216 and the order in which videos appear to participants are identical across conditions. 216
 217 We completely disabled the media player controls: Participants cannot skip videos (user 217

scrolling is disabled) or use the media player’s slider to advance or go back in a particular video. We remunerated the Watching Task at 0.33 pennies per second participants worked on it.


The conditions differ in their autoplay functionality. In the **Autoplay** condition, videos play automatically when the Watching tab is visible and pause with a click anywhere on the video. While the Watching task is visible, the media player keeps scrolling to the next videos and continues playing them unless interrupted. In the **Control** condition, participants need to have the Watching tab visible and click on each consecutive video to play them. At the end of each video, the scrolling animation brings the next video, but the new video only starts playing when the participant clicks on it. Figure 2 illustrates the video tab in the **Control** condition.

We curated videos from YouTube and TikTok, using tags such as “funny animal videos/short” and “cute animal videos/shorts”. We manually selected videos to isolate the difference in the media player design and help avoid algorithmic biases resulting from the recommender system’s personalized suggestions. We chose animal videos because of their popularity during pilot studies.⁸

We manually reviewed the selected videos to ensure that they did not contain any harmful or violent actions toward the animals involved. We kept the videos short to maximize the frequency of experiencing the autoplay feature during the watching session.

⁸During the pilots, the experiment was followed by a separate questionnaire asking participants to rate the videos they had seen and suggest what types of videos they would have liked to see more of.

Figure 2: Watching Task tab



Note: This figure describes the “Watch” tab in the **Control** condition. Before the first video is clicked upon to be played, there is a banner that reminds participants that the video won’t play without clicking. This banner was not present in the **Autoplay** condition and videos started playing as soon as participants clicked on the “Watch” button seen up on the right.

2.7 Practice Session

The experiment consists of two sessions during which participants interact with the tasks described above. The first session is the Practice Session on day one. It comes right after the written descriptions of each task and serves to familiarize participants with

the tasks and the interface. Participants are assigned to either **Autoplay** or **Control** condition before the Practice Session, so that they experience the same video interace on both the Practice and Main Sessions.

During the practice session, each task was available for only 60 seconds and participants were not allowed to switch between tasks. On the first tab, participants were required to retype CAPTCHAs. The 60-second period was enough to submit one CAPTCHA and see the second CAPTCHA image. After 60 seconds, a pop-up appeared on the screen blocking any other interaction and taking participants to the second page.

Participants were required to close this pop-up to advance to the second task. The rationale behind the pop-up was to ensure participants spent equal time on both tasks. Whether or not this pop-up was closed was verified to check participant activity and served as an additional attention check.⁹ Once closed, the Watching Task began for 60 seconds, enabling participants to watch 4 to 5 short videos depending on whether they were assigned to the **Autoplay** or the **Control** condition. In the **Autoplay** condition, videos played continuously, while in the **Control** condition, videos required manual start.

We did not remunerate participants for the time they spent here because the purpose of the practice session was to understand the difficulty and pacing of the tasks, as well as navigation within the interface.

2.8 Multiple Price List

After the Practice Session on day one, participants in the Multiple Price List (**MPL**) condition made 9 binary decisions (see Figure 3). They chose between their preferred media player setting (Autoplay off or on) and a bonus payment. We introduced the MPL condition after the initial data collection phase. We determined its bonuses by the per-second earning differences across tasks, multiplied by the observed time differences between the Autoplay and control groups.

Specifically, the average difference between the Autoplay and control treatments,

⁹All participants closed this pop-up and switched to the Watching Task.

in terms of time spent across tasks, was approximately 60 seconds (as shown in Table 3). This resulted in an average earning difference of $60 * (0.38 - 0.33) = 3$ pennies. To capture this in the MPL choices offered, we set the symmetric bonuses accordingly: $\pounds[0.05, 0.1, 0.25, 0.5]$.

Once these decisions were completed, participants received information on the media player setting for day two—specifically whether Autoplay would be on or off—and the associated bonus. This information was displayed on the next page. With this knowledge, they then decided on their Time Choice. Participants who were not in the MPL condition proceeded directly to the Time Choice page after their Practice Session. More details on the Time Choice can be found in the subsequent section.

Figure 3: Multiple Price List page

Autoplay on or off?

In the practice session videos played automatically with **Autoplay**. There is another version **where you need to click on videos to play them**.

You need to make 9 decisions about Autoplay. One of your decisions will be randomly chosen and implemented. **You will receive a bonus payment and watch videos with the chosen Autoplay setting.**

For example, if you choose Autoplay for the first decision and it is implemented, you will have Autoplay and receive an additional £0.5 bonus payment.

▶ AUTOPLAY +£0.5	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0.25	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0.1	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0.05	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.05
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.1
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.25
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.5

⚠ Please pick your favorite option for each row.

CONTINUE

Note: This figure describes the MPL page where participants made 9 binary choices between their preferred autoplay setting and bonus payments. Each row presents a choice between “Autoplay” (left) and “No Autoplay” (right) with associated bonus amounts ranging from £0.05 to £0.5. The interface required participants to select one option in each row before proceeding. One of these 9 decisions was randomly selected for implementation in the Main Session, determining both the autoplay setting and any bonus payment for day two.

278 **2.9 Time Choice**

279 Following the Practice Session, participants transitioned to the Time Choice section.

280 This section required them to specify their preferred time allocation between the two

278

279

280

281 tasks for the main 20-minute session scheduled for the following day. Participants knew 281
282 the main session would be 20 minutes long and they were free to choose corner solutions, 282
283 even if that meant focusing solely on one task. 283

284 We designed a slider tool with 20-second steps for participants to indicate their time 284
285 allocation preferences. Initially, the slider appeared grayed out and required a click 285
286 to activate. This design aimed to ensure participants considered their choices in an 286
287 active manner. The click-to-activate design had two benefits: It guaranteed participants 287
288 interacted with the slider and helped participants understand the task-related payoff 288
289 structure. 289

290 To emphasize the importance of this decision, we made the choices of 5 percent of 290
291 participants binding in the main session. Binding choices led to payments based on 291
292 the initial Time Choice, but only if participants met the quality standards described 292
293 under Section 2.6.1. We excluded data from these participants from the final dataset 293
294 accordingly. We informed participants whether their allocation was binding with their 294
295 Time Choice reminder on day two, right before the start of the main session. 295

296 The Time Choice served as a benchmark for participants, and participants accord- 296
297 ingly received a textual reminder of it on day two. The Time Choice section offers 297
298 insights into participants' informed time preferences allows gauging their commitment 298
299 to these choices after the 24-hour cooling period. 299

Figure 4: Time Choice page

Time Choice

Now decide how long you would like to spend **tomorrow** on **Typing** and on **Watching Videos**.

Tomorrow you will have **20 minutes** for both tasks.

1 out of every 20 participant will be **bound** by the choice they made today.

Please **click on the slider** and indicate your **Time Choice**:



i You choose to spend **10 minutes 0 seconds** to **Type**.
You choose to spend **10 minutes 0 seconds** to **Watch Videos**.
You would earn **£4.25**.

Tomorrow you will learn whether your **Time Choice** is binding.

CONTINUE

Note: This figure shows the Time Choice interface with a slider tool allowing participants to allocate time between the two experimental tasks for the following day's 20-minute Main Session. The slider initially appears grayed out and requires a click to activate. Real-time feedback shows the selected allocation (here, 10 minutes each) and expected earnings (£4.25). The interface informs participants that 1 out of 20 (5 percent) will be bound by their choice and that they will learn whether their choice is binding on day two.

300 **2.10 Main Session** 300

301 The Main Session took place on day two, approximately 24 hours after the Time Choice. 301
302 We began by reminding participants of their previous day's allocation and informing 302
303 them whether their choice was binding or whether they were free to allocate their time 303
304 as they preferred. 304

305 The session lasted exactly 20 minutes. Participants could freely switch between the 305
306 Typing and Watching Tasks at any time using the tab interface. Unlike the Practice 306
307 Session, there were no time restrictions on individual tasks, and participants had com- 307

plete autonomy over their time allocation decisions. The interface maintained real-time tracking of time spent on each task, and participants could monitor their progress and potential earnings through the progress bar and timer.

We implemented the experimental treatment during this session through the media player’s autoplay functionality. Participants assigned to the **Autoplay** condition experienced automatic video playback when the Watching tab was visible, while those in the **Control** condition required manual clicks to start each video. All other task mechanics remained identical to the Practice Session.

Payment was calculated based on actual time spent on each task, with compensation rates of 0.38 pennies per second for Typing and 0.33 pennies per second for Watching. Participants needed to meet the established quality requirements for the Typing Task to receive compensation for time spent on that activity. The session concluded automatically after 20 minutes, and participants received their final payment calculation before completing the experiment.

2.11 Theoretical Framework and Hypotheses

We preregistered our main hypotheses before beginning data collection.¹⁰ Our preregistration included hypotheses 1 and 4. We have added supporting hypotheses 2 and 3 regarding our expectations about the Time Choice section later.

- **Hypothesis 1:** The **Autoplay** condition will lead to an increase in the time spent watching videos when compared to the **Control** condition where participants actively need to click on each video to watch. This will be measured by:

- 1.1 The total time participants dedicate to the Watching task.

- 1.2 The number of videos watched per condition.

- **Hypothesis 2:** No significant difference is expected in the time allocation decisions made by participants between the two tasks, as detailed in Section 2.9. We

¹⁰To access the preregistered hypotheses, click [here](#).

test for this difference by comparing the initial Time Choice allocations across conditions.

- **Hypothesis 3:** Participants in the Autoplay condition will deviate more towards watching videos from their initial Time Choice, where they made their preferred time allocation between the two tasks at least 24 hours prior to the main session. We measure this difference by contrasting the initial Time Choice allocations to actualized allocations during the main session across conditions.

- **Hypothesis 4:** There will be a positive demand for a commitment device. Specifically, when given a choice, participants will choose to have the autoplay feature turned off. This demand will be measured through the participant choices in Section 2.8, specifically looking at the decision where participants switch from one column to the other.

3 Sample and Procedures

The experiment was run entirely online, using widely available open-source tools.¹¹ We drew the sample from the Prolific participant pool, an online recruitment platform commonly used for academic research, targeting adult British residents. We further imposed the following criteria: Fluency in English, balanced gender representation, and having a stable internet connection (> 30 Mbps on the first and > 25 Mbps on the second day of the experiment). We did not allow mobile devices and restricted access to the experiment to Chromium-based browsers to enhance the internal validity of the experiment as previously discussed in Section 2.5. Only participants who succeeded on both attention checks, reported not having engaged in other activities, and did not have connection issues during the experiment were included in the final dataset.

For the first stage of data collection, that is to say excluding the MPL treatment, we preregistered a two-sample parallel design using our prototype data and tested for equality of means across treatments. We found that the required sample size to test

¹¹We used the [MERN stack](#) to develop and host the website in an entirely free way.

[Hypothesis 1](#) with the usual parameter values ($\alpha = .05$, $\beta = .2$) would be 114 per treatment, with an effect size of 65 seconds calculated by the difference in the average time spent between conditions ($\mu_{Autoplay} - \mu_{Control}$) and population standard deviation of 165 seconds. Since attrition in longitudinal experiments is commonplace, we invited 301 participants on the first day. On day two, we invited the same 301 participants and received 276 complete responses. No participants failed the attention checks more than twice, and therefore were not removed from the dataset as per [Prolific policy](#). We dropped 17 participants who self-reported having connection issues and 24 additional participants who stated having engaged in other activities. We also removed 11 participants who had their Time Choice enforced randomly, and the final dataset on which we base the analysis consisted of 224 individuals. Table [2](#) shows the demographic characteristics of the observed individuals.

Table 2: Descriptive statistics for the full sample

	Autoplay	Control	<i>p</i>
	N = 104	N = 120	[A = C]
<i>Gender</i>			
Female	48 (46.15%)	54 (45.00%)	0.863
<i>Age</i>			
Mean (SD)	40.56 (11.66)	40.24 (10.98)	0.836
<i>Employment</i>			
Employed (full time)	62 (59.62%)	67 (55.83%)	0.568
Employed (part time/self)	28 (26.92%)	28 (23.33%)	0.536
Not employed	11 (10.58%)	18 (15.00%)	0.147
<i>Income</i>			
Low (0-15)	28 (26.92%)	34 (28.33%)	0.814
Middle (15-30)	30 (28.85%)	36 (30.00%)	0.740
High (50+)	15 (14.42%)	13 (10.83%)	0.418
<i>Marital Status</i>			
Married/Partnership	56 (53.85%)	60 (50.00%)	0.566
Single	42 (40.38%)	52 (43.33%)	0.656
Previously married	6 (5.77%)	8 (6.67%)	0.782

Note: This table presents demographic characteristics for the final sample of 224 participants across treatment conditions. Income categories are presented in thousands of British pounds (£). Employment categories: “Not employed” includes unemployed (looking and not looking) and homemaker. “Previously married” includes divorced, widowed, and separated. *p*-values for binary outcomes are from two-sample tests of proportions; for continuous variables, from two-sample *t*-tests. For employment, part-time and self-employed are together as one category. The sample demonstrates successful randomization with balanced participant characteristics across the conditions.

371 For the MPL treatment, applying the same selection criteria as before, we invited 371

372 60 participants on day one. On day two, we received 56 complete answers. Once again, 372
373 no participant failed the attention checks. No participant reported having connection 373
374 issues. This improvement is likely because we had implemented higher network speed 374
375 requirements (> 35 Mbps on the first and > 30 Mbps on the second day). We dropped 375
376 5 participants who reported having engaged in other activities. As we were interested 376
377 in the demand for a commitment device, participants did not have their Time Choice 377
378 enforced in this treatment. We therefore ended up with 51 individuals in the final 378
379 dataset. 379

380 4 Results 380

381 We begin presenting the results of our hypotheses and summarize the variables of interest 381
382 from the main 20-minute session in Table 3. Two sample t -tests show no significant 382
383 differences in any of the outcome variables. We find that participants spend more time 383
384 typing when compared to their Time Choice on day 1, which indicates that there is 384
385 negative present bias on average. 385

Table 3: Sample statistics for variables of interest

	Autoplay	Control	<i>p</i>
	N = 104	N = 120	[A = C]
<i>Allocated Type time</i>			
Mean (SD)	573.85 (388.30)	520.17 (400.76)	0.312
Median [Min, Max]	600.00 [0.00, 1200.00]	600.00 [0.00, 1200.00]	
<i>Type time</i>			
Mean (SD)	735.36 (389.68)	676.67 (422.26)	0.284
Median [Min, Max]	788.90 [3.20, 1266.40]	637.40 [2.70, 1536.70]	
<i>Content rating</i>			
Mean (SD)	6.92 (2.29)	6.44 (2.53)	0.139
Median [Min, Max]	7.00 [2.00, 10.00]	7.00 [0.00, 10.00]	
<i>Nb. of task switches</i>			
Mean (SD)	4.00 (4.50)	3.69 (5.03)	0.631
Median [Min, Max]	2.00 [0.00, 16.00]	2.00 [0.00, 28.00]	
<i>Nb. of retyped images</i>			
Mean (SD)	18.01 (11.97)	16.26 (11.59)	0.268
Median [Min, Max]	17.00 [0.00, 53.00]	14.50 [0.00, 45.00]	
<i>Nb. of videos watched</i>			
Mean (SD)	35.75 (27.21)	34.40 (26.35)	0.707
Median [Min, Max]	36.00 [0.00, 80.00]	40.50 [0.00, 77.00]	

Note: This table presents key outcome variables from the Main Session. “Allocated Type time” refers to participants’ stated preferences from the Time Choice task for typing, while “Type time” represents the actual time spent on typing task during the 20-minute Main Session (measured in seconds). Content rating reflects participants’ evaluation of video content on a 0-10 scale. Task switches count the number of times participants switched between the Typing and Watching tasks. *p*-values are from two-sample *t*-tests comparing treatment groups.

4.1 Does Autoplay increase time spent watcing videos? (H1)

Our primary hypothesis was investigating whether the Autoplay feature influences the time participants spend on watching videos. We scrutinized this using two distinct measures.

The first one considered the time span participants allocated to the Watching Task, captured through second-by-second logs during the 20-minute main session: A technical glitch with the countdown timer inadvertently caused most participants to spend an additional 30 to 60 seconds on the session. A deeper dive into this issue unveiled that the timer *slowed down* in the absence of user interactions, such as clicks, cursor movements or typing. To understand the overall implications of this glitch on our experiment, we analyzed the distribution of the total time spent across the two treatments, visualized in Figure 5. Herein, the x-axis delineates the total time allocated to both tasks, while the y-axis depicts its frequency. The distribution of ending times appears roughly symmetrical for both treatments on the histogram, and a Mann-Whitney U test confirms that the glitch affected both conditions uniformly ($U = 6331, p = 0.85$). Finally, post-experiment feedback reassures us that participants remained unaware of this anomaly.




Figure 5: Distribution of main session ending time across treatments

To remedy for the differences in time spent across tasks resulting from the glitch and standardize our data, we calculated the observed time spent at task data using the logged ending time. We calculate first the proportion of time spent Typing and then standardize it for our sample:

$$x = \frac{type_time}{end_time}, z_{type} = (x - \bar{X}_i)/\sigma_i \quad (1)$$

where $\bar{X}_i$ and σ_i are the average of network means and standard deviations for the sample.

Figure 6a shows the distribution of the standardized time spent on watching videos across treatments. We test and reject Hypothesis 1.1 using the Mann-Whitney U test ($U = 5825, p = 0.39$), meaning Autoplay treatment did not result in an increased time spent watching videos. We then proceed with Hypothesis 1.2, focusing on the number of videos each participant watched across treatments. Figure 6b shows the distribution of the number of videos watched per condition. Using a Mann-Whitney U test again, we reject that Autoplay treatment increased the number of videos watched ($U = 6494, p = 0.599$).




Figure 6: Distributions of variables relating to watching time across treatments

4.2 Effects of Autoplay on Time Choice (H2)

We next examine [Hypothesis 2](#), which posits there are no significant differences in the initial Time Choice made by participants across two treatments. For clarity, Time Choice refers to how much time participants preferred to spend on the Typing Task on day one. As depicted in [Figure 7](#), the distribution of Time Choices across treatments appears roughly symmetrical for both treatments. To validate this observation, we employed the Mann-Whitney U test, where the null hypothesis suggests there is no statistically significant difference in Time Choice distributions across treatments. The outcome leads us to confirm our hypothesis ($U = 6713.5, p = 0.323$), suggesting that participants' initial Time Choice were statistically indistinguishable across treatments. Participants seem to have been uniformly affected by the two treatments, which is important ascertain before we delve further into the analysis of Time Choice.




Figure 7: Distribution of Time Choice across treatments

4.3 Effects of Autoplay on deviations from Time Choice (H3)

We then move on to the [Hypothesis 3](#), which suggests participants in the Autoplay condition would deviate more towards watching videos from their initial Time Choice.

431 To assess this hypothesis, we transformed the Time Choice variable by normalizing
 432 to percentages and calculated the deviation by subtracting the percentage of actual
 433 time spent on the Typing Task from it. Figure 8 shows the distribution of deviations
 434 from Time Choice across treatments which appears left-skewed, suggesting increases in
 435 actual typing instead. Specifically, negative values in the figure represent increases in
 436 typing, whereas positive values are increases in watching. Applying the Mann-Whitney
 437 U test, our data ($U = 6134, p = 0.827$) did not support a significant deviation for
 438 the Autoplay condition towards watching. Further descriptive statistics reveal a mean
 439 deviation of -11.73 , a median of -8.46 , and a mode of 0, emphasizing the observed left
 440 skew. To strengthen our findings, we used the Wilcoxon Signed-Rank test to compare the
 441 distribution of deviations to a 0 median distribution, and rejected the null ($W = 5152$,
 442 $p < 0.001$). In summary, contrary to our hypothesis, participants generally spent more
 443 time on the Typing Task than they initially intended regardless of treatment.




Figure 8: Distribution of the deviation from initial Time Choice in percentages across treatments

4.3.1 Demand for the commitment device (H4)

[Hypothesis 4](#) suggests participants would choose to turn Autoplay off when given the possibility, meaning there is positive demand for the commitment device. We assess this demand by comparing the share of participants choosing to turn Autoplay on or off along with the associated bonus payments for each of the nine decisions in the price list. Figure 9 shows the percentages of participants preferring Autoplay in blue and those preferring to turn Autoplay off in orange. Distributions clearly show that when given a choice, participants have a preference for Autoplay. Specifically, more than 75 percent of participants chose Autoplay without bonus, 12 percent chose Autoplay if it meant giving up £0.05, and 7 percent chose Autoplay if it meant giving up £0.1.




Figure 9: Distribution of Autoplay preferences in percentages

5 Discussion

There are two ways to interpret our findings. We begin our discussion first with a simplistic understanding of the results and build up for a more nuanced explanation. The straightforward conclusion based on the lack of support for [Hypothesis 1](#) is that Autoplay does not have a distinct impact on participants' actualized decisions when contrasted

to active decisions. Combined with the lack of support for [Hypothesis 3](#) on deviations from how long participants wanted to watch videos initially and the actual preference for Autoplay in [Hypothesis 4](#) further supports the idea that Autoplay is a ‘harmless’ default when it comes to media control settings and does not provoke increased consumption. Our findings allow for this conclusion, and show instead that users actually prefer autoplay to active decisions when there is money at stake. This would contradict the presumed welfare benefits of the proposed ban in the [SMART Act](#) by the US Congress. However, this ‘simple’ interpretation of results does not consider the complexity of the issue at hand and leaves out a crucial design choice: The content of videos. To reassure, how the content was perceived by participants in our experiment was controlled by a survey question which asked them to rate the content of the videos. The median response was a 7 out of 10 rating across conditions for the content (see [Table 3](#) for sample statistics).¹² Yet, the selection (manual) and the presentation (randomized order) of the content are clearly different from the algorithmically curated personalized experience participants are accustomed to have on daily basis. To have a clear understanding of the implications of the experiment, it is preferable to look at the larger context in which content and design together shape the digital environment where decisions are made.

In order to take into account this interplay between the content and the design, we rely on the insights from a recent model on media consumption ([Kleinberg et al., 2022](#)) where firms optimize over a large set of potential content and interface designs parametrized by their underlying features. Consumers optimize utility for their two selves: The impulsive and myopic one (self 1) and the forward-looking and thoughtful one (self 2). Content is consumed so long as self 1 derives some positive utility, and only after self 1 receives negative utility can system 2 make the decision to stop consuming

¹²Using Shapiro-Wilk tests we cannot reject the null that distributions are significantly different from a normal distribution for both autoplay ($W = 0.932$, $p < 0.001$) and control ($W = 0.933$, $p < 0.001$) treatments. A Mann-Whitney U test between treatments cannot reject the null that distributions are significantly different from one another ($U = 6894$, $p = 0.173$), although there is some indication (see [Figure 10](#) for the density distribution) that participants in autoplay condition gave higher ratings to the content.




Figure 10: Density distribution of content ratings across treatments

content in case system 2 was already receiving negative utility. In this model, autoplay, a feature that facilitates seamless content consumption, has heterogeneous effects over different types of content. The intuition is as follows: If the existing content already is such that it has a low probability that utility for impulsive self 1 is larger than zero, autoplay has little impact on the user behavior. In other words, on a content landscape with low addictiveness, autoplay would have minimal impact on engagement. Applying this to our setting implies that the content provided for the experiment, although itself curated from social media, is much less interesting for the impulsive self 1 of participants.

Further, when a user is actively engaged and desires to consume more content, the autoplay feature aligns with the user’s intent. This supports the preference for autoplay found in the [MPL condition](#) regarding [Hypothesis 4](#), implying that participants were aware of their actual content consumption and desired to consume more content. This is entirely in accordance with the inference on the selection of videos not being tempting enough. In other words, because videos were not tempting, participants were in control of their consumption and could end sessions whenever their system 2 received negative utility from videos. In this setting, autoplay is actually helpful to participants in achieving their desired session length as it reduces decisions costs attached to it, fully aligned with previous the modelization of active decisions compared to defaults by [Carroll et al. \(2009\)](#). Putting the dual insights of the model together builds a coherent picture in

terms of the policy implications of the present study, and we present convincing evidence that autoplay itself does not promote addiction in the absence of engaging content. Our findings go contrary to the proposed legislation which implicitly assumes all autoplayed content is equally addictive and welfare decreasing.

6 Limitations and Conclusion

EXPERIMENTAL DEMAND EFFECTS AND SOCIAL IMAGE CONCERNS. THE EXPERIMENT IS SET AS A WORKING ENVIRONMENT. PARTICIPANTS PERCEIVED THE DECISION AS ONE TO WORK AS MUCH AS POSSIBLE.

References

- Allcott, H., Braghieri, L., Eichmeyer, S., & Gentzkow, M. (2020). The welfare effects of social media. *American Economic Review*, 110(3), 629–76.
- Allcott, H., Gentzkow, M., & Song, L. (2022). Digital addiction. *American Economic Review*, 112(7), 2424–2463.
- Augenblick, N., Niederle, M., & Sprenger, C. (2015). Working over time: Dynamic inconsistency in real effort tasks. *The Quarterly Journal of Economics*, 130(3), 1067–1115.
- Beggs, J. N. (2016). Private-sector nudging: the good, the bad, and the uncertain. In *Nudge theory in action: Behavioral design in policy and markets* (pp. 125–158). Springer.
- Bonein, A., & Denant-Boèmont, L. (2015). Self-control, commitment and peer pressure: a laboratory experiment. *Experimental Economics*, 18, 543–568.
- Caraban, A., Karapanos, E., Gonçalves, D., & Campos, P. (2019). 23 ways to nudge: A review of technology-mediated nudging in human-computer interaction. In *Proceedings of the 2019 chi conference on human factors in computing systems* (pp. 1–15).

527 Carroll, G. D., Choi, J. J., Laibson, D., Madrian, B. C., & Metrick, A. (2009). Optimal 527
528 defaults and active decisions. *The quarterly journal of economics*, 124(4), 1639– 528
529 1674. 529

530 Charness, G., Gneezy, U., & Henderson, A. (2018). Experimental methods: Measuring 530
531 effort in economics experiments. *Journal of Economic Behavior & Organization*, 531
532 149, 74–87. 532

533 Ericson, K. M., & Laibson, D. (2019). *Intertemporal choice, vol. 2, chap. 1*. Elsevier. 533

534 Hiniker, A., Heung, S. S., Hong, S., & Kientz, J. A. (2018). Coco’s videos: an em- 534
535 pirical investigation of video-player design features and children’s media use. In 535
536 *Proceedings of the 2018 chi conference on human factors in computing systems* 536
537 (pp. 1–13). 537

538 Hoong, R. (2021). Self control and smartphone use: An experimental study of soft 538
539 commitment devices. *European Economic Review*, 140, 103924. 539

540 Ichihashi, S., & Kim, B.-C. (2023). Addictive platforms. *Management Science*, 69(2), 540
541 1127–1145. 541

542 Kleinberg, J., Mullainathan, S., & Raghavan, M. (2022). The challenge of understanding 542
543 what users want: Inconsistent preferences and engagement optimization. *arXiv* 543
544 *preprint arXiv:2202.11776*. 544

545 Kool, W., & Botvinick, M. (2014). A labor/leisure tradeoff in cognitive control. *Journal* 545
546 *of experimental psychology. General*, 143(1), 131. 546

547 Lukoff, K., Lyngs, U., Zade, H., Liao, J. V., Choi, J., Fan, K., ... Hiniker, A. (2021). 547
548 How the design of youtube influences user sense of agency. In *Proceedings of the* 548
549 *2021 chi conference on human factors in computing systems* (pp. 1–17). 549

550 Lupiáñez-Villanueva, F., Boluda, A., Bogliacino, F., Liva, G., Lechardoy, L., & de las 550
551 Heras Ballell, T. R. (2022). *Behavioural study on unfair commercial practices in the* 551
552 *digital environment: dark patterns and manipulative personalisation*. Publications 552
553 Office of the European Union. 553

554 Mertens, S., Herberz, M., Hahnel, U. J., & Brosch, T. (2022). The effectiveness of 554
555 nudging: A meta-analysis of choice architecture interventions across behavioral 555

domains. *Proceedings of the National Academy of Sciences*, 119(1), e2107346118.

Mills, S. (2023). Nudge/sludge symmetry: on the relationship between nudge and sludge and the resulting ontological, normative and transparency implications. *Behavioural Public Policy*, 7(2), 309–332.

Smith, N. C., Goldstein, D. G., & Johnson, E. J. (2013). Choice without awareness: Ethical and policy implications of defaults. *Journal of Public Policy & Marketing*, 32(2), 159–172.

Thaler, R. H., & Sunstein, C. R. (2009). *Nudge: Improving decisions about health, wealth, and happiness*. Penguin.