

1 Autoplay on Trial: An Online Experiment on the Suspect 1
2 Behind Excessive Screen Time 2

3 Reha Tuncer* 3

4 June 26, 2025 4

5 **Abstract** 5

6 Interface design can be strategically employed to ‘nudge’ consumers to take certain ac- 6
7 tions and is suspected of promoting addictive online behavior. A prevalent interface 7
8 element across numerous popular social media and streaming platforms is the default 8
9 autoplay feature. In this study, we present an incentivized online experiment to inves- 9
10 tigate whether the autoplay feature alone can cause an unwarranted increase in desired 10
11 viewing times. While controlling for content, we demonstrate that the autoplay feature, 11
12 in isolation, does not override participants’ previously indicated preferences for media 12
13 consumption. We discuss the our findings in terms of what actually renders online plat- 13
14 forms addictive. Our results have direct policy implications for the proposed blanket 14
15 ban on autoplay by the US Congress (SMART Act). 15

*I am grateful to Ernesto Reuben and Kerstin Bongard-Blanchy for their guidance in the design and conception of this experiment, to Sophie Doublet for her help in interface design, to Suvadeep Mukherjee for his guidance in building web experiments. I am also thankful for the invaluable comments from the Behavioral Economics Summer School at the University of Copenhagen, the doctoral workshop at UC Louvain, the Experiments Workshop Soletto at Sapienza University Rome, Samuel Greiff, Manuel Munoz Herrera, Hande Erkut and countless colleagues.

1 Introduction

The rise of social media and streaming platforms have generated discussion around potential societal benefits and concerns about harms such as addiction and self-control issues. A number of recent economic studies have found convincing evidence that people spend significantly more time than they would like to on their smartphones in general (Hoong, 2021) and on social media (Allcott, Gentzkow, & Song, 2022), and social media use was associated with decreased subjective well being (Allcott, Braghieri, Eichmeyer, & Gentzkow, 2020). The reason behind such findings need not be elusive. Online content serving platforms, like Facebook or Netflix, monetize consumer attention and have the ability to control the setting in which consumption decisions occur (e.g., format of information, presentation of choices). Such firms are potentially incentivized to increase the ‘addictiveness’ of their platforms by altering the content and design provided to users, as occupying more of consumers’ free time can lead to higher revenues (Ichihashi & Kim, 2023; Kleinberg, Mullainathan, & Raghavan, 2022). Designing for addiction, in turn, would lead to increased content consumption but decreased utility from consumption, as implied by the extensive literature on present bias (see Ericson and Laibson (2019) for a review). Wary policymakers across both sides of the Atlantic have already made efforts to restrain the negative effects such incentives could have on consumer welfare (see SMART Act by US Congress and Digital Services Act by EU). Both acts are attempts to regulate the increasingly relevant digital environments which contain effective ways to solicit consumers’ attention and influence them to make transactional decisions that may go against their best interests (Lupiáñez-Villanueva et al., 2022). Although both regulators and scientists alike successfully identify the problem, it remains to be seen what specific aspects of such online platforms are problematic, as a blanket regulation over the entire landscape of digital services could offset the many benefits users derive from them. Our study constitutes the first such attempt to our knowledge in disentangling the many interrelated features online platforms have and pinpoints to what specifically requires the attention of the regulators. Relevant to our experimental setting is the

proposed ban on defaults regarding media player controls, where the platform serves content “without an express, separate prompt by the user (such as pushing a button or clicking an icon)”.

Interface designers and computer scientists have already documented the many ways in which interface design can be instrumentalized to ‘nudge’ users in practice (see [Caraban, Karapanos, Gonçalves, and Campos \(2019\)](#) for a review). Nudge theory suggests knowledge about systematic biases in decision-making can be leveraged to support people in making better decisions for themselves ([Thaler & Sunstein, 2009](#)). Much of the existing literature is dedicated to improving decision-making in the context of benevolent government-sponsored nudges (see [Mertens, Herberz, Hahnel, and Brosch \(2022\)](#) for a review). More recently, however, discussions also extended to private sector interventions. This branch of the literature addresses the implications of changing behavior for ‘better’ decisions from the firm’s point of view ([Beggs, 2016](#); [Mills, 2023](#); [Smith, Goldstein, & Johnson, 2013](#)). When firms nudge, there should be a distinction between whether the firm or the recipient of the nudge benefits from it. In other words, nudges can become problematic if the objective of the intervention is to maximize the benefit received by the firm instead of the decision-maker. Media player defaults, such as autoplay, are potentially one such example that could be driving the concerning results attested by literature. If these defaults are conceived to increase welfare of consumers instead, they should be preferred to active decisions or other alternatives. [Carroll, Choi, Laibson, Madrian, and Metrick \(2009\)](#) make a similar comparison between defaults and active decisions in the context of saving decisions, with a focus on modelling decision cost attached to making explicit choices.

The understudied ‘autoplay’ feature, is an interface nudge prevalent across social media and streaming platforms that automatically transitions users to the next video content without providing an explicit opportunity to discontinue consumption. Unless opted-out by users, platforms including Facebook, Netflix, YouTube and TikTok provide autoplay as the *default* media player configuration as of mid-2023. Defaults are effective because they (i) reduce effort, (ii) imply endorsement, and (iii) work hand in hand with

cognitive biases such as loss aversion (Smith et al., 2013). In case of autoplay, the default makes watching successive videos more salient as it removes the opportunity from users to decide whether or not to continue watching. Studies have shown that media player design promotes “mindless” content consumption and reduces user agency (Lukoff et al., 2021). Removing the opportunity to decide whether or not to continue watching leads to increased watching times in children (Hiniker, Heung, Hong, & Kientz, 2018), known to exhibit less self-control than adults. If indeed autoplay promotes digital addiction as suggested by the proposed legislation and the literature, we would expect it to alter the decisions of viewers with self control issues even when proposed content is kept same. We therefore hypothesize that holding content constant, autoplay should result in increased viewing times compared to the control group making active decisions. Further, the concerns of addiction could be verified by contrasting actual watching choices to participants’ previous commitment choices regarding how much they initially wanted to watch videos across conditions. In sum, we conceptualize autoplay as facilitating continuous watching, and compare it in an incentivized experiment to a ‘neutral’ setting where users must actively select videos to watch them.

To determine whether autoplay alters viewers’ past commitment choices, we designed an online experiment where participants spent 20 minutes on a higher-paying real effort task (retyping CAPTCHAs)¹ or a lower-paying leisure task (watching videos). In the treatment condition, videos played automatically, while in the control condition, participants had to click to watch each video. To investigate the effects of autoplay on viewers with heterogeneous self-control issues, we included an additional task to elicit self control issues in our sample. In this task, participants visited the experiment website one day before the 20 minute session and practiced both the real effort task and the leisure task for 2 minutes in a so-called “practice session”. Participants were already randomly assigned to the treatment during the practice session and were able to

¹Charness, Gneezy, and Henderson (2018) categorize CAPTCHAs as a decoding task similar to Augenblick, Niederle, and Sprenger (2015) with the following useful properties: Low difficulty of implementation, small differences regarding the skill required to accomplish the task, and limited learning opportunities to improve at accomplishing the task.

familiarize themselves with the tasks and the media player treatment. After the practice session, participants decided how long they would like to spend on the next day for each task with the help of a slider indicating their payoffs. This decision was reminded to the participants on the second day, but it was not binding for most.² In a separate data collection with a smaller sample, we also measured the demand for a commitment device using a multiple price list to see if participants would pay to turn off the autoplay feature. Our two task experimental setup was inspired by [Kool and Botvinick \(2014\)](#), while the real effort task is akin to [Augenblick et al. \(2015\)](#), and the leisure task resembles [Bonein and Denant-Boémont \(2015\)](#). The contribution of our study is on its novel experimental design which allows testing both established and recent theories on societally relevant topics such as digital addiction. The entire task interface is constructed from scratch with the help of professional designers, and it aims to mimic the user experience on a social media platform. The design brings together extensive possibilities of data collection on behavior with the ease of scaling, while holding internal validity at a high standard. In sum, our design welcomes a plethora of new research questions that can be studied through economic experiments.

2 Experimental Design

2.1 Core Experimental Logic

To explore the relationship between default video player settings and self-control, we designed a choice environment that captures the tension between productive effort and immediate gratification. Our experimental setup features two competing tasks: a primary typing task that is tedious and offers limited learning opportunities, and a secondary video-watching task that provides immediate entertainment value. This design mirrors real-world situations where individuals must allocate time between effortful productive activities and readily available leisure alternatives.

²5% of participants who are excluded from the main analysis were bound by the choice they made on the first day to add weight to the decision.

The key innovation in our design is the manipulation of autoplay features in the video interface. Participants can switch between tasks at any time, but the ease of continuing with the leisure activity varies systematically across treatment conditions. This allows us to isolate the causal effect of interface design on time allocation decisions while holding constant individual preferences and task characteristics.

2.2 Timeline and Session Structure

We conducted a two-day online experiment to examine how autoplay features affect time allocation between productive and leisure tasks. The multi-day structure allowed us to measure the gap between stated preferences and actual behavior under different media interface conditions. Participants completed two separate data collection sessions with a cooling-off period of 24 hours (up to 48 hours) between sessions.

Day 1 sessions included a practice session to familiarize participants with the experimental interface, followed by preference elicitation measures. Day 2 featured the main 20-minute work session where participants made actual time allocation decisions. We conducted two waves of data collection to test different experimental components, as described in Table 1.

Table 1: Summary of experimental design and timeline

	Practice Session	Time Choice	Main Session	Multiple Price List	Decision Horizon
Day 1 (May 10)	✓	✓			24-hour
Day 2 (May 11)			✓		immediate
Day 1 (May 18)	✓	✓		✓	24-hour
Day 2 (May 19)			✓		immediate

Note: This table shows the experimental components administered across two data collection waves. The first wave (May 10-11) established baseline treatment effects, while the second wave (May 18-19) incorporated the Multiple Price List treatment to measure demand for commitment devices. Decision horizon refers to the time between preference elicitation and the main experimental session.

140 2.3 Payment Structure and Incentives 140

141 We implemented a performance-based payment system to ensure participants faced 141
142 meaningful trade-offs between tasks. Payment depended directly on the seconds par- 142
143 ticipants actively spent on each task, with different compensation rates for the typing 143
144 and video-watching activities. This created clear opportunity costs for time allocation 144
145 decisions while avoiding any completion bonuses that might distort behavior. 145

146 Participants who completed all required elements of the experiment received payment 146
147 within seven days after the second session.³ To maintain data quality, participants who 147
148 failed to meet specified quality criteria for the typing task were not compensated for 148
149 time spent on that task. 149

150 2.4 Technical Implementation and Interface Design 150

151 The experimental platform was designed to provide precise control over the testing envi- 151
152 ronment while maintaining ecological validity. We presented both tasks within a single 152
153 web page using distinct tabs, allowing participants to switch between activities seam- 153
154 lessly while preserving progress. The typing task always served as the default upon 154
155 session initiation, requiring an active choice to switch to the video-watching alternative. 155

156 Our interface incorporated several key features to track behavior precisely. A progress 156
157 bar and timer provided real-time feedback on session duration and task engagement. We 157
158 logged all critical interactions including tab switches, keystrokes during typing, video 158
159 controls, and cursor movements outside the experimental window. This granular tracking 159
160 enabled us to construct detailed measures of attention and engagement across tasks. 160

161 2.5 Internal Validity Controls 161

162 Online experiments present unique challenges for maintaining experimental control, in- 162
163 cluding participant multitasking, technical disruptions, and environmental variation. We 163

³Prolific policy gives researchers 21 days to transfer funds to participants. The typical delay between study completion and payment is however only a couple of days on average, as indicated on the Prolific website ([link](#)).

implemented comprehensive measures to address these concerns and ensure data quality.

Participant and Technology Screening: We selectively admitted participants using multiple screening criteria to ensure stable experimental conditions. Internet speed requirements (minimum 30 Mbps on day 1, 25 Mbps on day 2) filtered out participants with unstable connections. We restricted participation to users with Windows, Linux, or Mac operating systems using Chromium-based browsers exclusively, excluding Safari and Mozilla Firefox due to restrictive autoplay configurations. Mobile devices and tablets were prohibited to standardize the user experience.

Platform Controls: The experimental website enforced linear navigation, preventing participants from moving backward through the experiment. We disabled right-click functions and keyboard shortcuts, and any attempt to navigate backward reset progress to the landing page. These restrictions were clearly communicated to participants at the experiment’s outset.

Attention and Engagement Monitoring: We implemented real-time tracking of participant attention using JavaScript packages to detect interface visibility disruptions.⁴ This system captured actions such as minimizing the browser, switching between web pages, or launching other applications, providing second-by-second accountability of participant engagement.

Post-Experiment Validation: After completing the experiment, participants reported any connectivity disruptions and confirmed their genuine engagement with the video-watching task. Combined with our objective tracking measures, these self-reports enabled us to identify and filter data potentially compromised by distractions or divided attention.

2.6 Tasks

2.6.1 Typing Task

Typing Task requires retyping successive CAPTCHA’s. CAPTCHA’s are computer generated images that contain random uppercase and lowercase letters as well as randomly

⁴For more information about the package, see [here](#).

placed white spaces.⁵ Each CAPTCHA has a total length of 35 characters, including the white spaces. The images are blurred and distorted by lines and dots added on top to increase comprehension difficulty.⁶ These CAPTCHA images are always presented in the interface with a text box and a submit button. When the submit button is clicked, the next CAPTCHA image comes and the text input for the previous one is stored. Typing Task is identical across all conditions.

There are easy-to-attend quality requirements to make sure participants are active: (i) an overall typing accuracy of at least 70 percent in submitted CAPTCHA's,⁷ (ii) a minimum of one CAPTCHA submission per minute spent on task. Remuneration condition for the Typing Task is to meet these quality requirements. Typing Task is remunerated at 0.38 pennies per second participants work on it. A hidden timer records each second participants keep the Typing Task in the visible part of their screen. Participants in both conditions spent on average 41 seconds per CAPTCHA.

2.6.2 Watching Task

In this task participants watch successive short videos in a customized media player. Since we are interested in isolating the media player's default settings, the video content and the order in which videos appear to participants are identical across treatments. The media player controls are completely disabled: Participants are not allowed to skip videos (user scrolling is disabled) or use the media player's slider to advance or go back in a particular video. Watching Task is remunerated at 0.33 pennies per second participants work on it. In the Autoplay treatment, videos play automatically when the Watching tab is visible and pause with a click anywhere on the video. While the Watching task is

⁵White spaces were added to improve readability after pretests. Number of white spaces were limited to maximum 5 instances per CAPTCHA in order to control the typing time per image.

⁶The randomization procedure to generate CAPTCHA's is available [here](#).

⁷We use Python's `difflib` string-matching algorithm to measure accuracy. It consists of finding the longest common substring and then finding recursively the number of matching characters in the non-matching regions on both sides of the longest common substring. Overall accuracy of 70 percent implies an average of 10.5 ($0.3 * 35$) mistakes across all submitted CAPTCHA's.




Figure 1: Typing Task tab

visible, the media player keeps scrolling on to next videos and keeps playing them unless it is interrupted. In the control treatment, participants need to have the Watching tab visible and click on each consecutive video to play them. At the end of each video, the scrolling animation brings the next video but the new video only starts playing when the participant clicks on it.

Videos are curated from YouTube and TikTok, using tags such as “funny animal videos/short” and “cute animal videos/shorts”. Manual selection of videos isolates the difference in the media player design, and help avoid algorithmic biases resulting from the recommender system’s personalized suggestions. The reason for choosing animal videos was their popularity during pilot studies.⁸ The selected videos were manually reviewed to ensure that they did not contain any harmful or violent actions towards the animals involved. The videos are kept short to maximize the frequency of experiencing

⁸During the pilots, the experiment was followed by a separate questionnaire asking participants to rate the videos they have seen and suggest what types of videos they would have liked to see more of.

225 the Autoplay treatment during the watching session.

225




Figure 2: Watching Task tab

226 2.7 Experimental Procedure 226

227 2.7.1 Practice Session 227

228 There are two sessions during which participants interact with the tasks described above. 228
229 First, the Practice Session in day one: It comes right after the written descriptions 229
230 of each task and serves to familiarize participants with the tasks and the interface. 230
231 Participants are not remunerated for the time they spend here because the purpose of 231
232 the practice session is to understand the difficulty and the pacing of the tasks, as well as 232
233 navigation within the interface. During the practice session, each task is available only 233
234 for 60 seconds and participants are not allowed to switch between tasks. On the first 234
235 tab participants are required to retype CAPTCHAs. The 60 second period is enough 235

to submit one CAPTCHA and see the second CAPTCHA image. After 60 seconds, a pop-up appears on the screen blocking any other interaction and takes participants to the second page. Participants are required to close this pop-up to advance to the second task. The rationale behind the pop-up is to assure participants spend equal time on both tasks. Whether or not this pop-up is closed is verified to check participant activity, and serves as an additional attention check.⁹ Once closed, the Watching Task begins for 60 seconds, enabling participants to watch 4 to 5 short videos depending on whether they were assigned to the Autoplay or the control treatment. Notice how in the Autoplay treatment videos played continuously and in the control treatment videos required manual start.

2.7.2 Multiple Price List

After the Practice Session on day one, participants in the Multiple Price List (MPL) condition made 9 binary decisions. They chose between their preferred media player setting (Autoplay off or on) and a bonus payment. The MPL condition was introduced after the initial data collection phase, and its bonuses were determined by the per-second earning differences across tasks, multiplied by the observed time differences between the Autoplay and control groups. Specifically, the average difference between the Autoplay and control treatments, in terms of time spent across tasks, as can be seen in Table 3, was approximately 60 seconds. This resulted in an average earning difference of $60 * (0.38 - 0.33) = 3$ pennies. To capture this in the MPL choices offered, we set the symmetric bonuses accordingly: £[0.05, 0.1, 0.25, 0.5].

Once these decisions were completed, participants received information on the media player setting—specifically for day two, if Autoplay would be on or off—and the associated bonus. This information was displayed on the next page. Armed with this knowledge, they then decided on their Time Choice. Participants who were not in the MPL condition proceeded directly to the Time Choice page after their Practice Session. More details on the Time Choice can be found in the subsequent section.

⁹All participants closed this pop-up and switched to the Watching Task.

Autoplay on or off?

In the practice session videos played automatically with **Autoplay**. There is another version **where you need to click on videos to play them**.

You need to make 9 decisions about Autoplay. One of your decisions will be randomly chosen and implemented. **You will receive a bonus payment and watch videos with the chosen Autoplay setting.**

For example, if you choose Autoplay for the first decision and it is implemented, you will have Autoplay and receive an additional £0.5 bonus payment.

 AUTOPLAY +£0.5	 NO AUTOPLAY +£0
 AUTOPLAY +£0.25	 NO AUTOPLAY +£0
 AUTOPLAY +£0.1	 NO AUTOPLAY +£0
 AUTOPLAY +£0.05	 NO AUTOPLAY +£0
 AUTOPLAY +£0	 NO AUTOPLAY +£0
 AUTOPLAY +£0	 NO AUTOPLAY +£0.05
 AUTOPLAY +£0	 NO AUTOPLAY +£0.1
 AUTOPLAY +£0	 NO AUTOPLAY +£0.25
 AUTOPLAY +£0	 NO AUTOPLAY +£0.5

 Please pick your favorite option for each row.

CONTINUE

Figure 3: Multiple Price List page

2.7.3 Time Choice

Following the Practice Session, participants transitioned to the Time Choice section. This section required them to specify their preferred time allocation between the two tasks for the main 20-minute session scheduled for the following day. Participants knew the main session would be 20 minutes long and they were free in choosing corner solutions, even if that meant focusing solely on one task. Time Choice served as a benchmark for participants, and, accordingly, participants received a textual reminder of it on day two. From a research perspective, the Time Choice section was crucial, offering insights into participants' informed preferences and gauging their commitment to these choices after the 24-hour cooling period.

Participants used a slider tool with 20-second steps to indicate their time allocation preferences. Initially, the slider appeared grayed out. Requiring a click to activate, this design aimed to ensure participants considered their choices in an active manner. The click-to-activate design had two benefits: It guaranteed participants interacted with the slider and helped participants understand the task-related payoff structure. To emphasize the importance of this decision, the choices of 5 percent of participants were binding in the main session. Binding choices led to payments based on the initial Time Choice, but only if participants met the quality standards described under the [Typing Task](#). Data from these participants were excluded from the final dataset accordingly. Participants were informed whether their allocation was binding with their Time Choice reminder on day two, right before the start of the main 20-minute session.

2.8 Behavioral Hypotheses

We preregistered our main hypotheses before beginning data collection.¹⁰ Our preregistration included hypotheses 1 and 4. We have added hypotheses 2 and 3 regarding our expectations about the Time Choice section for the purpose of this report.

- **Hypothesis 1:** The Autoplay treatment will lead to an increase in the time

¹⁰To access the preregistered hypotheses, click [here](#).

Time Choice

Now decide how long you would like to spend **tomorrow** on **Typing** and on **Watching Videos**.

Tomorrow you will have **20 minutes** for both tasks.

1 out of every 20 participant will be **binded** by the choice they made today.

Please **click on the slider** and indicate your **Time Choice**:

ⓘ You choose to spend **10 minutes 0 seconds** to **Type**.
 You choose to spend **10 minutes 0 seconds** to **Watch Videos**.
 You would earn **£4.25**.

Tomorrow you will learn whether your **Time Choice** is binding.

CONTINUE

Figure 4: Time Choice page

289 spent watching videos when compared to the control condition where participants 289

290 actively need to click on each video to watch. This will be measured by: 290

291 **1.1** The total time participants dedicate to the Watching task. 291

292 **1.2** The number of videos watched per condition. 292

293 • **Hypothesis 2:** No significant difference is expected in the time allocation decisions 293

294 made by participants between the two tasks, as detailed in the [Time Choice](#) section. 294

295 We test for this difference by comparing the initial Time Choice allocations across 295

296 conditions. 296

297 • **Hypothesis 3:** Participants in the Autoplay condition will deviate more towards 297

298 watching videos from their initial Time Choice, where they made their preferred 298

299 time allocation between the two tasks at least 24 hours prior to the main session. 299

300 We measure this difference by contrasting the initial Time Choice allocations to 300

301 actualized allocations during the main session across conditions. 301

302 • **Hypothesis 4:** There will be a positive demand for a commitment device. Specif- 302

303 ically, when given a choice, participants will choose to have the autoplay feature 303

turned off. This demand will be measured through the participant choices in the [MPL condition](#), specifically looking at the decision where participants switch from one column to the other.

3 Results

The experiment was run entirely online, using widely available open-source tools.¹¹ The sampling was made from the Prolific participant pool, an online recruitment platform commonly used for academic research, targeting adult British residents. We further imposed the following criteria: fluency in English, balanced gender representation, having a stable internet connection (> 30 Mbps on the first and > 25 on the second day of the experiment). We did not allow mobile devices and restricted access to the experiment to Chromium-based browsers to enhance the internal validity of the experiment as previously discussed in detail [here](#). Only participants that succeeded both attention checks, reported not having engaged in other activities, and did not have connection issues during the experiment were included in the final dataset.

For the first stage of data collection, that is to say excluding MPL treatment, we pre-registered a two-sample parallel design using our prototype data and tested for equality of means across treatments. We found that the required sample size to test [Hypothesis 1](#) with the usual parameter values ($\alpha = .05$, $\beta = .2$) would be 114 per treatment, with an effect size of 65 seconds calculated by the difference in the average time spent between conditions ($\mu_{Autoplay} - \mu_{Control}$) and population standard deviation of 165 seconds. Since attrition in longitudinal experiments are commonplace, we invited 301 participants on the first day. On day two, we invited the same 301 participants and received 276 complete responses. No participants failed the attention checks more than twice, and therefore were not removed from the dataset as per [Prolific policy](#). 17 participants who self-reported having connection issues and 24 additional participants that stated having engaged in other activities were dropped. 11 participants who had their Time Choice

¹¹We used the [MERN stack](#) to develop and host the website in an entirely free way.

enforced randomly were also removed and the final dataset on which we base the analysis consisted of 224 individuals. Table 2 shows the demographic characteristics of the observed individuals and Table 3 shows sample statistics for variables of interest.

For the MPL treatment, applying the same selection criteria as before, we invited 60 participants on day one. On day two, we received 56 complete answers. Once again, no participant failed the attention checks. No participant reported having connection issues. This improvement is likely because we had put a higher network speed requirements (> 35 Mbps on the first and > 30 on the second day). 5 participants reported having engaged in other activities and were dropped. As we were interested in the demand for a commitment device, participants did not have their Time Choice enforced in this treatment. We therefore ended up with 51 individuals in the final dataset.

3.1 Testing Behavioral Hypotheses

3.1.1 Effects of Autoplay on watching videos (H1)

Our primary hypothesis was investigating whether the Autoplay feature influences the time participants spend on watching videos. We scrutinized this using two distinct measures. The first one considered the time span participants allocated to the Watching Task, captured through second-by-second logs during the 20-minute main session. Unfortunately, a technical glitch with the countdown timer inadvertently caused most participants to spend an additional 30 to 60 seconds on the session. A deeper dive into this issue unveiled that the timer *slowed down* in the absence of user interactions, such as clicks, cursor movements or typing. Nevertheless, post-experiment feedback reassured us that participants remained unaware of this anomaly. To understand the overall implications of this glitch on our experiment, we analyzed the distribution of the total time spent across the two treatments, visualized in Figure 5. Herein, the x-axis delineates the total time allocated to both tasks, while the y-axis depicts its frequency. The distribution of ending times appears roughly symmetrical for both treatments on the histogram, and a Mann-Whitney U test confirms that the glitch affected both conditions uniformly ($U = 6331, p = 0.85$).

	Autoplay N = 104	Control N = 120	Overall N = 224
<i>Gender</i>			
Female	48 (46.15%)	54 (45.00%)	102 (45.54%)
Male	56 (53.85%)	66 (55.00%)	122 (54.46%)
<i>Age</i>			
Mean (SD)	40.56 (11.66)	40.24 (10.98)	40.39 (11.27)
Median [Min, Max]	37.00 [19.00, 70.00]	39.00 [20.00, 69.00]	38.50 [19.00, 70.00]
<i>Employment</i>			
Unemployed looking for work	4 (3.85%)	8 (6.67%)	12 (5.36%)
Homemaker	4 (3.85%)	4 (3.33%)	8 (3.57%)
Self employed	8 (7.69%)	14 (11.67%)	22 (9.82%)
Retired	3 (2.88%)	3 (2.50%)	6 (2.68%)
Employed full time	62 (59.62%)	67 (55.83%)	129 (57.59%)
Employed part time	20 (19.23%)	14 (11.67%)	34 (15.18%)
Unable to work	1 (0.96%)	2 (1.67%)	3 (1.34%)
Student	2 (1.92%)	7 (5.83%)	9 (4.02%)
Unemployed not looking for work	0 (0.00%)	1 (0.83%)	1 (0.45%)
<i>Income</i>			
0-10	14 (13.46%)	23 (19.17%)	37 (16.52%)
12-15	6 (5.77%)	4 (3.33%)	10 (4.46%)
15-20	8 (7.69%)	10 (8.33%)	18 (8.04%)
20-30	22 (21.15%)	26 (21.67%)	48 (21.43%)
10-12	8 (7.69%)	7 (5.83%)	15 (6.70%)
50-70	10 (9.62%)	6 (5.00%)	16 (7.14%)
30-50	31 (29.81%)	37 (30.83%)	68 (30.36%)
70+	5 (4.81%)	7 (5.83%)	12 (5.36%)
<i>Marital Status</i>			
Married or domestic partnership	56 (53.85%)	60 (50.00%)	116 (51.79%)
Divorced	3 (2.88%)	6 (5.00%)	9 (4.02%)
Widowed	1 (0.96%)	1 (0.83%)	2 (0.89%)
Separated	2 (1.92%)	1 (0.83%)	3 (1.34%)
Single	42 (40.38%)	52 (43.33%)	94 (41.96%)

Table 2: Descriptive Statistics for the full sample

	Autoplay	Control	Overall
	N = 104	N = 120	N = 224
<i>Allocated Type time</i>			
Mean (SD)	573.85 (388.30)	520.17 (400.76)	545.09 (395.05)
Median [Min, Max]	600.00 [0.00, 1200.00]	600.00 [0.00, 1200.00]	600.00 [0.00, 1200.00]
<i>Type time</i>			
Mean (SD)	718.24 (386.57)	657.84 (413.38)	685.88 (401.40)
Median [Min, Max]	765.21 [3.04, 1200.00]	608.71 [2.57, 1200.00]	707.28 [2.57, 1200.00]
<i>Watch time</i>			
Mean (SD)	466.67 (383.58)	524.78 (408.00)	497.80 (397.03)
Median [Min, Max]	423.13 [0.00, 1196.96]	562.03 [0.00, 1197.43]	473.18 [0.00, 1197.43]
<i>Content rating</i>			
Mean (SD)	6.92 (2.29)	6.44 (2.53)	6.67 (2.43)
Median [Min, Max]	7.00 [2.00, 10.00]	7.00 [0.00, 10.00]	7.00 [0.00, 10.00]
<i>Nb. of task switches</i>			
Mean (SD)	4.00 (4.50)	3.69 (5.03)	3.83 (4.78)
Median [Min, Max]	2.00 [0.00, 16.00]	2.00 [0.00, 28.00]	2.00 [0.00, 28.00]
<i>Nb. of retyped images</i>			
Mean (SD)	18.01 (11.97)	16.26 (11.59)	17.07 (11.78)
Median [Min, Max]	17.00 [0.00, 53.00]	14.50 [0.00, 45.00]	15.50 [0.00, 53.00]
<i>Nb. of videos watched</i>			
Mean (SD)	35.75 (27.21)	34.40 (26.35)	35.03 (26.70)
Median [Min, Max]	36.00 [0.00, 80.00]	40.50 [0.00, 77.00]	37.50 [0.00, 80.00]

Table 3: Sample statistics for variables of interest




Figure 5: Distribution of main session ending time across treatments

To remedy for the differences in time spent across tasks resulting from the glitch, we normalize observed task data to 1200 seconds. Figure 6a shows the distribution of the normalized time spent on watching videos across treatments. We test and reject Hypothesis 1.1 using the Mann-Whitney U test ($U = 5825, p = 0.39$), meaning Autoplay treatment did not result in an increased time spent watching videos. We then proceed with Hypothesis 1.2, focusing on the number of videos each participant watched across treatments. Figure 6b shows the distribution of the number of videos watched per condition. Using a Mann-Whitney U test again, we reject that Autoplay treatment increased the number of videos watched ($U = 6494, p = 0.599$).

3.1.2 Effects of Autoplay on Time Choice (H2)

We next examine Hypothesis 2, which posits there are no significant differences in the initial Time Choice made by participants across two treatments. For clarity, Time Choice refers to how much time participants preferred to spend on the Typing Task on day one. As depicted in Figure 7, the distribution of Time Choices across treatments appears roughly symmetrical for both treatments. To validate this observation, we employed




Figure 6: Distributions of variables relating to watching time across treatments

the Mann-Whitney U test, where the null hypothesis suggests there is no statistically significant difference in Time Choice distributions across treatments. The outcome leads us to confirm our hypothesis ($U = 6713.5, p = 0.323$), suggesting that participants' initial Time Choice were statistically indistinguishable across treatments. Participants seem to have been uniformly affected by the two treatments, which is important ascertain before we delve further into the analysis of Time Choice.

3.1.3 Effects of Autoplay on deviations from Time Choice (H3)

We then move on to the [Hypothesis 3](#), which suggests participants in the Autoplay condition would deviate more towards watching videos from their initial Time Choice. To assess this hypothesis, we transformed the Time Choice variable by normalizing to percentages and calculated the deviation by subtracting the percentage of actual time spent on the Typing Task from it. Figure 8 shows the distribution of deviations from Time Choice across treatments which appears left-skewed, suggesting increases in actual typing instead. Specifically, negative values in the figure represent increases in typing, whereas positive values are increases in watching. Applying the Mann-Whitney U test, our data ($U = 6134, p = 0.827$) did not support a significant deviation for




Figure 7: Distribution of Time Choice across treatments

the Autoplay condition towards watching. Further descriptive statistics reveal a mean deviation of -11.73 , a median of -8.46 , and a mode of 0 , emphasizing the observed left skew. To strengthen our findings, we used the Wilcoxon Signed-Rank test to compare the distribution of deviations to a 0 median distribution, and rejected the null ($W = 5152$, $p < 0.001$). In summary, contrary to our hypothesis, participants generally spent more time on the Typing Task than they initially intended regardless of treatment.

3.1.4 Demand for the commitment device (H4)

[Hypothesis 4](#) suggests participants would choose to turn Autoplay off when given the possibility, meaning there is positive demand for the commitment device. We assess this demand by comparing the share of participants choosing to turn Autoplay on or off along with the associated bonus payments for each of the nine decisions in the price list. Figure 9 shows the percentages of participants preferring Autoplay in blue and those preferring to turn Autoplay off in orange. Distributions clearly show that when given a choice, participants have a preference for Autoplay. Specifically, more than 75 percent of participants chose Autoplay without bonus, 12 percent chose Autoplay if it meant




Figure 8: Distribution of the deviation from initial Time Choice in percentages across treatments

404 giving up £0.05, and 7 percent chose Autoplay if it meant giving up £0.1.

404




Figure 9: Distribution of Autoplay preferences in percentages

4 Discussion

There are two ways to interpret our findings. We begin our discussion first with a simplistic understanding of the results and build up for a more nuanced explanation. The straightforward conclusion based on the lack of support for Hypothesis 1 is that Autoplay does not have a distinct impact on participants' actualized decisions when contrasted to active decisions. Combined with the lack of support for Hypothesis 3 on deviations from how long participants wanted to watch videos initially and the actual preference for Autoplay in Hypothesis 4 further supports the idea that Autoplay is a 'harmless' default when it comes to media control settings and does not provoke increased consumption. Our findings allow for this conclusion, and show instead that users actually prefer autoplay to active decisions when there is money at stake. This would contradict the presumed welfare benefits of the proposed ban in the SMART Act by the US Congress. However, this 'simple' interpretation of results does not consider the complexity of the issue at hand and leaves out a crucial design choice: The content of videos. To reassure, how the content was perceived by participants in our experiment was controlled by a survey question which asked them to rate the content of the videos. The median response was a 7 out of 10 rating across conditions for the content (see Table 3 for sample statistics).¹² Yet, the selection (manual) and the presentation (randomized order) of the content are clearly different from the algorithmically curated personalized experience participants are accustomed to have on daily basis. To have a clear understanding of the implications of the experiment, it is preferable to look at the larger context in which content and design together shape the digital environment where decisions are made.

In order to take into account this interplay between the content and the design,

¹²Using Shapiro-Wilk tests we cannot reject the null that distributions are significantly different from a normal distribution for both autoplay ($W = 0.932$, $p < 0.001$) and control ($W = 0.933$, $p < 0.001$) treatments. A Mann-Whitney U test between treatments cannot reject the null that distributions are significantly different from one another ($U = 6894$, $p = 0.173$), although there is some indication (see Figure 10 for the density distribution) that participants in autoplay condition gave higher ratings to the content.




Figure 10: Density distribution of content ratings across treatments

we rely on the insights from a recent model on media consumption (Kleinberg et al., 2022) where firms optimize over a large set of potential content and interface designs parametrized by their underlying features. Consumers optimize utility for their two selves: The impulsive and myopic one (self 1) and the forward-looking and thoughtful one (self 2). Content is consumed so long as self 1 derives some positive utility, and only after self 1 receives negative utility can system 2 make the decision to stop consuming content in case system 2 was already receiving negative utility. In this model, autoplay, a feature that facilitates seamless content consumption, has heterogeneous effects over different types of content. The intuition is as follows: If the existing content already is such that it has a low probability that utility for impulsive self 1 is larger than zero, autoplay has little impact on the user behavior. In other words, on a content landscape with low addictiveness, autoplay would have minimal impact on engagement. Applying this to our setting implies that the content provided for the experiment, although itself curated from social media, is much less interesting for the impulsive self 1 of participants.

Further, when a user is actively engaged and desires to consume more content, the autoplay feature aligns with the user’s intent. This supports the preference for autoplay found in the MPL condition regarding Hypothesis 4, implying that participants were aware of their actual content consumption and desired to consume more content. This is entirely in accordance with the inference on the selection of videos not being tempting

447 enough. In other words, because videos were not tempting, participants were in control 447
 448 of their consumption and could end sessions whenever their system 2 received negative 448
 449 utility from videos. In this setting, autoplay is actually helpful to participants in achiev- 449
 450 ing their desired session length as it reduces decisions costs attached to it, fully aligned 450
 451 with previous the modelization of active decisions compared to defaults by [Carroll et](#) 451
 452 [al. \(2009\)](#). Putting the dual insights of the model together builds a coherent picture in 452
 453 terms of the policy implications of the present study, and we present convincing evidence 453
 454 that autoplay itself does not promote addiction in the absence of engaging content. Our 454
 455 findings go contrary to the proposed legislation which implicitly assumes all autplayed 455
 456 content is equally addictive and welfare decreasing. 456

457 **5 Limitations and Conclusion** 457

458 EXPERIMENTAL DEMAND EFFECTS AND SOCIAL IMAGE CONCERNS. THE 458
 459 EXPERIMENT IS SET AS A WORKING ENVIRONMENT. PARTICIPANTS PER- 459
 460 CEIVED THE DECISION AS ONE TO WORK AS MUCH AS POSSIBLE. 460

461 **References** 461

- 462 Allcott, H., Braghieri, L., Eichmeyer, S., & Gentzkow, M. (2020). The welfare effects of 462
 463 social media. *American Economic Review*, 110(3), 629–76. 463
 464 Allcott, H., Gentzkow, M., & Song, L. (2022). Digital addiction. *American Economic* 464
 465 *Review*, 112(7), 2424–2463. 465
 466 Augenblick, N., Niederle, M., & Sprenger, C. (2015). Working over time: Dynamic 466
 467 inconsistency in real effort tasks. *The Quarterly Journal of Economics*, 130(3), 467
 468 1067–1115. 468
 469 Beggs, J. N. (2016). Private-sector nudging: the good, the bad, and the uncertain. In 469
 470 *Nudge theory in action: Behavioral design in policy and markets* (pp. 125–158). 470
 471 Springer. 471

472 Bonein, A., & Denant-Boèmont, L. (2015). Self-control, commitment and peer pressure: 472
473 a laboratory experiment. *Experimental Economics*, 18, 543–568. 473

474 Caraban, A., Karapanos, E., Gonçalves, D., & Campos, P. (2019). 23 ways to nudge: 474
475 A review of technology-mediated nudging in human-computer interaction. In *Pro-* 475
476 *ceedings of the 2019 chi conference on human factors in computing systems* (pp. 476
477 1–15). 477

478 Carroll, G. D., Choi, J. J., Laibson, D., Madrian, B. C., & Metrick, A. (2009). Optimal 478
479 defaults and active decisions. *The quarterly journal of economics*, 124(4), 1639– 479
480 1674. 480

481 Charness, G., Gneezy, U., & Henderson, A. (2018). Experimental methods: Measuring 481
482 effort in economics experiments. *Journal of Economic Behavior & Organization*, 482
483 149, 74–87. 483

484 Ericson, K. M., & Laibson, D. (2019). *Intertemporal choice, vol. 2, chap. 1*. Elsevier. 484

485 Hiniker, A., Heung, S. S., Hong, S., & Kientz, J. A. (2018). Coco’s videos: an em- 485
486 pirical investigation of video-player design features and children’s media use. In 486
487 *Proceedings of the 2018 chi conference on human factors in computing systems* 487
488 (pp. 1–13). 488

489 Hoong, R. (2021). Self control and smartphone use: An experimental study of soft 489
490 commitment devices. *European Economic Review*, 140, 103924. 490

491 Ichihashi, S., & Kim, B.-C. (2023). Addictive platforms. *Management Science*, 69(2), 491
492 1127–1145. 492

493 Kleinberg, J., Mullainathan, S., & Raghavan, M. (2022). The challenge of understanding 493
494 what users want: Inconsistent preferences and engagement optimization. *arXiv* 494
495 *preprint arXiv:2202.11776*. 495

496 Kool, W., & Botvinick, M. (2014). A labor/leisure tradeoff in cognitive control. *Journal* 496
497 *of experimental psychology. General*, 143(1), 131. 497

498 Lukoff, K., Lyngs, U., Zade, H., Liao, J. V., Choi, J., Fan, K., ... Hiniker, A. (2021). 498
499 How the design of youtube influences user sense of agency. In *Proceedings of the* 499
500 *2021 chi conference on human factors in computing systems* (pp. 1–17). 500

501 Lupiáñez-Villanueva, F., Boluda, A., Bogliacino, F., Liva, G., Lechardoy, L., & de las 501
 502 Heras Ballell, T. R. (2022). *Behavioural study on unfair commercial practices in the* 502
 503 *digital environment: dark patterns and manipulative personalisation*. Publications 503
 504 Office of the European Union. 504
 505 Mertens, S., Herberz, M., Hahnel, U. J., & Brosch, T. (2022). The effectiveness of 505
 506 nudging: A meta-analysis of choice architecture interventions across behavioral 506
 507 domains. *Proceedings of the National Academy of Sciences*, 119(1), e2107346118. 507
 508 Mills, S. (2023). Nudge/sludge symmetry: on the relationship between nudge and 508
 509 sludge and the resulting ontological, normative and transparency implications. 509
 510 *Behavioural Public Policy*, 7(2), 309–332. 510
 511 Smith, N. C., Goldstein, D. G., & Johnson, E. J. (2013). Choice without awareness: 511
 512 Ethical and policy implications of defaults. *Journal of Public Policy & Marketing*, 512
 513 32(2), 159–172. 513
 514 Thaler, R. H., & Sunstein, C. R. (2009). *Nudge: Improving decisions about health,* 514
 515 *wealth, and happiness*. Penguin. 515