Treatment	Component Effects (CNMA)	SMD	95% CI
active control		−2.00	[−4.01; 0.02]
atDCS		0.72	[−1.24; 2.68]
atDCS+escitalopram		2.62	[0.03; 5.21]
atDCS+usual care		1.77	[0.60; 2.95]
CBT		−1.11	[−2.96; 0.74]
CBT+drTMS+usual care		1.35	[0.44; 2.26]
CBT+usual care		−0.06	[−1.03; 0.92]
CES+escitalopram+usual care		2.82	[1.24; 4.41]
cognitive training		−1.53	[−3.71; 0.64]
dextroamphetamine+usual care		1.86	[−0.06; 3.79]
drTMS+sertraline+usual care		3.87	[1.72; 6.02]
escitalopram		0.85	[−1.12; 2.81]
escitalopram+usual care		1.90	[0.72; 3.08]
fluoxetine		−1.06	[−2.62; 0.51]
fluoxetine+usual care		0.00	
GACT		0.13	[−1.01; 1.27]
GACT+usual care		1.19	[0.11; 2.26]
group psychotherapy+fluoxetine+usual care		0.93	[0.29; 1.56]
group psychotherapy+usual care		0.93	[0.29; 1.56]
HFrTMS+citalopram+usual care		1.55	[0.89; 2.22]
HFrTMS+fluoxetine		0.50	[−1.20; 2.20]
HFrTMS+psychoeducation+supportive psychotherapy+citalopram+usual care		2.43	[1.19; 3.67]
HFrTMS+sertraline+usual care		4.02	[1.98; 6.06]
knowledge and behaviour therapy+usual care		0.51	[−0.61; 1.64]
LFrTMS+sertraline+usual care		3.96	[1.86; 6.06]
LFrTMS+trazodone+usual care		1.49	[0.67; 2.32]
mindfulness		−0.81	[−2.51; 0.89]
mindfulness+usual care		0.24	[−0.42; 0.91]
Morita therapy+paroxetine		−0.01	[−1.77; 1.75]
Morita therapy+paroxetine+usual care		1.05	[0.25; 1.85]
motor imagery+usual care		1.39	[0.60; 2.17]
paroxetine		−1.06	[−2.62; 0.51]
paroxetine+usual care		0.00	
placebo		0.78	[−1.44; 2.99]
placebo+usual care		1.83	[0.27; 3.40]
psychoeducation		−0.81	[−2.69; 1.08]
psychoeducation+supportive psychotherapy+citalopram+usual care		0.88	[0.01; 1.74]
REBT+fluoxetine+usual care		0.96	[−0.16; 2.09]
relaxation+paroxetine		0.75	[−1.19; 2.68]
sertraline		1.41	[−1.07; 3.90]
sertraline+usual care		2.47	[0.54; 4.40]
SFBT+mindfulness+usual care		1.50	[0.62; 2.38]
SFBT+sertraline+usual care		3.72	[1.61; 5.83]
sham+usual care		1.33	[−0.32; 2.99]
supportive psychotherapy+usual care		0.63	[−0.34; 1.60]
trazodone+usual care		0.00