
Treatment
Component Effects (CNMA)
SMD
95% CI
ACT+sertraline+usual care 0.12 [−2.99; 3.22]
behavioural activation+usual care 1.52 [−1.21; 4.26]
behavioural therapy 0.81 [−1.41; 3.03]
behavioural therapy+usual care −0.19 [−3.04; 2.65]
CBT+escitalopram+usual care −2.83 [−4.96; −0.71]
cognitive restructuring+usual care 0.79 [−1.51; 3.09]
drTMS+usual care −0.67 [−3.56; 2.23]
escitalopram −0.86 [−2.06; 0.34]
escitalopram+usual care −1.87 [−3.61; −0.12]
fluoxetine −0.86 [−2.21; 0.49]
fluoxetine+cognitive restructuring+usual care −1.87 [−3.72; −0.02]
GACT+usual care −0.07 [−2.54; 2.40]
HFrTMS+mindfulness −1.46 [−3.94; 1.02]
HFrTMS+paroxetine −0.07 [−2.28; 2.15]
HFrTMS+usual care −1.07 [−3.63; 1.49]
iTBS+usual care −1.33 [−4.14; 1.48]
LFrTMS+escitalopram+usual care −3.53 [−5.56; −1.50]
LFrTMS+paroxetine 0.13 [−2.07; 2.33]
LFrTMS+usual care −0.87 [−3.40; 1.65]
mindfulness+usual care −0.60 [−3.50; 2.29]
paroxetine 1.79 [−0.13; 3.72]
psychoeducation+Morita therapy+venlafaxine+usual care −1.46 [−4.09; 1.18]
sertraline+usual care −0.35 [−3.18; 2.48]
sham+mindfulness −0.65 [−3.22; 1.91]
sham+paroxetine 0.74 [−1.54; 3.02]
sham+usual care −0.26 [−2.83; 2.30]
usual care 0.79 [−1.51; 3.09]
−6
−4
−2
0
2