
Treatment
Component Effects (CNMA)
SMD
95% CI
ACT+sertraline+usual care −0.67 [−2.77; 1.42]
behavioural activation+usual care 0.73 [−0.74; 2.21]
behavioural therapy 0.02 [−1.07; 1.11]
behavioural therapy+usual care −0.98 [−2.08; 0.11]
CBT+escitalopram+usual care −3.62 [−6.20; −1.05]
cognitive restructuring+usual care 0.00
drTMS+usual care −1.46 [−3.27; 0.35]
escitalopram −1.65 [−4.25; 0.94]
escitalopram+usual care −2.66 [−4.93; −0.39]
fluoxetine −1.65 [−3.52; 0.21]
fluoxetine+cognitive restructuring+usual care −2.65 [−4.03; −1.28]
GACT+usual care −0.86 [−1.74; 0.03]
HFrTMS+mindfulness −2.25 [−3.74; −0.76]
HFrTMS+paroxetine −0.86 [−2.51; 0.80]
HFrTMS+usual care −1.86 [−2.95; −0.77]
iTBS+usual care −2.12 [−3.75; −0.49]
LFrTMS+escitalopram+usual care −4.32 [−6.82; −1.82]
LFrTMS+paroxetine −0.66 [−2.32; 1.00]
LFrTMS+usual care −1.66 [−2.72; −0.61]
mindfulness+usual care −1.39 [−2.53; −0.26]
paroxetine 1.00 [−0.26; 2.27]
placebo −0.79 [−3.09; 1.51]
psychoeducation+Morita therapy+venlafaxine+usual care −2.25 [−3.52; −0.97]
sertraline+usual care −1.14 [−2.80; 0.52]
sham+mindfulness −1.44 [−3.13; 0.25]
sham+paroxetine −0.05 [−1.85; 1.75]
sham+usual care −1.05 [−2.26; 0.16]
−6
−4
−2
0
2