
Treatment
Component Effects (CNMA)
SMD
95% CI
ACT+sertraline+usual care 0.63 [−2.99; 4.25]
atDCS+usual care 0.92 [−2.65; 4.49]
attention control 0.09 [−2.04; 2.21]
behavioural activation+usual care 0.06 [−2.12; 2.24]
CBT −0.00 [−2.13; 2.13]
CBT+escitalopram+usual care 0.88 [−1.42; 3.18]
CBT+usual care 0.96 [−0.55; 2.46]
cognitive restructuring+usual care 0.00
dextroamphetamine+usual care −0.04 [−1.81; 1.73]
escitalopram −1.03 [−4.17; 2.11]
escitalopram+usual care −0.08 [−1.82; 1.66]
fluoxetine+cognitive restructuring+usual care 0.94 [−1.20; 3.09]
GACT+usual care −0.35 [−2.47; 1.78]
HFrTMS+mindfulness 0.96 [−2.35; 4.27]
HFrTMS+paroxetine 0.25 [−3.29; 3.79]
LFrTMS+escitalopram+usual care 1.36 [−1.29; 4.01]
LFrTMS+paroxetine 0.49 [−2.43; 3.40]
LFrTMS+usual care 1.44 [−0.56; 3.44]
methylphenidate+usual care 0.20 [−1.59; 2.00]
placebo −1.04 [−3.81; 1.73]
placebo+usual care −0.09 [−1.01; 0.84]
psychoeducation+Morita therapy+venlafaxine+usual care 0.88 [−1.23; 2.99]
sertraline+usual care 0.94 [−1.99; 3.86]
sham+mindfulness 0.11 [−3.54; 3.76]
sham+paroxetine −0.60 [−4.15; 2.95]
sham+usual care 0.36 [−2.49; 3.20]
−5
0
5