Transitivity: number of episodes (depression) (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (3/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (6/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (7/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (9/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (10/14)

HFrTMS vs reminiscence therapy + HFrTMS	Not reported
HFrTMS vs HFrTMS + sertraline	Not reported
HFrTMS vs LFrTMS	Not reported
HFrTMS vs sham + sertraline	Not reported
HFrTMS vs sham	Not reported
HFrTMS + mindfulness + usual care vs sham + mindfulness + usual care	Not reported
HFrTMS + mindfulness + usual care vs sham + usual care	Not reported
HFrTMS + mirtazapine vs mirtazapine	Not reported
HFrTMS + paroxetine vs LFrTMS + paroxetine	Not reported
HFrTMS + paroxetine vs paroxetine	Not reported
HFrTMS + paroxetine vs paroxetine	Not reported
HFrTMS + paroxetine vs sham + paroxetine	Not reported
HFrTMS + paroxetine + usual care vs sham + paroxetine + usual care	Not reported
HFrTMS + sertraline + psychological counselling + usual care vs iTBS + sertraline + psychological counselling + usual care	Not reported
HFrTMS + venlafaxine + psychological counselling + usual care vs venlafaxine + psychological counselling + usual care	Not reported
HFrTMS + sertraline vs sham + sertraline	Not reported
HFrTMS + sertraline + usual care vs iTBS + sertraline + usual care	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (12/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: number of episodes (depression) (14/14)



Reported values grouped by comparison; original units retained; no imputation.