Transitivity: baseline depressive symptoms−PHQ9 (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (3/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (6/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (7/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (9/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (10/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (12/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−PHQ9 (14/14)



Reported values grouped by comparison; original units retained; no imputation.