Transitivity: baseline depressive symptoms−QIDS (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (3/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (6/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (7/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (9/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (10/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (12/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−QIDS (14/14)



Reported values grouped by comparison; original units retained; no imputation.