Transitivity: baseline depressive symptoms−GDS (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (3/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (6/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (7/14)

drTMS + sertraline + usual care vs LFrTMS + sertraline + usual care	Not reported
drTMS + usual care vs sham + usual care	Not reported
dtDCS vs sham	Not reported
PST + dtDCS + usual care vs dtDCS + usual care	Not reported
dtDCS + sertraline vs sham + sertraline	Not reported
dtDCS + sertraline + usual care vs sham + sertraline + usual care	Not reported
dtDCS + usual care vs sham + usual care	Not reported
duloxetine vs HFrTMS + duloxetine	Not reported
HFrTMS + duloxetine + usual care vs duloxetine + usual care	Not reported
LFrTMS + duloxetine + usual care vs duloxetine + usual care	Not reported
escitalopram vs HFrTMS + escitalopram	Not reported
escitalopram vs iTBS + escitalopram	Not reported
escitalopram vs placebo	Not reported
escitalopram vs sertraline	Not reported
HFrTMS + escitalopram vs iTBS + escitalopram	Not reported
HFrTMS + reminiscence therapy + escitalopram + usual care vs escitalopram + usual care	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (9/14)

HFrTMS + fluoxetine + usual care vs LFrTMS + fluoxetine + usual care	Not reported
HFrTMS + fluoxetine + usual care vs sham + fluoxetine + usual care	Not reported
HFrTMS + fluoxetine + usual care vs fluoxetine + usual care	Not reported
LFrTMS + fluoxetine + psychological counselling + usual care vs fluoxetine + psychological counselling + usual care	Not reported
LFrTMS + fluoxetine + usual care vs sham + fluoxetine + usual care	Not reported
LFrTMS + fluoxetine + usual care vs fluoxetine + usual care	Not reported
REBT + fluoxetine + usual care vs fluoxetine + usual care	Not reported
sham + fluoxetine + usual care vs fluoxetine + usual care	Not reported
fluoxetine + usual care vs HFrTMS + usual care	Not reported
fluoxetine + usual care vs maprotiline + usual care	Not reported
fluoxetine + usual care vs placebo + usual care	Not reported
fluoxetine + usual care vs trazodone + usual care	Not reported
fluoxetine + usual care vs usual care	Not reported
HFrTMS + fluvoxamine + usual care vs fluvoxamine + usual care	Not reported
GACT vs usual care	Not reported
GACT + usual care vs usual care	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (10/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (12/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline depressive symptoms−GDS (14/14)



Reported values grouped by comparison; original units retained; no imputation.