Transitivity: psychiatric comorbidity (percentage) (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (3/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (6/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (7/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (9/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (10/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (12/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: psychiatric comorbidity (percentage) (14/14)



Reported values grouped by comparison; original units retained; no imputation.