Transitivity: baseline stroke severity−CSS (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (3/14)

atDCS + usual care vs usual care	Not reported
attention control vs CBT	Not reported
attention control vs EFT	Not reported
attention control vs usual care	Not reported
citalopram + attention control vs placebo + attention control	Not reported
citalopram + attention control vs placebo + CBT	Not reported
placebo + attention control vs placebo + CBT	Not reported
behavioural activation + usual care vs usual care	Not reported
behavioural therapy vs usual care	Not reported
behavioural therapy vs usual care	Not reported
supportive psychotherapy + behavioural therapy + usual care vs usual care	Not reported
behavioural therapy + usual care vs usual care	Not reported
CBT vs cognitive training	Not reported
CBT vs psychoeducation	Not reported
CBT vs usual care	Not reported
CBT + drTMS + usual care vs usual care	Not reported
CBT + escitalopram vs escitalopram	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (6/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (7/14)

desipramine + usual care vs trazodone + usual care	Not reported
dextroamphetamine + usual care vs placebo + usual care	Not reported
drTMS + fluoxetine + usual care vs fluoxetine + usual care	Not reported
drTMS + mirtazapine + usual care vs sham + mirtazapine + usual care	Not reported
drTMS + sertraline + usual care vs HFrTMS + sertraline + usual care	Not reported
drTMS + sertraline + usual care vs LFrTMS + sertraline + usual care	Not reported
drTMS + usual care vs sham + usual care	Not reported
dtDCS vs sham	Not reported
PST + dtDCS + usual care vs dtDCS + usual care	Not reported
dtDCS + sertraline vs sham + sertraline	Not reported
dtDCS + sertraline + usual care vs sham + sertraline + usual care	Not reported
dtDCS + usual care vs sham + usual care	Not reported
duloxetine vs HFrTMS + duloxetine	Not reported
HFrTMS + duloxetine + usual care vs duloxetine + usual care	Not reported
LFrTMS + duloxetine + usual care vs duloxetine + usual care	Not reported
escitalopram vs HFrTMS + escitalopram	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (9/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (10/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (12/14)

interpersonal psychotherapy vs sertraline + usual care	Not reported
interpersonal psychotherapy + sertraline vs sertraline + usual care	Not reported
iTBS + sertraline + usual care vs sham + sertraline + usual care	Not reported
iTBS + usual care vs sham + usual care	Not reported
KBT + usual care vs usual care	Not reported
LFrTMS + mirtazapine + usual care vs mirtazapine + usual care	Not reported
LFrTMS + paroxetine vs sham + paroxetine	Not reported
LFrTMS + paroxetine + usual care vs paroxetine + usual care	Not reported
LFrTMS + sertraline + usual care vs sham + sertraline + usual care	Not reported
LFrTMS + trazodone + usual care vs trazodone + usual care	Not reported
LFrTMS + venlafaxine + usual care vs venlafaxine + usual care	Not reported
maprotiline + usual care vs paroxetine + usual care	Not reported
maprotiline + usual care vs placebo + usual care	Not reported
MES + usual care vs usual care	Not reported
methylphenidate + usual care vs placebo + usual care	Not reported
mindfulness vs psychoeducation	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−CSS (14/14)



Reported values grouped by comparison; original units retained; no imputation.