
Study
Type_II_005 | Type II: hfrtms vs sham SMD
95% CI
Treatment background = cbt + sertraline + usual care
Chen Y 2022
0.55 [0.23; 0.86]
Treatment background = cognitive training
Kim 2010
0.98 [−0.22; 2.17]
Treatment background = cognitive training + sertraline + usual care
Li YM 2022
0.78 [0.03; 1.52]
Mo 2019
1.22 [0.55; 1.90]
Random effects model
1.02 [0.52; 1.52]
Heterogeneity: I^2 = 0%, τ^2 = 0, p = 0.3809
Treatment background = cognitive training + usual care
Li 2025
1.65 [0.79; 2.51]
Treatment background = fluoxetine + usual care
Dang 2019
3.01 [2.10; 3.91]
Li X 2004
0.21 [−0.41; 0.83]
Random effects model
1.59 [−1.15; 4.33]
Heterogeneity: I^2 = 96%, τ^2 = 3.756, p < 0.0001
Treatment background = mindfulness
Duan 2023
0.20 [−0.38; 0.77]
Treatment background = paroxetine
Xu 2024
1.08 [0.48; 1.67]
Treatment background = paroxetine + usual care
Jiang LL 2021
0.45 [−0.12; 1.02]
Treatment background = sertraline + usual care
Hu 2020
0.57 [−0.07; 1.21]
Yang 2018
4.56 [3.72; 5.39]
Random effects model
2.55 [−1.35; 6.46]
Heterogeneity: I^2 = 98.2%, τ^2 = 7.800, p < 0.0001
−6
−4
−2
0
2
4
6
Standardised Mean Difference (SMD)