Transitivity: baseline stroke severity−NIHSS (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (3/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (6/14)

atDCS vs atDCS + escitalopram	Not reported
atDCS vs escitalopram	Not reported
CBT + atDCS vs CBT + escitalopram	Not reported
CBT + atDCS vs no treatment	Not reported
atDCS + citalopram + usual care vs sham + citalopram + usual care	Not reported
atDCS + escitalopram vs escitalopram	Not reported
atDCS + fluoxetine + usual care vs sham + fluoxetine + usual care	Not reported
atDCS + fluoxetine + usual care vs fluoxetine + usual care	Not reported
atDCS + paroxetine + usual care vs sham + paroxetine + usual care	Not reported
atDCS + usual care vs mindfulness + usual care	Not reported
atDCS + usual care vs sham + usual care	Not reported
atDCS + usual care vs usual care	Not reported
attention control vs CBT	Not reported
attention control vs EFT	Not reported
attention control vs usual care	Not reported
citalopram + attention control vs placebo + attention control	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (7/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (9/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (10/14)

LFrTMS + cognitive training vs sham + cognitive training	Not reported
desipramine + mianserin vs imipramine + mianserin	Not reported
desipramine + usual care vs fluoxetine + usual care	Not reported
desipramine + usual care vs trazodone + usual care	Not reported
drTMS + fluoxetine + usual care vs fluoxetine + usual care	Not reported
drTMS + mirtazapine + usual care vs sham + mirtazapine + usual care	Not reported
dtDCS vs sham	Not reported
dtDCS + sertraline vs sham + sertraline	Not reported
dtDCS + sertraline + usual care vs sham + sertraline + usual care	Not reported
dtDCS + usual care vs sham + usual care	Not reported
escitalopram vs iTBS + escitalopram	Not reported
escitalopram vs sertraline	Not reported
HFrTMS + escitalopram vs iTBS + escitalopram	Not reported
HFrTMS + escitalopram + usual care vs HFrTMS + usual care	Not reported
escitalopram + usual care vs HFrTMS + usual care	Not reported
fluoxetine vs HFrTMS + fluoxetine	Not reported



baseline stroke severity−NIHSS

Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (12/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: baseline stroke severity−NIHSS (14/14)



Reported values grouped by comparison; original units retained; no imputation.