Transitivity: percentage of ischemic stroke (1/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (2/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (3/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (4/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (5/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (6/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (7/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (8/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (9/14)



placebo + usual care vs venlafaxine + usual care	
reminiscence therapy + usual care vs usual care	
SFBT + sertraline + usual care vs sertraline + usual care	
supportive psychotherapy + usual care vs usual care	
ACT vs usual care	Not reported
agomelatine vs agomelatine + HFrTMS	Not reported
agomelatine + usual care vs escitalopram + usual care	Not reported
agomelatine + usual care vs placebo + usual care	Not reported
agomelatine + usual care vs sertraline + usual care	Not reported
agomelatine + usual care vs sertraline + usual care	Not reported
amitriptyline + usual care vs fluoxetine + usual care	Not reported
CBT + atDCS vs CBT + escitalopram	Not reported
CBT + atDCS vs no treatment	Not reported
atDCS + citalopram + usual care vs sham + citalopram + usual care	Not reported
atDCS + paroxetine + usual care vs sham + paroxetine + usual care	Not reported
atDCS + usual care vs mindfulness + usual care	Not reported
atDCS + usual care vs usual care	Not reported

−0.5 0.0 0.5 1.0 1.5

percentage of ischemic stroke

Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (10/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (11/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (12/14)

escitalopram + usual care vs placebo + usual care	Not reported
escitalopram + usual care vs sertraline + usual care	Not reported
fluoxetine vs HFrTMS + fluoxetine	Not reported
HFrTMS + fluoxetine + usual care vs LFrTMS + fluoxetine + usual care	Not reported
LFrTMS + fluoxetine + usual care vs sham + fluoxetine + usual care	Not reported
REBT + fluoxetine + usual care vs fluoxetine + usual care	Not reported
fluoxetine + usual care vs trazodone + usual care	Not reported
fluoxetine + usual care vs usual care	Not reported
HFrTMS + fluvoxamine + usual care vs fluvoxamine + usual care	Not reported
HFrTMS + fluvoxamine + usual care vs fluvoxamine + usual care	Not reported
GACT vs usual care	Not reported
peer support + group psychotherapy vs usual care	Not reported
HFrTMS vs LFrTMS	Not reported
HFrTMS + mindfulness + usual care vs sham + mindfulness + usual care	Not reported
HFrTMS + mindfulness + usual care vs sham + usual care	Not reported
HFrTMS + paroxetine vs paroxetine	Not reported
HFrTMS + venlafaxine + psychological counselling + usual care vs venlafaxine + psychological counselling + usual care	Not reported



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (13/14)



Reported values grouped by comparison; original units retained; no imputation.

Transitivity: percentage of ischemic stroke (14/14)



Reported values grouped by comparison; original units retained; no imputation.