HOME EXERCISE PROGRAM

Personalized Recovery Plan

STANDING HIP ABDUCTION WITH BAND

Tie the exercise band around your ankles. Stand on the side of a sturdy chair. Lift the outside leg away from the inner leg until some tension is felt. Do not bend your waist and ensure your shoulders are squared. Repeat this for 10 reps x 3 sets before changing sides.

MONSTER WALKS WITH BAND

Tie the exercise band slightly above your knees. Stand with your knees slightly bend and your feet shoulder width apart. Then squat by bending your knees slightly more and sticking your glutes out. Then proceed to shuffle side ways for 10 reps to the right before shuffling 10 reps back to the left. Repeat 10 reps x 3 sets.



SIDE LYING HIP ABDUCTION WITH BAND

Tie a band around your ankles. Lie on your uninjured side and stack your feet and knees on top of each other. Then lift your outer leg up keeping the knee straight. Lift it until it is slightly above the height of your waist or before any pain occurs. Then slowly let it drop back down to the starting position. No need to switch sides as this may aggravate the injured hip. Repeat this 10 reps x 3 sets.

SINGLE LEG LOW BRIDGE

Starting position: Lie on your back and have your knees bent around 90 degrees. Straighten your right leg out and then squeeze your glutes and slowly lift your hips from the ground hold for 3s and return to your starting position. Do not arch your back. Repeat 10 reps x 3 sets, switching legs between sets.

These exercises are intended to be the most basic and equipment-free exercises to help current movement dysfunction, please try to perform daily and consult a physician if the exercise worsens your pain and function significantly.