HOME EXERCISE PROGRAM

Personalized Recovery Plan

SINGLE LEG BRIDGE

Starting position: Lie on your back and have your knees bent around 90 degrees. Straighten your right leg out and then squeeze your glutes and slowly lift your hips from the ground hold for 3s and return to your starting position. Do not arch your back. Repeat 10 reps x 3 sets, switching legs between sets.



REVERSE DEADLIFT

Starting position: Stand with your feet shoulder width apart. Grip the barbell or a pair of dumbbells in front of you with an overhand grip. Then begin to initiate the hip hinge: slowly push your hips back, slightly bend your knees and keep the bar close to your legs. Then slowly lower the bar/dumbbell towards your shins while keeping your back flat and chest up. Return to the starting position by slowly driving your hips forward to the starting position by squeezing your glutes. Avoid straightening your knees, arching your back, or swinging the weight- if you are the weight is likely too heavy. Repeat 10 reps x 3 sets.



JEFFERSON CURLS

Starting position: Stand on a raised platform (low box or weight plate). Keep your feet shoulder width apart. Grip your dumbbells with a overhand grip. Start the curl by tucking in your chin and curling your spine bit-by-bit until your arms are slightly past your toes. Return slowly to the starting position by engaging your core and squeezing your glutes. Do not use momentum or speed in this exercise. Repeat for 10 reps x 3 sets. If you cannot perform this exercise slowly then the weight may be too much for you.



DUMBBELL SQUATS

Start by standing with your feet shoulder width apart and holding a pair of dumbbells with your elbows straight. Slowly squat by sticking your glutes out as if you are sitting on a chair and bending your knees. There is no need to go past 90 degrees of knee bending. Once appropriate tension is felt in your quads, glutes and low back, slowly return to your standing position. Repeat 10 reps x 3 sets.

These exercises are intended to be the most basic and equipment-free exercises to help current movement dysfunction, please try to perform daily and consult a physician if the exercise worsens your pain and function significantly.