# HOME EXERCISE PROGRAM

Personalized Recovery Plan



## NECK ROTATION WITH RESISTANCE BAND

Left rotation: Wrap the exercise band around your head and one end with your right hand with the elbow and shoulder around 90 degrees. Hold the other end of the band with your left hand by your waist. Pull on the band with both hands to create some tension and then rotate your head towards the left till there is some muscle contraction felt. Ensure no pain and hold for 3s. Return slowly to the starting position. Repeat 10 reps x 3 sets. For right rotation change hands with left hand holding the band up and the right hand holding the band by the waist.



## DEEP NECK EXTENSION WITH RESISTANCE BAND

Starting position: Start on your hands and knees, the exercise band should be around the back of your head and tension created by your hands. Gently tuck your chin in and slowly lift your head backwards so it comes to the level of your spine. Then gently return to the starting position.

## WALL ANGEL + RESISTANCE BAND

Starting position: Stand against the wall while having your back, glutes against the wall. Move your feet slightly forward and away from the wall. Keep your elbows tucked in by your waist with holding the exercise band and bend your knees 90 degrees. Now you are doing 2 actions, slightly bend your knees down to around 60 degrees and at the same time straighten your elbow upward and pull the band apart while keeping your back against the wall. After squatting and extending your elbows return back to the starting position by standing back up and bending your elbows back to your waist. Repeat this 10 reps x 3 sets.



## WEIGHTED SCAPULAR RETRACTION

Stand with your feet shoulder width apart. Bend your knees slightly, hinge your hips, and tuck your chin to maintain a straight spine. Now grab the two dumbbells/kettlebells and pull the weights towards your hips, your elbows should be past your waist. Then slowly return your arms back to the starting position. Repeat this 10 reps x 3 sets.

*These exercises are intended to be the most basic and equipment-free exercises to help current movement dysfunction, please try to perform daily and consult a physician if the exercise worsens your pain and function significantly.*