LAB 2: AGILE BACKLOG CREATION & SPRINT SIMULATION IN JIRA

Food Bank Surplus Redistribution Platform

Name: Rehan S Bawakhan

SRN: PES2UG25CS820

SEC: J

Jira Project Key: FBSRP

Space: Food Bank Surplus Redistribution Platform

1. Backlog: Epics and User Stories

The Lab 1 functional and non-functional requirements were broken down into 5 Epics and 6 User Stories, each mapped back to its source requirement ID.

Key	Story	Epic	Priority	Points
FBSRP-6	Post surplus food batch with expiry/dietary tags	Food Listing & Discovery	High	5
FBSRP-7	Filter batches by dietary tag and distance	Food Listing & Discovery	Medium	3
FBSRP-8	Reserve pickup window for unclaimed batch	Reservation & Pickup Management	High	5
FBSRP-9	Generate unique pickup verification code	Reservation & Pickup Management	High	3
FBSRP-10	Auto-remove expired batches and notify donor	Food Safety & Expiry Automation	Medium	3
FBSRP-11	Instant encrypted push notification for nearby listings	Notifications & Alerts	High	8
FBSRP-12	Complete reservation in 3 taps or fewer	Platform Reliability & Usability	Medium	5




Fig 1. Jira Backlog view — Epics with nested User Stories and story points

2. Story Point Assignments

Story points were estimated using the Fibonacci scale (3, 5, 8), based on complexity and uncertainty. Higher points (8) were assigned to the notification feature due to its real-time, encrypted-delivery, and load requirements (NFR001). Simpler CRUD-style features (filtering, code generation, expiry cleanup) were estimated at 3.




Fig 2. Backlog after Sprint 1 — story points and completion status per item

3. Sprint Execution

Sprint 1

Sprint 1 (1-week duration) was started with a mix of High and Medium priority stories. Progress was simulated by moving stories across To Do → In Progress → In Review → Done to reflect realistic mid-sprint status rather than completing everything at once.




Fig 3. Sprint 1 board mid-sprint — work spread across To Do and In Progress




Fig 4. Sprint 1 board at completion — all planned items moved to Done

Sprint 2

Remaining and carried-over stories from Sprint 1 were moved into Sprint 2, started, and progressed through the same workflow to completion.




Fig 5. Sprint 2 board mid-sprint — items in progress and in review




Fig 6. Sprint 2 board at completion — all remaining items moved to Done

4. Burndown Charts

The Burndown Chart (Reports → Burndown Chart) was generated for each sprint to visualize remaining story points against the ideal guideline line over the sprint duration.




Fig 7. Burndown Chart — Sprint 1




Fig 8. Burndown Chart — Sprint 2

5. Reflection Questions

Did your estimations reflect the actual effort?

Largely yes for the smaller stories (3-point items like filtering and expiry cleanup), which were straightforward CRUD-style features. The 8-point notification story took proportionally longer relative to its estimate, since encrypted real-time delivery has more moving parts than a simple form calculates for. This matched the intuition that the Fibonacci scale should widen for larger, more uncertain items.

Was your backlog well-prioritized?

Yes, mostly. The reservation flow (reserve pickup window, generate verification code) and the notification story were correctly marked High priority, since they are safety-critical and time-sensitive (preventing double-claims and expired food pickups). Medium priority was reserved for supporting features (filtering, usability polish) that improve the experience but do not block the core donor-to-shelter handoff.

How did your simulated sprint align with your plan?

Sprint 1 completed the highest-priority reservation and listing stories, while a couple of items remained In Progress or To Do at sprint end — which is realistic and expected rather than a planning failure. Those incomplete items were carried into Sprint 2, where they were completed, showing the natural flow of an iterative backlog rather than a single all-or-nothing sprint.

What insights did the burndown chart give about your team's capacity?

The burndown line did not track the ideal guideline exactly — it stayed above the guideline through the middle of the sprint before dropping toward the end, suggesting that work was completed in bursts rather than at a steady daily pace. This points to the 8-point notification story being under-estimated relative to the smaller items, a pattern worth correcting in future sprint planning by breaking down large stories further or padding estimates for stories involving external/real-time dependencies.