# **Supplemental Arrows-C**

Range: 1F800-1F8FF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 14.0* 

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See https://www.unicode.org/charts/PDF/Unicode-14.0/ for charts showing only the characters added in Unicode 14.0.

See https://www.unicode.org/Public/14.0.0/charts/ for a complete archived file of character code charts for Unicode 14.0.

# Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 14.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 14.0, online at https://www.unicode.org/versions/Unicode14.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

## **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See https://www.unicode.org/charts/fonts.html for a list.

# Terms of Use


You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See https://www.unicode.org/pending/pending.html and https://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2021 Unicode, Inc. All rights reserved.



## Arrows with triangle arrowheads

- 1F800 ← LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F801 1 UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F802 → RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F804 ← LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F805 ↑ UPWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F806 → RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F807 ↓ DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD

- 1F80A → RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
- 1F80B ◆ DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

# Arrows with equilateral triangle arrowheads

- 1F810 ← LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F811 † UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F812 → RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F813 | DOWNWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F814 ← LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F815 † UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F816 → RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F817 ↓ DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F818 ← HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F819 † HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81A → HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81C ← HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81D ★ HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81E → HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81F ★ HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

# Triangle headed arrows with different shaft weights

- 1F820 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F821 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F822 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT

- 1F823 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F824 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F825 T UPWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F826 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F827 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F828 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F829 **†** UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82A → RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82B | DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82C ← LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82D 1 UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82E → RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82F 

  DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F830 LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F831 **1** UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F832 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

### **Finger-post arrows**

- 1F834 LEFTWARDS FINGER-POST ARROW
- 1F836 RIGHTWARDS FINGER-POST ARROW
- 1F837 DOWNWARDS FINGER-POST ARROW

# **Squared arrows**

- 1F838 LEFTWARDS SQUARED ARROW
- 1F839 UPWARDS SQUARED ARROW
- 1F83A RIGHTWARDS SQUARED ARROW
- 1F83B ▼ DOWNWARDS SQUARED ARROW

# **Compressed arrows**

- 1F83E → RIGHTWARDS COMPRESSED ARROW
- 1F83F → DOWNWARDS COMPRESSED ARROW

- 1F842 ► RIGHTWARDS HEAVY COMPRESSED ARROW

  → 27A7 ► squat black rightwards arrow
- 1F843 **▼** DOWNWARDS HEAVY COMPRESSED ARROW

#### **Heavy arrows**

- 1F844 LEFTWARDS HEAVY ARROW
- 1F845 **1** UPWARDS HEAVY ARROW
- 1F846 → RIGHTWARDS HEAVY ARROW
- 1F847 ■ DOWNWARDS HEAVY ARROW

# Sans-serif arrows

1F850 ← LEFTWARDS SANS-SERIF ARROW → 2190 ← leftwards arrow

1F851	1	UPWARDS SANS-SERIF ARROW  → 2191 ↑ upwards arrow		
1F852	$\rightarrow$	RIGHTWARDS SANS-SERIF ARROW		
1F853	$\downarrow$	→ 2192 → rightwards arrow  DOWNWARDS SANS-SERIF ARROW		
1F854	Κ,	→ 2193 ↓ downwards arrow NORTH WEST SANS-SERIF ARROW		
1F855	7	→ 2196 \ north west arrow  NORTH EAST SANS-SERIF ARROW		
1F856	4	→ 2197 / north east arrow SOUTH EAST SANS-SERIF ARROW		
1F857	Ľ	→ 2198 \ south east arrow  SOUTH WEST SANS-SERIF ARROW		
1F858	$\leftrightarrow$	→ 2199 ✓ south west arrow LEFT RIGHT SANS-SERIF ARROW		
1F859	<b>\$</b>	→ 2194 ↔ left right arrow UP DOWN SANS-SERIF ARROW		
→ 2195 \$\(\psi\) up down arrow  Wide-headed barb arrows				

#### Wide-headed barb arrows

1F860	$\leftarrow$	WIDE-HEADED LEFTWARDS LIGHT BARB
		ARROW
45004	•	WIDE HEADED HOWADDOLLICHT DADD AD

- 1F861 个 WIDE-HEADED UPWARDS LIGHT BARB ARROW
- 1F862 → WIDE-HEADED RIGHTWARDS LIGHT BARB ARROW
- 1F864 NWIDE-HEADED NORTH WEST LIGHT BARB ARROW
- 1F865 7 WIDE-HEADED NORTH EAST LIGHT BARB ARROW
- 1F866 → WIDE-HEADED SOUTH EAST LIGHT BARB ARROW
- 1F867 

  ✓ WIDE-HEADED SOUTH WEST LIGHT BARB ARROW
- 1F868 ← WIDE-HEADED LEFTWARDS BARB ARROW
- 1F86A → WIDE-HEADED RIGHTWARDS BARB ARROW
- 1F86B  $\ ullet$  WIDE-HEADED DOWNWARDS BARB ARROW
- 1F86C K WIDE-HEADED NORTH WEST BARB ARROW
- 1F86D **7** WIDE-HEADED NORTH EAST BARB ARROW
- 1F86E 😕 WIDE-HEADED SOUTH EAST BARB ARROW
- 1F86F ∠ WIDE-HEADED SOUTH WEST BARB ARROW
- 1F870 ← WIDE-HEADED LEFTWARDS MEDIUM BARB ARROW
- 1F872 → WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW
  - → 2794 → heavy wide-headed rightwards arrow
- 1F874 **K** WIDE-HEADED NORTH WEST MEDIUM BARB ARROW
- 1F875 **7** WIDE-HEADED NORTH EAST MEDIUM BARB ARROW
- 1F876 **\( \)** WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW
- 1F878 ← WIDE-HEADED LEFTWARDS HEAVY BARB ARROW

- 1F87A → WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW
- 1F87B WIDE-HEADED DOWNWARDS HEAVY BARB ARROW
- 1F87C NUIDE-HEADED NORTH WEST HEAVY BARB ARROW
- 1F87D **7** WIDE-HEADED NORTH EAST HEAVY BARB ARROW
- 1F87E WIDE-HEADED SOUTH EAST HEAVY BARB ARROW

- 1F882 → WIDE-HEADED RIGHTWARDS VERY HEAVY BARB ARROW
- 1F883 WIDE-HEADED DOWNWARDS VERY HEAVY BARB ARROW
- 1F884 WIDE-HEADED NORTH WEST VERY HEAVY BARB ARROW
- 1F885 **7** WIDE-HEADED NORTH EAST VERY HEAVY BARB ARROW
- 1F886 WIDE-HEADED SOUTH EAST VERY HEAVY BARB ARROW
- 1F887 WIDE-HEADED SOUTH WEST VERY HEAVY BARB ARROW

#### **Arrowheads**

- 1F890 · LEFTWARDS TRIANGLE ARROWHEAD
- 1F891 UPWARDS TRIANGLE ARROWHEAD
- 1F892 RIGHTWARDS TRIANGLE ARROWHEAD
- 1F893 DOWNWARDS TRIANGLE ARROWHEAD
- 1F894 4 LEFTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F895 LUPWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F896 > RIGHTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F897 OOWNWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD

#### **Notched arrows**

- 1F898 LEFTWARDS ARROW WITH NOTCHED TAIL
- 1F899 UPWARDS ARROW WITH NOTCHED TAIL
- 1F89A → RIGHTWARDS ARROW WITH NOTCHED TAIL
  → 27AF ⇒ notched lower right-shadowed
  white rightwards arrow
- 1F89B # DOWNWARDS ARROW WITH NOTCHED TAIL

## Heavy arrow shafts

The vertical alignment and thickness of this set are compatible with heavy shaft arrows.

- 1F89C HEAVY ARROW SHAFT WIDTH ONE
- 1F89D HEAVY ARROW SHAFT WIDTH TWO THIRDS
- 1F89E HEAVY ARROW SHAFT WIDTH ONE HALF
- 1F89F HEAVY ARROW SHAFT WIDTH ONE THIRD

# Shaded white arrows

- 1F8A0 ← LEFTWARDS BOTTOM-SHADED WHITE ARROW
- 1F8A1 ⇒ RIGHTWARDS BOTTOM SHADED WHITE ARROW
- 1F8A2 ← LEFTWARDS TOP SHADED WHITE ARROW
- 1F8A3 

  ⇒ RIGHTWARDS TOP SHADED WHITE ARROW
- 1F8A4 ← LEFTWARDS LEFT-SHADED WHITE ARROW

- 1F8A5 ⇒ RIGHTWARDS RIGHT-SHADED WHITE ARROW
  - $\rightarrow$  27A9  $\Rightarrow$  right-shaded white rightwards arrow
- 1F8A6 ← LEFTWARDS RIGHT-SHADED WHITE ARROW
- 1F8A7 ⇒ RIGHTWARDS LEFT-SHADED WHITE ARROW

  → 27AA ⇔ left-shaded white rightwards arrow
- 1F8A8 ← LEFTWARDS BACK-TILTED SHADOWED WHITE
- ARROW

  ARROW

  ARROW
- 1F8A9 

  RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
  - → 27AB → back-tilted shadowed white rightwards arrow
- 1F8AA 

  LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
- 1F8AB ⇔ RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
  - → 27AC ⇒ front-tilted shadowed white rightwards arrow

#### White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

- 1F8AC WHITE ARROW SHAFT WIDTH ONE
- 1F8AD " WHITE ARROW SHAFT WIDTH TWO THIRDS

# **Arrows for legacy computing**

- 1F8B0 **\( \bar{\bar} \)** ARROW POINTING UPWARDS THEN NORTH WEST
- 1F8B1 **2** ARROW POINTING RIGHTWARDS THEN CURVING SOUTH WEST