# Miscellaneous Technical

**Range: 2300–23FF**

This file contains an excerpt from the character code tables and list of character names for
*The Unicode Standard, Version 14.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard.
*See https://www.unicode.org/errata/ for an up-to-date list of errata.*

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts.
See https://www.unicode.org/charts/PDF/Unicode-14.0/ for charts showing only the characters added in Unicode 14.0.
See https://www.unicode.org/Public/14.0.0/charts/ for a complete archived file of character code charts for Unicode 14.0.

## Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 14.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 14.0, online at https://www.unicode.org/versions/Unicode14.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

*See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/*

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

## Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

*See https://www.unicode.org/charts/fonts.html for a list.*

## Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

*See https://www.unicode.org/pending/pending.html and https://www.unicode.org/alloc/Pipeline.html.*

*Copyright © 1991-2021 Unicode, Inc. All rights reserved.*

| | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 | 239 | 23A | 23B | 23C | 23D | 23E | 23F |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 | 2300 | 2310 | 2320 | 2330 | 2340 | 2350 | 2360 | 2370 | 2380 | 2390 | 23A0 | 23B0 | 23C0 | 23D0 | 23E0 | 23F0 |
| 1 | 2301 | 2311 | 2321 | 2331 | 2341 | 2351 | 2361 | 2371 | 2381 | 2391 | 23A1 | 23B1 | 23C1 | 23D1 | 23E1 | 23F1 |
| 2 | 2302 | 2312 | 2322 | 2332 | 2342 | 2352 | 2362 | 2372 | 2382 | 2392 | 23A2 | 23B2 | 23C2 | 23D2 | 23E2 | 23F2 |
| 3 | 2303 | 2313 | 2323 | 2333 | 2343 | 2353 | 2363 | 2373 | 2383 | 2393 | 23A3 | 23B3 | 23C3 | 23D3 | 23E3 | 23F3 |
| 4 | 2304 | 2314 | 2324 | 2334 | 2344 | 2354 | 2364 | 2374 | 2384 | 2394 | 23A4 | 23B4 | 23C4 | 23D4 | 23E4 | 23F4 |
| 5 | 2305 | 2315 | 2325 | 2335 | 2345 | 2355 | 2365 | 2375 | 2385 | 2395 | 23A5 | 23B5 | 23C5 | 23D5 | 23E5 | 23F5 |
| 6 | 2306 | 2316 | 2326 | 2336 | 2346 | 2356 | 2366 | 2376 | 2386 | 2396 | 23A6 | 23B6 | 23C6 | 23D6 | 23E6 | 23F6 |
| 7 | 2307 | 2317 | 2327 | 2337 | 2347 | 2357 | 2367 | 2377 | 2387 | 2397 | 23A7 | 23B7 | 23C7 | 23D7 | 23E7 | 23F7 |
| 8 | 2308 | 2318 | 2328 | 2338 | 2348 | 2358 | 2368 | 2378 | 2388 | 2398 | 23A8 | 23B8 | 23C8 | 23D8 | 23E8 | 23F8 |
| 9 | 2309 | 2319 | 2329 | 2339 | 2349 | 2359 | 2369 | 2379 | 2389 | 2399 | 23A9 | 23B9 | 23C9 | 23D9 | 23E9 | 23F9 |
| A | 230A | 231A | 232A | 233A | 234A | 235A | 236A | 237A | 238A | 239A | 23AA | 23BA | 23CA | 23DA | 23EA | 23FA |
| B | 230B | 231B | 232B | 233B | 234B | 235B | 236B | 237B | 238B | 239B | 23AB | 23BB | 23CB | 23DB | 23EB | 23FB |
| C | 230C | 231C | 232C | 233C | 234C | 235C | 236C | 237C | 238C | 239C | 23AC | 23BC | 23CC | 23DC | 23EC | 23FC |
| D | 230D | 231D | 232D | 233D | 234D | 235D | 236D | 237D | 238D | 239D | 23AD | 23BD | 23CD | 23DD | 23ED | 23FD |
| E | 230E | 231E | 232E | 233E | 234E | 235E | 236E | 237E | 238E | 239E | 23AE | 23BE | 23CE | 23DE | 23EE | 23FE |
| F | 230F | 231F | 232F | 233F | 234F | 235F | 236F | 237F | 238F | 239F | 23AF | 23BF | 23CF | 23DF | 23EF | 23FF |

## Miscellaneous technical

2300   ⌀   DIAMETER SIGN
→ 00F8 ø latin small letter o with stroke
→ 2205 ∅ empty set
2301   ↵   ELECTRIC ARROW
• from ISO 2047
• symbol for End of Transmission
2302   ⌂   HOUSE
2303   ⌃   UP ARROWHEAD
→ 005E ^ circumflex accent
→ 02C4 ˄ modifier letter up arrowhead
→ 2038 ‸ caret
→ 2227 ∧ logical and
2304   ⌄   DOWN ARROWHEAD
→ 02C5 ˅ modifier letter down arrowhead
→ 2228 ∨ logical or
→ 2335 ⌵ countersink
2305   ⌅   PROJECTIVE
→ 22BC ⊼ nand
2306   ⌆   PERSPECTIVE
2307   ⌇   WAVY LINE
→ 2E3E ⸾ wiggly vertical line
→ 3030 〰 wavy dash

## Ceilings and floors

*These characters are tall and narrow mathematical delimiters, in contrast to the quine corners or half brackets. They are also distinct from CJK corner brackets, which are wide quotation marks.*

2308   ⌈   LEFT CEILING
= APL upstile
→ 2E22 ⸢ top left half bracket
→ 300C 「 left corner bracket
2309   ⌉   RIGHT CEILING
→ 20E7 ⃧ combining annuity symbol
→ 2E23 ⸣ top right half bracket
230A   ⌊   LEFT FLOOR
= APL downstile
→ 2E24 ⸤ bottom left half bracket
230B   ⌋   RIGHT FLOOR
→ 300D 」 right corner bracket
→ 2E25 ⸥ bottom right half bracket

## Crops

230C   ⌌   BOTTOM RIGHT CROP
• set of four "crop" corners, arranged facing outward
230D   ⌍   BOTTOM LEFT CROP
230E   ⌎   TOP RIGHT CROP
230F   ⌏   TOP LEFT CROP

## Miscellaneous technical

2310   ⌐   REVERSED NOT SIGN
= beginning of line
→ 00AC ¬ not sign
2311   ⌑   SQUARE LOZENGE
= Kissen (pillow)
• used as a command delimiter in some very old computers
→ 2BCF ⯏ rotated white four pointed cusp
2312   ⌒   ARC
= position of any line
→ 25E0 ◠ upper half circle
2313   ⌓   SEGMENT
= position of a surface

2314   ⌔   SECTOR
2315   ⌕   TELEPHONE RECORDER
2316   ⌖   POSITION INDICATOR
= true position
→ 2BD0 ⯐ square position indicator
2317   ⌗   VIEWDATA SQUARE
→ 22D5 ⋕ equal and parallel to
2318   ⌘   PLACE OF INTEREST SIGN
= command key (1.0)
= operating system key (ISO 9995-7)
2319   ⌙   TURNED NOT SIGN
= line marker

## User interface symbols

231A   ⌚   WATCH
→ 23F0 ⏰ alarm clock
→ 1F550 🕐 clock face one oclock
231B   ⌛   HOURGLASS
= alchemical symbol for hour

## Quine corners

*These form a set of four quine corners, for quincuncial arrangement. They are also used in upper and lower pairs in mathematic, or more rarely in editorial usage as alternatives to half brackets.*

231C   ⌜   TOP LEFT CORNER
→ 2E00 ⸀ right angle substitution marker
→ 2E22 ⸢ top left half bracket
231D   ⌝   TOP RIGHT CORNER
231E   ⌞   BOTTOM LEFT CORNER
231F   ⌟   BOTTOM RIGHT CORNER

## Integral pieces

2320   ⌠   TOP HALF INTEGRAL
→ 23AE ⎮ integral extension
2321   ⌡   BOTTOM HALF INTEGRAL

## Frown and smile

2322   ⌢   FROWN
→ 2040 ⁀ character tie
2323   ⌣   SMILE
→ 203F ‿ undertie

## Keyboard symbols

2324   ⌤   UP ARROWHEAD BETWEEN TWO HORIZONTAL BARS
= enter key
2325   ⌥   OPTION KEY
2326   ⌦   ERASE TO THE RIGHT
= delete to the right key
2327   ⌧   X IN A RECTANGLE BOX
= clear key
→ 2612 ☒ ballot box with x
2328   ⌨   KEYBOARD
→ 1F5A6 🖦 keyboard and mouse
→ 1F5AE 🖮 wired keyboard

**Deprecated angle brackets**

*These characters are deprecated and are strongly discouraged for mathematical use because of their canonical equivalence to CJK punctuation.*

2329 〈 LEFT-POINTING ANGLE BRACKET
→ 003C < less-than sign
→ 2039 ‹ single left-pointing angle quotation mark
→ 27E8 ⟨ mathematical left angle bracket
≡ 3008 〈 left angle bracket

232A 〉 RIGHT-POINTING ANGLE BRACKET
→ 003E > greater-than sign
→ 203A › single right-pointing angle quotation mark
→ 27E9 ⟩ mathematical right angle bracket
≡ 3009 〉 right angle bracket

**Keyboard symbol**

232B ⌫ ERASE TO THE LEFT
= delete to the left key

**Chemistry symbol**

232C ⌬ BENZENE RING

**Drafting symbols**

232D ⌭ CYLINDRICITY
232E ⌮ ALL AROUND-PROFILE
232F ⌯ SYMMETRY
2330 ⌰ TOTAL RUNOUT
2331 ⌱ DIMENSION ORIGIN
2332 ⌲ CONICAL TAPER
2333 ⌳ SLOPE
→ 25FA ◺ lower left triangle
2334 ⌴ COUNTERBORE
→ 2423 ␣ open box
2335 ⌵ COUNTERSINK
→ 2304 ⌄ down arrowhead

**APL**

2336 ⌶ APL FUNCTIONAL SYMBOL I-BEAM
2337 ⌷ APL FUNCTIONAL SYMBOL SQUISH QUAD
→ 2395 ⎕ apl functional symbol quad
→ 25AF ▯ white vertical rectangle
→ 2AFF ⫿ n-ary white vertical bar
2338 ⌸ APL FUNCTIONAL SYMBOL QUAD EQUAL
2339 ⌹ APL FUNCTIONAL SYMBOL QUAD DIVIDE
233A ⌺ APL FUNCTIONAL SYMBOL QUAD DIAMOND
→ 26CB ⛋ white diamond in square
233B ⌻ APL FUNCTIONAL SYMBOL QUAD JOT
→ 29C7 ⧇ squared small circle
233C ⌼ APL FUNCTIONAL SYMBOL QUAD CIRCLE
233D ⌽ APL FUNCTIONAL SYMBOL CIRCLE STILE
233E ⌾ APL FUNCTIONAL SYMBOL CIRCLE JOT
→ 229A ⊚ circled ring operator
→ 29BE ⦾ circled white bullet
233F ⌿ APL FUNCTIONAL SYMBOL SLASH BAR
→ 1019A 𐆚 roman as sign
2340 ⍀ APL FUNCTIONAL SYMBOL BACKSLASH BAR
→ 29F7 ⧷ reverse solidus with horizontal stroke
2341 ⍁ APL FUNCTIONAL SYMBOL QUAD SLASH
→ 29C4 ⧄ squared rising diagonal slash
2342 ⍂ APL FUNCTIONAL SYMBOL QUAD BACKSLASH
→ 29C5 ⧅ squared falling diagonal slash
2343 ⍃ APL FUNCTIONAL SYMBOL QUAD LESS-THAN

2344 ⍄ APL FUNCTIONAL SYMBOL QUAD GREATER-THAN
2345 ⍅ APL FUNCTIONAL SYMBOL LEFTWARDS VANE
2346 ⍆ APL FUNCTIONAL SYMBOL RIGHTWARDS VANE
2347 ⍇ APL FUNCTIONAL SYMBOL QUAD LEFTWARDS ARROW
2348 ⍈ APL FUNCTIONAL SYMBOL QUAD RIGHTWARDS ARROW
2349 ⍉ APL FUNCTIONAL SYMBOL CIRCLE BACKSLASH
→ 29B0 ⦰ reversed empty set
234A ⍊ APL FUNCTIONAL SYMBOL DOWN TACK UNDERBAR
= up tack underbar
• preferred naming for APL tack symbols now follows the London Convention in ISO/IEC 13751:2000 (APL Extended)
→ 22A5 ⊥ up tack
234B ⍋ APL FUNCTIONAL SYMBOL DELTA STILE
234C ⍌ APL FUNCTIONAL SYMBOL QUAD DOWN CARET
234D ⍍ APL FUNCTIONAL SYMBOL QUAD DELTA
234E ⍎ APL FUNCTIONAL SYMBOL DOWN TACK JOT
= up tack jot
→ 22A5 ⊥ up tack
234F ⍏ APL FUNCTIONAL SYMBOL UPWARDS VANE
2350 ⍐ APL FUNCTIONAL SYMBOL QUAD UPWARDS ARROW
2351 ⍑ APL FUNCTIONAL SYMBOL UP TACK OVERBAR
= down tack overbar
→ 22A4 ⊤ down tack
→ 3012 〒 postal mark
2352 ⍒ APL FUNCTIONAL SYMBOL DEL STILE
2353 ⍓ APL FUNCTIONAL SYMBOL QUAD UP CARET
→ 2BB9 ⮹ up arrowhead in a rectangle box
2354 ⍔ APL FUNCTIONAL SYMBOL QUAD DEL
2355 ⍕ APL FUNCTIONAL SYMBOL UP TACK JOT
= down tack jot
→ 22A4 ⊤ down tack
2356 ⍖ APL FUNCTIONAL SYMBOL DOWNWARDS VANE
2357 ⍗ APL FUNCTIONAL SYMBOL QUAD DOWNWARDS ARROW
2358 ⍘ APL FUNCTIONAL SYMBOL QUOTE UNDERBAR
2359 ⍙ APL FUNCTIONAL SYMBOL DELTA UNDERBAR
235A ⍚ APL FUNCTIONAL SYMBOL DIAMOND UNDERBAR
235B ⍛ APL FUNCTIONAL SYMBOL JOT UNDERBAR
235C ⍜ APL FUNCTIONAL SYMBOL CIRCLE UNDERBAR
235D ⍝ APL FUNCTIONAL SYMBOL UP SHOE JOT
→ 2A40 ⩀ intersection with dot
235E ⍞ APL FUNCTIONAL SYMBOL QUOTE QUAD
235F ⍟ APL FUNCTIONAL SYMBOL CIRCLE STAR
→ 229B ⊛ circled asterisk operator
2360 ⍠ APL FUNCTIONAL SYMBOL QUAD COLON
2361 ⍡ APL FUNCTIONAL SYMBOL UP TACK DIAERESIS
= down tack diaeresis
→ 22A4 ⊤ down tack
2362 ⍢ APL FUNCTIONAL SYMBOL DEL DIAERESIS
2363 ⍣ APL FUNCTIONAL SYMBOL STAR DIAERESIS
2364 ⍤ APL FUNCTIONAL SYMBOL JOT DIAERESIS
= hoot
2365 ⍥ APL FUNCTIONAL SYMBOL CIRCLE DIAERESIS
= holler
2366 ⍦ APL FUNCTIONAL SYMBOL DOWN SHOE STILE

| 2367 | ⊏ | APL FUNCTIONAL SYMBOL LEFT SHOE STILE |
|------|---|----------------------------------------|
| 2368 | ⍨ | APL FUNCTIONAL SYMBOL TILDE DIAERESIS |

= smirk

| 2369 | ⍩ | APL FUNCTIONAL SYMBOL GREATER-THAN DIAERESIS |
|------|---|---|
| 236A | ⍪ | APL FUNCTIONAL SYMBOL COMMA BAR |
| 236B | ⍫ | APL FUNCTIONAL SYMBOL DEL TILDE |
| 236C | ⍬ | APL FUNCTIONAL SYMBOL ZILDE |
| 236D | ⍭ | APL FUNCTIONAL SYMBOL STILE TILDE |
| 236E | ⍮ | APL FUNCTIONAL SYMBOL SEMICOLON UNDERBAR |
| 236F | ⍯ | APL FUNCTIONAL SYMBOL QUAD NOT EQUAL |
| 2370 | ⍰ | APL FUNCTIONAL SYMBOL QUAD QUESTION |

→ 2BD1 ⯑ uncertainty sign

| 2371 | ⍱ | APL FUNCTIONAL SYMBOL DOWN CARET TILDE |
|------|---|---|
| 2372 | ⍲ | APL FUNCTIONAL SYMBOL UP CARET TILDE |
| 2373 | ⍳ | APL FUNCTIONAL SYMBOL IOTA |
| 2374 | ⍴ | APL FUNCTIONAL SYMBOL RHO |
| 2375 | ⍵ | APL FUNCTIONAL SYMBOL OMEGA |
| 2376 | ⍶ | APL FUNCTIONAL SYMBOL ALPHA UNDERBAR |
| 2377 | ⍷ | APL FUNCTIONAL SYMBOL EPSILON UNDERBAR |
| 2378 | ⍸ | APL FUNCTIONAL SYMBOL IOTA UNDERBAR |
| 2379 | ⍹ | APL FUNCTIONAL SYMBOL OMEGA UNDERBAR |
| 237A | ⍺ | APL FUNCTIONAL SYMBOL ALPHA |

### Graphics for control codes

| 237B | ⍻ | NOT CHECK MARK |
|------|---|---|

• from ISO 2047

• symbol for Negative Acknowledge

### Miscellaneous technical

| 237C | ⍼ | RIGHT ANGLE WITH DOWNWARDS ZIGZAG ARROW |
|------|---|---|

### Graphics for control codes

| 237D | ⍽ | SHOULDERED OPEN BOX |
|------|---|---|

• from ISO 9995-7

• keyboard symbol for No Break Space

→ 2423 ␣ open box

| 237E | ⍾ | BELL SYMBOL |
|------|---|---|

• from ISO 2047

| 237F | ⍿ | VERTICAL LINE WITH MIDDLE DOT |
|------|---|---|

• from ISO 2047

• symbol for End of Medium

### Keyboard symbols from ISO 9995-7

| 2380 | ⎀ | INSERTION SYMBOL |
|------|---|---|
| 2381 | ⎁ | CONTINUOUS UNDERLINE SYMBOL |
| 2382 | ⎂ | DISCONTINUOUS UNDERLINE SYMBOL |
| 2383 | ⎃ | EMPHASIS SYMBOL |
| 2384 | ⎄ | COMPOSITION SYMBOL |
| 2385 | ⎅ | WHITE SQUARE WITH CENTRE VERTICAL LINE |

= center

| 2386 | ⎆ | ENTER SYMBOL |
|------|---|---|
| 2387 | ⎇ | ALTERNATIVE KEY SYMBOL |
| 2388 | ⎈ | HELM SYMBOL |

= control

→ 2638 ☸ wheel of dharma

| 2389 | ⎉ | CIRCLED HORIZONTAL BAR WITH NOTCH |
|------|---|---|

= pause

| 238A | ⎊ | CIRCLED TRIANGLE DOWN |
|------|---|---|

= interrupt, break

| 238B | ↺ | BROKEN CIRCLE WITH NORTHWEST ARROW |
|------|---|---|

= escape

| 238C | ⎌ | UNDO SYMBOL |
|------|---|---|

### Electrotechnical symbols from IR 181

| 238D | ⎍ | MONOSTABLE SYMBOL |
|------|---|---|
| 238E | ⎎ | HYSTERESIS SYMBOL |
| 238F | ⎏ | OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL |
| 2390 | ⎐ | OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL |
| 2391 | ⎑ | PASSIVE-PULL-DOWN-OUTPUT SYMBOL |
| 2392 | ⎒ | PASSIVE-PULL-UP-OUTPUT SYMBOL |
| 2393 | ⎓ | DIRECT CURRENT SYMBOL FORM TWO |
| 2394 | ⎔ | SOFTWARE-FUNCTION SYMBOL |

→ 2B21 ⬡ white hexagon

### APL

| 2395 | ⎕ | APL FUNCTIONAL SYMBOL QUAD |
|------|---|---|

→ 2337 ⌷ apl functional symbol squish quad

→ 25AF ▯ white vertical rectangle

### Keyboard symbols from ISO 9995-7

| 2396 | ⎖ | DECIMAL SEPARATOR KEY SYMBOL |
|------|---|---|
| 2397 | ⎗ | PREVIOUS PAGE |

→ 1F519 🔙 back with leftwards arrow above

| 2398 | ⎘ | NEXT PAGE |
|------|---|---|
| 2399 | ⎙ | PRINT SCREEN SYMBOL |
| 239A | ⎚ | CLEAR SCREEN SYMBOL |

→ 20E2 ⃢ combining enclosing screen

### Bracket pieces

| 239B | ⎛ | LEFT PARENTHESIS UPPER HOOK |
|------|---|---|
| 239C | ⎜ | LEFT PARENTHESIS EXTENSION |
| 239D | ⎝ | LEFT PARENTHESIS LOWER HOOK |
| 239E | ⎞ | RIGHT PARENTHESIS UPPER HOOK |
| 239F | ⎟ | RIGHT PARENTHESIS EXTENSION |
| 23A0 | ⎠ | RIGHT PARENTHESIS LOWER HOOK |
| 23A1 | ⎡ | LEFT SQUARE BRACKET UPPER CORNER |
| 23A2 | ⎢ | LEFT SQUARE BRACKET EXTENSION |
| 23A3 | ⎣ | LEFT SQUARE BRACKET LOWER CORNER |
| 23A4 | ⎤ | RIGHT SQUARE BRACKET UPPER CORNER |
| 23A5 | ⎥ | RIGHT SQUARE BRACKET EXTENSION |
| 23A6 | ⎦ | RIGHT SQUARE BRACKET LOWER CORNER |
| 23A7 | ⎧ | LEFT CURLY BRACKET UPPER HOOK |
| 23A8 | ⎨ | LEFT CURLY BRACKET MIDDLE PIECE |
| 23A9 | ⎩ | LEFT CURLY BRACKET LOWER HOOK |
| 23AA | ⎪ | CURLY BRACKET EXTENSION |
| 23AB | ⎫ | RIGHT CURLY BRACKET UPPER HOOK |
| 23AC | ⎬ | RIGHT CURLY BRACKET MIDDLE PIECE |
| 23AD | ⎭ | RIGHT CURLY BRACKET LOWER HOOK |

### Special character extensions

| 23AE | ⎮ | INTEGRAL EXTENSION |
|------|---|---|

→ 2320 ⌠ top half integral

→ 2321 ⌡ bottom half integral

| 23AF | ⎯ | HORIZONTAL LINE EXTENSION |
|------|---|---|

• used for extension of arrows

→ 23D0 ⏐ vertical line extension

### Bracket pieces

| 23B0 | ⎰ | UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION |
|------|---|---|

= left moustache

| 23B1 | ⎱ | UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION |
|------|---|---|

= right moustache

**Summation sign parts**

23B2 ∑ SUMMATION TOP
23B3 ∑ SUMMATION BOTTOM
→ 2211 ∑ n-ary summation

**Horizontal brackets**

*These characters are also used as delimiters of vertical text in non-CJK terminal emulation.*

23B4 ⎴ TOP SQUARE BRACKET
→ FE47 ﹇ presentation form for vertical left square bracket
23B5 ⎵ BOTTOM SQUARE BRACKET
→ FE48 ﹈ presentation form for vertical right square bracket
23B6 ⎶ BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET
• only used for terminal emulation

**Terminal graphic characters**

23B7 √ RADICAL SYMBOL BOTTOM
23B8 │ LEFT VERTICAL BOX LINE
23B9 │ RIGHT VERTICAL BOX LINE

**Scan lines for terminal graphics**

*The scan line numbers here refer to old, low-resolution technology for terminals, with only 9 scan lines per fixed-size character glyph.*

23BA ⎺ HORIZONTAL SCAN LINE-1
23BB ⎻ HORIZONTAL SCAN LINE-3
• scan line-5 is unified with the box-drawing graphic character 2500 ─
23BC ⎼ HORIZONTAL SCAN LINE-7
23BD ⎽ HORIZONTAL SCAN LINE-9

**Dentistry notation symbols**

23BE ⎾ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT
→ 2308 ⌈ left ceiling
23BF ⎿ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT
→ 230A ⌊ left floor
23C0 ⏀ DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE
23C1 ⏁ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE
23C2 ⏂ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE
23C3 ⏃ DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE
23C4 ⏄ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE
23C5 ⏅ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE
23C6 ⏆ DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE
23C7 ⏇ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE
23C8 ⏈ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE
23C9 ⏉ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL
→ 22A4 ⊤ down tack
→ 252C ┬ box drawings light down and horizontal

23CA ⏊ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL
→ 22A5 ⊥ up tack
→ 2534 ┴ box drawings light up and horizontal
23CB ⏋ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT
→ 2309 ⌉ right ceiling
23CC ⏌ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT
→ 230B ⌋ right floor

**Miscellaneous technical**

23CD ⏍ SQUARE FOOT

**Keyboard and UI symbols**

23CE ⏎ RETURN SYMBOL
• may be shown with either hollow or filled glyph
→ 21B5 ↵ downwards arrow with corner leftwards
→ 2B90 ⮐ return left
23CF ⏏ EJECT SYMBOL
• UI symbol to eject media

**Special character extension**

23D0 │ VERTICAL LINE EXTENSION
• used for extension of arrows
→ 23AF ─ horizontal line extension

**Metrical symbols**

23D1 ⏑ METRICAL BREVE
23D2 ⏒ METRICAL LONG OVER SHORT
23D3 ⏓ METRICAL SHORT OVER LONG
23D4 ⏔ METRICAL LONG OVER TWO SHORTS
23D5 ⏕ METRICAL TWO SHORTS OVER LONG
23D6 ⏖ METRICAL TWO SHORTS JOINED
23D7 ⏗ METRICAL TRISEME
→ 1D242 ◌͂ combining greek musical triseme
23D8 ⏘ METRICAL TETRASEME
→ 1D243 ◌͆ combining greek musical tetraseme
23D9 ⏙ METRICAL PENTASEME
→ 1D244 ◌ combining greek musical pentaseme

**Electrotechnical symbols**

23DA ⏚ EARTH GROUND
23DB ⏛ FUSE

**Horizontal brackets**

*These are intended for bracketing terms of mathematical expressions where their glyph extends to accommodate the width of the bracketed expression.*

23DC ⏜ TOP PARENTHESIS
→ FE35 ︵ presentation form for vertical left parenthesis
23DD ⏝ BOTTOM PARENTHESIS
→ FE36 ︶ presentation form for vertical right parenthesis
23DE ⏞ TOP CURLY BRACKET
→ FE37 ︷ presentation form for vertical left curly bracket
23DF ⏟ BOTTOM CURLY BRACKET
→ FE38 ︸ presentation form for vertical right curly bracket
23E0 ⏠ TOP TORTOISE SHELL BRACKET
→ FE39 ︹ presentation form for vertical left tortoise shell bracket

23E1 ⏝ BOTTOM TORTOISE SHELL BRACKET
→ FE3A ⏝ presentation form for vertical right tortoise shell bracket

**Miscellaneous technical**

23E2 ⏢ WHITE TRAPEZIUM

**Chemistry symbol**

23E3 ⏣ BENZENE RING WITH CIRCLE

**Miscellaneous technical**

23E4 ⏤ STRAIGHTNESS
23E5 ⏥ FLATNESS
23E6 ∿ AC CURRENT
23E7 ⏦ ELECTRICAL INTERSECTION
23E8 ₁₀ DECIMAL EXPONENT SYMBOL
• Algol-60 token for scientific notation literals

**User interface symbols**

23E9 ⏩ BLACK RIGHT-POINTING DOUBLE TRIANGLE
= fast forward
23EA ⏪ BLACK LEFT-POINTING DOUBLE TRIANGLE
= rewind, fast backwards
23EB ⏫ BLACK UP-POINTING DOUBLE TRIANGLE
23EC ⏬ BLACK DOWN-POINTING DOUBLE TRIANGLE
23ED ⏭ BLACK RIGHT-POINTING DOUBLE TRIANGLE WITH VERTICAL BAR
= skip to the end or next file/track/chapter
23EE ⏮ BLACK LEFT-POINTING DOUBLE TRIANGLE WITH VERTICAL BAR
= skip to the start or previous file/track/chapter
23EF ⏯ BLACK RIGHT-POINTING TRIANGLE WITH DOUBLE VERTICAL BAR
= play/pause toggle
23F0 ⏰ ALARM CLOCK
→ 231A ⌚ watch
→ 1F550 🕐 clock face one oclock
→ 1F570 🕰 mantelpiece clock
23F1 ⏱ STOPWATCH
23F2 ⏲ TIMER CLOCK
23F3 ⏳ HOURGLASS WITH FLOWING SAND
→ 231B ⌛ hourglass
23F4 ◀ BLACK MEDIUM LEFT-POINTING TRIANGLE
= reverse, back
• preferred to 25C0 ◀ black left-pointing triangle
→ 2BC7 ◀ black medium left-pointing triangle centred
→ 1F780 ◀ black left-pointing isosceles right triangle
23F5 ▶ BLACK MEDIUM RIGHT-POINTING TRIANGLE
= forward
• preferred to 25B6 ▶ black right-pointing triangle
→ 2BC8 ▶ black medium right-pointing triangle centred
→ 1F782 ▶ black right-pointing isosceles right triangle
23F6 ▲ BLACK MEDIUM UP-POINTING TRIANGLE
= increase
• preferred to 25B2 ▲ black up-pointing triangle
→ 2BC5 ▲ black medium up-pointing triangle centred
→ 1F781 ▲ black up-pointing isosceles right triangle

23F7 ▼ BLACK MEDIUM DOWN-POINTING TRIANGLE
= decrease
• preferred to 25BC ▼ black down-pointing triangle
→ 2BC6 ▼ black medium down-pointing triangle centred
→ 1F783 ▼ black down-pointing isosceles right triangle
23F8 ⏸ DOUBLE VERTICAL BAR
= pause
→ 2016 ‖ double vertical line
23F9 ⏹ BLACK SQUARE FOR STOP
= stop
→ 25FC ◼ black medium square
23FA ⏺ BLACK CIRCLE FOR RECORD
= record
→ 26AB ⚫ medium black circle
→ 1F534 🔴 large red circle

**Power symbols from ISO 7000:2012**

23FB ⏻ POWER SYMBOL
• IEC 5009 standby symbol
• IEEE 1621 power symbol
23FC ⏼ POWER ON-OFF SYMBOL
• IEC 5010 power on-off symbol
23FD ⏽ POWER ON SYMBOL
• use 2B58 ⭘ for power off symbol
→ 2B58 ⭘ heavy circle

**Power symbol from IEEE 1621-2004**

23FE ⏾ POWER SLEEP SYMBOL
→ 263E ☾ last quarter moon

**Miscellaneous symbol**

23FF ⏿ OBSERVER EYE SYMBOL