


A[0..15]—  
RA[0..5]—




Captured from the Apple II Reference Manual (1979)

Sheet: /RAM Address Multiplexing/  
File: RAMAddressMux.kicad\_sch

### Title: Apple II Schematic

Size: A3 | Date:  
KiCad E.D.A. kicad 7.0.10-7.0.10-ubuntu23.04.1

Rev: 0  
Id: 3/9




Modified by reifsnryder to Rev. 0 and compared w/Rev. 0 gerbers my M. Willegal.  
Captured from the Apple II Reference Manual (1979)


Sheet: /Clock Generation/  
File: ClockGen.kicad\_sch

### Title: Apple II Schematic




Size: A3 | Date:  
KiCad E.D.A. kicad 7.0.10-7.0.10-ubuntu23.04.1

Rev: 0  
Id: 4/9





A[0..15]—  
D[0..7]—




Captured from the Apple II Reference Manual (1979)

Sheet: /Connectors/  
File: Connectors.kicad\_sch

**Title: Apple II Schematic**

Size: A3 | Date:  
KiCad E.D.A. kicad 7.0.10–7.0.10-ubuntu23.04.1

Rev: 0  
Id: 7/9



Captured from the Apple II Reference Manual (1979)

Sheet: /Video Generation/  
File: Video.Gen.kicad\_sch

Title: Apple II Schematic

Size: A2	Date:	Rev: 0
KiCad E.D.A. kicad 7.0.10-7.0.10-ubuntu23.04.1		id: 8/9

