

# An important and impactful paper

Richard Feynman, Albert Einstein, and Leonhard Euler


The Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong S.A.R., China  
 {feyman, einstein, euler}@ust.hk

*Key words:* Contextual Bandits; Local Differential Privacy; Generalized Linear Model.

## 1. Introduction

Erlang (1948), Dantzig (1955), Dynkin (1956), Bellman (1957), Little (1961), Skorokhod (1961), McKean (1965), Iglehart (1965)


## 2. Model



### 3. Conclusion

## References

- Bellman R (1957) *Dynamic programming* (Princeton, N. J.: Princeton University Press).
- Dantzig GB (1955) Linear programming under uncertainty. *Mgt. Sci.* 1(3-4):197–206.
- Dynkin EB (1956) Infinitesimal operators of markov processes. *Teor. Veroyatnost. i Primenen.* 1:38–60.



**Figure 1** A schematic Model of Outsourcing with rework

Erlang AK (1948) On the rational determination of the number of circuits. *The Life and Works of A.K. Erlang*.

Iglehart DL (1965) Limiting diffusion approximations for the many server queue and the repairman problem. *J. Appl. Probability* 2:429–441.

Little JD (1961) A proof for the queuing formula:  $L = \lambda w$ . *Oper. Res.* 9(3):383–387.

McKean HP (1965) Appendix: A free boundary problem for the heat equation arising from a problem in mathematical economics. *Industrial Management Review* 6(2):32–39.

Skorokhod A (1961) Stochastic equations for diffusion processes in a bounded region 1. *Teor. Veroyatnost. i Primenen.* 6:264–274.

## Proofs

### EC.1. Proof of Results

#### EC.1.1. Proof of Lemma

LEMMA EC.1. *As long as  $t > 8 \frac{d \log 9 + \log(T/\alpha)}{p_*^2}$ , the following lower bound*

*Proof of Lemma X*

□