

Transferleistung Theorie/Praxis 1

Matrikelnummer:	12345
Freigegebenes Thema:	Ein wundervoller und deskriptiver, aber nicht zu langer Titel, aber immerhin füllt er zwei Zeilen
Studiengang, Zenturie:	Angewandte Informatik, A22b

Inhaltsverzeichnis

Abbildungsverzeichnis	II
Tabellenverzeichnis	III
Quellcodeverzeichnis	IV
Abkürzungen	V
1 Showing off this template	1
1.1 Citing	1
1.2 Code blocks	1
1.2.1 Inline code	1
1.2.2 Code block	1
2 Figures	2
2.1 Images	2
2.2 Tables	3
2.2.1 Table style 1	3
2.2.2 Table style 2	4
2.2.3 Table style 3	4
3 Using some common document features	6
Bibliographie	VI
A Anhang	VII
A.1 Code snippet	VII
A.2 Text	VII
A.3 KI-Prozessdokumentation	VIII

Abbildungsverzeichnis

Abbildung 1 Interesting image of Korea because I love Korea and I want to showcase images . . . 2

Tabellenverzeichnis

Tabelle 1	A more general table example	3
Tabelle 2	Weights for each criteria resulting from the AHP method	3
Tabelle 3	Questions to be answered by other team's project leads who have worked with the respective tools	4
Tabelle 4	Final weights of the alternatives calculated through AHP	4

Quellcodeverzeichnis

Listing 1 Dummy Rust code to show the code blocks	VII
---	-----

Abkürzungen

CFG – Control Flow Graph

CPU – Central Processing Unit

OOP – Object Oriented Programming

1 Showing off this template

1.1 Citing

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut. [1]

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri. [1], [2]

1.2 Code blocks

1.2.1 Inline code

Adding rbx to rcx gives the desired result. Let's also use abbreviations like Central Processing Unit (CPU), a fancy Control Flow Graph (CFG) or Object Oriented Programming (OOP) that many love and hate at the same time. And if we use the abbreviation OOP a second time, it looks like this.

What is `fn main()` in Rust would be `int main()` in C.

1.2.2 Code block

This is an example for a simple code block:

`rust`

```
1 fn main() {  
2     println!("Hello World!");  
3 }
```

2 Figures

2.1 Images

The following will show how images look like in the document. This uses the default figure and image functions of Typst. Nothing special, you can configure stuff like height and caption.



Abbildung 1: Interesting image of Korea because I love Korea and I want to showcase images

As Abbildung 1 shows, Korea is a beautiful country. Please study Korean and go there to live and study. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequaleamur animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequaleamur animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet, ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum defuturum, quas natura non depravata desiderat. Et quem ad me accedis, saluto: 'chaere,' inquam, 'Tite!' lictores, turma omnis chorusque: 'chaere, Tite!' hinc hostis mi Albucius, hinc inimicus. Sed iure Mucius.

2.2 Tables

Criterion	Weight	Solution 1	Solution 2
Functional Suitability	9.4%	5	3
Performance Efficiency	16.9%	5	3
Compatibility	6.0%	5	4
Usability	5.8%	4	5
Reliability	18.9%	5	4
Security	23.3%	4	5
Maintainability	14.0%	3	5
Portability	5.7%	4	5
Total score		4.372	4.225

Tabelle 1: A more general table example

Tabelle 1 shows an example of the default typst table, with a colspan 2 cell that stretches over 2 cells.

2.2.1 Table style 1

Here will be an example for a styled table, using the table_style_1 component.

Criterion	Weight
Functional Suitability	9.4%
Performance Efficiency	16.9%
Compatibility	6%
Usability	5.8%
Reliability	18.9%
Security	23.3%
Maintainability	14%
Portability	5.7%
Total	1

Tabelle 2: Weights for each criteria resulting from the AHP method

The table can be referenced as Tabelle 2 like this. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

2.2.2 Table style 2

Here will be an example of another styled table, using the table_style_2 component.

Question	Answer type
How easy is it to filter, search and categorize tasks?	Scale from 1 (worst) to 5 (best)
How well does the tool support real-time collaboration? For example: Can many people read, edit or move tasks at the same time, does the data update real-time	Scale from 1 (worst) to 5 (best)
Is the tool customizable enough to easily adapt it to your team's needs?	Scale from 1 (worst) to 5 (best)
What are the biggest advantages of working with the tool?	Free text
What are the biggest pain points of working with the tool?	Free text
Which feature are you missing?	Free text

Tabelle 3: Questions to be answered by other team's project leads who have worked with the respective tools

The table can be referenced as Tabelle 3 like this. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequaleam animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At.

2.2.3 Table style 3

This is one more example of another styled table, using the table_style_3 component.

Criterion	Weight	Miro	GH Projects	Jira	Planner
Formatting versatility	17.6%	0.116	0.524	0.308	0.052
Integration with other tools	11.5%	0.084	0.267	0.587	0.062
Organization	23.2%	0.053	0.427	0.414	0.106
Real-time collaboration	29%	0.057	0.550	0.288	0.104
Customization and Flexibility	18.7%	0.299	0.138	0.511	0.051
Total	1	0.115	0.407	0.397	0.081

Tabelle 4: Final weights of the alternatives calculated through AHP

The table can be referenced as Tabelle 4 like this. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequaleam animo, cum corpore dolemus, fieri tamen permagna accessio potest, si



aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut.

3 Using some common document features

1. You can start a simple enumeration by using + in Typst
2. This will be one more line
3. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

Here is some more dummy text to fill the page Here is some more dummy text to fill the page Here is some more dummy text to fill the page as you can see in Listing 1. This is a reference to the appendix code listing.

Oh no, the following statement doesn't have any reliable source yet **needsCite**.

Normal list.

- Text
- Math
- Layout
- ...

Here is a text explaining some important stuff but there is something that needs a footnote, for example the word abcd¹. If we want to add a link inside the text, we [can do so](#).

TODO: This is a cool way to add todos to your paper that you won't overlook

¹abcd stands for „absolutely brilliant cool design“, see <https://nordakademie.de>

Bibliographie

- [1] S. Nocera, S. Romano, M. D. Penta, R. Francese, und G. Scanniello, „Software Bill of Materials Adoption: A Mining Study from GitHub“, in *2023 IEEE International Conference on Software Maintenance and Evolution (ICSME)*, Bogotá, Colombia: IEEE, Okt. 2023, S. 39–49. doi: [10.1109/ICSME58846.2023.00016](https://doi.org/10.1109/ICSME58846.2023.00016).
- [2] M. Moskala und I. Wojda, *Android Development with Kotlin*. Packt Publishing Ltd, 2017.

A Anhang

A.1 Code snippet

rust

```
1 fn main() {
2     let mut numbers = vec![1, 2, 3, 4, 5];
3
4     for number in &mut numbers {
5         *number *= 2;
6     }
7
8     let sum: i32 = numbers.iter().sum();
9     println!("The sum of doubled numbers is: {}", sum);
10
11    let squared_numbers: Vec<i32> = numbers.iter().map(|&x| x * x).collect();
12    println!("Squared numbers: {:?}", squared_numbers);
13
14    let filtered_numbers: Vec<i32> = numbers.iter().filter(|&x| x > 5).cloned().collect();
15    println!("Filtered numbers (greater than 5): {:?}", filtered_numbers);
16
17    let average = sum as f64 / numbers.len() as f64;
18    println!("The average is: {}", average);
19
20    let mut counter = 0;
21    while counter < 5 {
22        println!("Counter is at: {}", counter);
23        counter += 1;
24    }
25
26    let result = factorial(5);
27    println!("Factorial of 5 is: {}", result);
28 }
29
30 fn factorial(n: u32) -> u32 {
31     if n == 0 {
32         1
33     } else {
34         n * factorial(n - 1)
35     }
36 }
```

Listing 1: Dummy Rust code to show the code blocks

A.2 Text

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

A.3 KI-Prozessdokumentation

Für die Nutzung von Künstlicher Intelligenz (KI) in Prüfungs-, Transfer- und Studienleistungen

Anfrage an folgende KI* (inkl. Abrufdatum)	Grund für die Verwendung der KI	Bewertung der Qualität des KI-Outputs	Verwendete Software und Versionsnummer
This is an example prompt that will have the date above appended to it automatically. The date field is required and must be in YYYY-MM-DD format. (06.08.2026)	Demonstration of the AI documentation table formatting and validation.	Excellent; Didn't need any follow-up prompts or corrections.	Claude Opus 4.8

*Bitte formulieren Sie Ihre Anfrage und nennen Sie die verwendete KI

Nach Dr. Ulrike Hanke Hochschuldidaktische Weiterbildungen · Hanke Teachertraining (hanke-teachertraining.de)