

Discord Obsidian Bot

Setup Guide / v2.0

Discord + Obsidian + AI

Discord = Obsidian
X(Twitter) = Obsidian
AI Obsidian

Channel	Function
Note	1 = 1 .md
Daily	YYYY-MM-DD.md
AI Clip	Gemini AI / Daily

Storage: Dropbox / NAS (Local)

Contents

[1 Discord Bot](#)

[2 .env](#)

[3 Docker](#)

[4 Dropbox](#)

[5 Gemini AI \(API\)](#)

[6](#)

[7 FAQ](#)

1. Discord Bot

1-1. Discord Bot

Discord Bot Discord

1. Discord Developer Portal
<https://discord.com/developers/applications>
2. "New Application" Bot
3. "Bot" "Reset Token" Token
Token .env

! Token Token

1-2. Bot

"Bot"

- MESSAGE CONTENT INTENT ON
- SERVER MEMBERS INTENT ON
- PRESENCE INTENT ON

1-3. Bot

1. "OAuth2" "URL Generator"
2. Scopes bot
3. Bot Permissions:
 - Read Messages / View Channels
 - Send Messages
 - Add Reactions
 - Read Message History
 - Manage Messages
4. URL Bot

1-4. Channel ID

Discord 3 Channel ID

1. Discord "" > ""

2. "" ON

3. ID

Channel	
note	1 = 1 .md
daily	(YYYY-MM-DD.md)
ai-clip	AI + URL

2. .env

.env.example .env

.env

```
cp .env.example .env
```

2-1. Discord

Key	Value
DISCORD_TOKEN	Discord Bot Token Section 1
DISCORD_CHANNEL_ID	Note Channel ID 1 = 1
DISCORD_DAILY_CHANNEL_ID	Daily Channel ID
DISCORD_AICLIP_CHANNEL_ID	AI Clip Channel ID () AI

2-2. Storage

Key	Value
STORAGE_MODE	dropbox local Dropbox NAS

Dropbox:

Key	Value
DROPBOX_CLIENT_ID	Dropbox App Key (Section 4)
DROPBOX_CLIENT_SECRET	Dropbox App Secret
DROPBOX_REFRESH_TOKEN	Dropbox Refresh Token
DROPBOX_FOLDER_PATH	(/discord-notes)

NAS Local:

Key	Value
LOCAL_VAULT_PATH	Obsidian Vault NAS : /vault

Tip: Docker docker-compose.yml volumes

2-3. Gemini AI

Key	Value
GEMINI_API_KEY	Google Gemini API Key (Section 5) AI Clip

3. Docker

3-1.

Bot Docker

NAS Docker / Docker Compose

3-2.

1. Bot NAS
2. .env.example .env
3. .env
- 4.

```
docker compose up -d --build
```

```
docker compose logs -f
```

3-3. NAS Local (Volume Mount)

STORAGE_MODE=local docker-compose.yml volumes:

```
volumes:  
- /path/to/obsidian/vault:/vault
```

NAS Obsidian

Docker

.env LOCAL_VAULT_PATH=/vault

3-4. /

```
docker compose down ...
```

```
docker compose up -d --build ...
```

```
docker compose restart ...
```

NAS GUI (Synology / UGREEN):

1. Docker GUI
- 2.
- 3.

4.

Tip: GUI Image

4. Dropbox

STORAGE_MODE=dropbox Dropbox API

NAS (STORAGE_MODE=local) Section

4-1. Dropbox App

1. Dropbox Developer Console

<https://www.dropbox.com/developers/apps>

2. "Create App"

- Scoped access
- Full Dropbox

3. Permissions :

- files.content.write
- files.content.read

4. Settings App key / App secret .env

4-2. Refresh Token

Refresh Token Dropbox OAuth2

1. URL :

```
https://www.dropbox.com/oauth2/authorize
?client_id=YOUR_APP_KEY
&response_type=code
&token_access_type=offline
```

2. authorization code

3. curl Refresh Token :

```
curl -X POST https://api.dropbox.com/oauth2/token \
-d code=AUTHORIZATION_CODE \
-d grant_type=authorization_code \
-u YOUR_APP_KEY:YOUR_APP_SECRET
```

4. refresh_token .env

5. Gemini AI (API)

AI Clip Google Gemini API

Gemini 2.0 Flash

5-1. API Key

1. Google AI Studio

<https://aistudio.google.com/apikey>

2. "Create API Key"

3. API Key .env GEMINI_API_KEY

5-2.

Gemini 2.0 Flash :

- 15 RPM (1 15)
- 100 RPD (1 100)

! Bot X
Obsidian

6.

6-1. Note Channel

- = 1 Obsidian .md
- 1
- X(Twitter) URL +

6-2. Daily Channel

- YYYY-MM-DD.md
- #
- X URL +

6-3. AI Clip Channel

- : Gemini
- URL: URL AI 3-4
- X/Twitter URL: + +

Emoji:

Emoji	
hourglass	...
check	! Obsidian
X	(API)

6-4. X(Twitter)

3 X/Twitter URL

FxTwitter API :

- : WebP Obsidian
- : MP4 (50MB)
- :
- URL:

Obsidian :

**

![[image.webp|350]]

[[]] @screen_name

[link](URL) #Xclip

7. FAQ /

Q: Bot

A: Docker Bot "Bot logged in"

Q: Obsidian

A: STORAGE_MODE .env NAS: Volume mount LOCAL_VAULT_PATH Dropbox: Dropbox App Refresh Token

Q: AI Clip

A: GEMINI_API_KEY .env Google AI Studio API Key

Q: API X

A: 100/ API Bot X Discord

Q: Docker

A: Image docker compose up -d --build NAS GUI Docker Image

Q: .env

A: .env Git/GitHub .gitignore .env .env.example
