

OpenERP User Guide

Enterprise Resource Planning & CRM System

Reinaldo Crespo

July 2026

Contents

1	OpenERP User's Guide	4
1.1	Table of Contents	4
1.2	1. Getting Started	4
1.2.1	1.1 First Login	4
1.2.2	1.2 Dashboard	5
1.2.3	1.3 Working with Lists (Grids)	5
1.2.4	1.4 Company Setup	6
1.2.5	1.5 Chart of Accounts	7
1.2.6	1.6 Payment Terms and Tax Codes	7
1.2.7	1.7 Go-Live Setup Checklist	7
1.3	2. How the Modules Connect	8
1.3.1	2.1 The Core Flows	8
1.3.2	2.2 Auto-Posting: What Posts to GL and When	8
1.3.3	2.3 The AR-to-Cash Chain	9
1.3.4	2.4 The PO-to-Expense Chain	9
1.3.5	2.5 How a Sales Order Touches Five Modules	9
1.3.6	2.6 ATP (Available to Promise) and How Inventory Informs Sales	10
1.4	3. Order-to-Cash	10
1.4.1	3.1 Customer Master	10
1.4.2	3.2 Sales Quotes	11
1.4.3	3.3 Sales Orders	11
1.4.4	3.4 AR Invoices	13
1.4.5	3.5 Cash Receipts	14
1.4.6	3.6 Customer Deposits	14
1.4.7	3.7 AR Aging and Collections	15
1.4.8	3.8 Customer Statements	15
1.4.9	3.9 Counter Sales	15
1.4.10	3.10 Inquiry Master	15
1.5	4. Procure-to-Pay	17
1.5.1	4.1 Vendor Master	17
1.5.2	4.2 Purchase Requisitions	19
1.5.3	4.3 RFQ and Quote Comparison	20
1.5.4	4.4 Purchase Orders	20
1.5.5	4.5 AP Bills	21
1.5.6	4.6 AP Payments	21
1.5.7	4.7 AP Aging and Vendor Statements	22
1.5.8	4.8 1099 Report	22
1.5.9	4.9 Check Register and Positive Pay	22
1.5.10	4.10 Vendor Rebates	22
1.5.11	4.11 Vendor Item Catalog	23
1.5.12	4.12 Blanket POs	23

1.6	5. Inventory	23
1.6.1	5.1 Warehouses and Bins	23
1.6.2	5.2 On-Hand Quantity	23
1.6.3	5.3 Manual Adjustments	24
1.6.4	5.4 Warehouse Transfers	24
1.6.5	5.5 FIFO Cost Layers	24
1.6.6	5.6 Landed Costs	24
1.6.7	5.7 Physical Inventory Count	25
1.6.8	5.8 Cycle Counts	25
1.6.9	5.9 Reorder Suggestions	25
1.6.105.10	Auto-Replenishment	26
1.6.115.11	ABC Classification	26
1.6.125.12	Demand Forecasting	26
1.7	6. Item Master	26
1.7.1	6.1 Items	26
1.7.2	6.2 Categories and UOM	26
1.7.3	6.3 Price Lists	28
1.7.4	6.4 Contract Pricing	28
1.7.5	6.5 Matrix Pricing	28
1.7.6	6.6 Lot Tracking	28
1.7.7	6.7 Serial Number Tracking	28
1.7.8	6.8 Traceability	28
1.7.9	6.9 Item Cross-References	28
1.7.106.10	Item Substitutes	29
1.7.116.11	Item Vendors	29
1.7.126.12	Item Supersession	29
1.7.136.13	Kitting / BOM	29
1.7.146.14	Barcode Scanning	29
1.7.156.15	Inbound Shipments	29
1.7.166.16	Engineering Data and Part Documents	29
1.8	7. Financials	30
1.8.1	7.1 General Ledger	30
1.8.2	7.2 Financial Statements	30
1.8.3	7.3 GL Budgets	32
1.8.4	7.4 Departments	32
1.8.5	7.5 Fixed Assets and Depreciation	32
1.8.6	7.6 Recurring Journal Entries	32
1.8.7	7.7 Year-End Close	32
1.8.8	7.8 Bank Reconciliation	33
1.8.9	7.9 Multi-Currency	33
1.8.107.10	Cash Flow Statement	33
1.8.117.11	Cash Application Batch	34
1.9	8. Administration	34
1.9.1	8.1 Users and Groups	34
1.9.2	8.2 Permissions Reference	34
1.9.3	8.3 Audit Log	35
1.9.4	8.4 Payment Terms	35
1.9.5	8.5 Tax Codes	35
1.9.6	8.6 Sales Tax (US Multi-Jurisdiction)	35
1.9.7	8.7 Customer Classes	35
1.9.8	8.8 Return Reason Codes	35
1.9.9	8.9 Carriers and Ship Methods	36
1.9.108.10	SMTP and Email Log	36
1.9.118.11	Scheduled Reports	36

1.9.128.12 CSV Import	38
1.9.138.13 CSV Export	47
1.9.148.14 AI Help Assistant	47
1.109. Integration	49
1.10.19.1 EDI — What It Is and How Inbound Orders Arrive	49
1.10.29.2 EDI — Outbound: Shipping Notices (856) and Invoices (810)	52
1.10.39.3 Webhooks — Letting Another System Push Data Into OpenERP	52
1.10.49.4 Recurring Purchase Orders	54
1.1110. Management Operating Procedures	54
1.11.110.0 The Analytics Section (Pillar Dashboards)	55
1.11.210.1 Daily Routines	55
1.11.310.2 Weekly Routines	56
1.11.410.3 Monthly Period-End Checklist	56
1.11.510.4 Quarterly Procedures	57
1.11.610.5 Annual Procedures	58
1.11.710.6 Exception Handling	58
1.1211. Reference	59
1.12.111.1 Document Status Codes	59
1.12.211.2 PDF Generation	59
1.12.311.3 GL Auto-Posting Summary	60
1.12.411.4 API Base URL	60
1.12.511.5 Diagnostic Tools	60
1.12.611.6 Primary Key Format	61
1.12.711.7 Session and Security Notes	61
1.12.811.8 Internal Controls Checklist	61

Chapter 1

OpenERP User's Guide

Audience: End users, system administrators, and business analysts operating an OpenERP installation. For installation and server setup, see [INSTALL.md](#).

1.1 Table of Contents

1. [Getting Started](#)
 2. [How the Modules Connect](#)
 3. [Order-to-Cash](#)
 4. [Procure-to-Pay](#)
 5. [Inventory](#)
 6. [Item Master](#)
 7. [Financials](#)
 8. [Administration](#)
 9. [Integration](#)
 10. [Management Operating Procedures](#)
 11. [Reference](#)
-

1.2 1. Getting Started

1.2.1 1.1 First Login

Navigate to `http://<server>:5173` in a browser. Log in with the credentials provided by your administrator. The default admin account created at install time is `admin / admin` — **change this password immediately** under Admin → Users before going live.

The session token expires after 8 hours. You will be redirected to the login screen automatically when it expires.

Collapsing the menu: the  button at the top of the sidebar collapses it to a narrow icon rail, freeing screen width for the grids. While collapsed, hovering over the rail temporarily expands the full menu over the page; click  again to pin it open. The choice is remembered per browser.




Figure 1.1: OpenERP login screen

1.2.2 1.2 Dashboard

The Dashboard shows live KPIs pulled from the database:

Tile	What it shows
Cash	Balance of the GL account configured as gl_cash_account
AR Balance	Sum of open AR invoice balances
AP Balance	Sum of open AP bill balances
Open SO	Count and value of sales orders in OPEN or PARTIAL status
Open PO	Count and value of purchase orders in OPEN or PARTIAL status
Overdue AR	Invoices past due date

Check the Dashboard every morning. A rising AR Balance combined with a flat Cash balance is an early warning that collections need attention. A rising AP Balance approaching its due dates means a check run is due.

Stuck on any screen? If your administrator has enabled it, a floating  **AI Help** button in the bottom-right corner answers “how do I...” questions from this guide — see §8.14.

The screenshot shows the OpenERP Dashboard interface. On the left is a dark sidebar with the 'OpenERP' logo and a menu with options: Dashboard, FINANCIALS, SALES, PURCHASING, INVENTORY, and ADMIN. The main area is titled 'Dashboard' and shows a grid of KPI tiles. The top row includes 'CASH BALANCE' (with a line chart and 'Configure cash account --'), 'AR OUTSTANDING' (\$2,836.26, 1 overdue), and 'AP OUTSTANDING' (\$0.00, All current). The second row shows 'OPEN SALES ORDERS' (19, \$120,426.04 open value), 'OPEN PURCHASE ORDERS' (1, \$11,541.60 open value), and 'OPEN GL BATCHES' (0). The bottom row displays 'ACTIVE CUSTOMERS' (19), 'ACTIVE VENDORS' (21), 'ACTIVE ITEMS' (303), and 'LOW STOCK' (0, All items stocked). The date 'Thursday, July 2, 2026' is shown in the top right corner.

- **Select a row** by clicking it (it highlights light blue). All row actions — Edit, Detail, Ship, Post, Void, and so on — live in the **action bar** directly under the grid and act on the selected row, like a spreadsheet status bar.
- **Column filters (Excel-style)** — columns that show a small ▼ button in the header can be filtered like Excel's AutoFilter: click the button, then check or uncheck values in the list. The popup has a **search box** for long value lists and a **(Select all)** toggle. Filters on several columns combine — e.g. Type = STOCK *and* Vendor = a specific supplier. A column with an active filter shows its title and ▼ in blue. To clear a filter, re-check **(Select all)**.
- **Page size** — paginated lists offer **25 to 1000 rows per page** in the selector at the bottom right. Column filters work on the rows currently loaded, so choose a large page size (500 or 1000) when you want a filter to cover the entire list rather than one page.
- **Export CSV**, where offered in the page header, downloads the current list.

The screenshot shows the OpenERP Sales Orders interface. On the left is a dark sidebar with navigation links: Dashboard, FINANCIALS, SALES (Sales Quotes, Sales Orders), Counter Sales, Blanket Orders, RMA, Pricing, Reports, PURCHASING, INVENTORY, and ADMIN. The main area is titled 'Sales Orders' and contains a table with columns: Order #, Customer, Order Date, Ship By, Status, and Total. A filter dropdown is open on the Status column, showing options: (Select all), INVOICED, OPEN, and SHIPPED. The table displays four rows of data. At the bottom, it indicates '46 records - page 1 of 2' and a pagination control set to '25 / page'.

Order #	Customer	Order Date	Ship By	Status	Total
SO-SM-180051	Smoke Test Co	2026-07-02		INVOICED	\$30.00
SO-SM-181338	Smoke Test Co	2026-06-30		INVOICED	\$30.00
SO-SM-175950	Smoke Test Co	2026-06-30		INVOICED	\$30.00
SO-BRAY-001	Bray International Inc	2026-05-06		SHIPPED	\$61.70

Figure 1.3: Excel-style column filter open on the Sales Orders Status column, showing the value checklist and the filtered result

Tip: Combining the two features is the fastest way to answer ad-hoc questions. Example: on the Items list, set the page size to 500, then filter the **Vendor** column to one supplier and the **Type** column to STOCK — the grid now shows exactly that vendor's stocked catalog, and Export CSV gives you the file.

1.2.4 1.4 Company Setup

Go to **Admin → Company Settings** to configure:

- **Company name, address, phone, website** — printed on all PDFs
- **Logo** — upload a PNG or JPG; embedded in invoices, statements, SOs, and POs
- **GL account mappings** — tells the system which GL account to debit/credit for AR, AP,

cash, revenue, COGS, inventory, and tax payable. These are the `gl_*_account` config keys. Without them the system falls back to the first active account with the matching subtype.

- **PDF document templates** — configurable header subtitle, footer note, and per-document terms text (invoice terms, SO terms, PO terms)
- **SMTP** — for emailing invoices, SOs, and POs directly from the system

Do this first. Until the GL account mappings are configured, the auto-posting engine posts to the first matching account it finds. If your chart of accounts has multiple accounts of the same subtype, the wrong account may receive the entry. Set the mappings before processing any transactions.

1.2.5 1.5 Chart of Accounts

Before processing any transactions, import or manually create your chart of accounts under **GL → Accounts**.

Each account has: - **Account number** — user-defined (e.g. 1000, 4000-01) - **Account name** - **Account type** — ASSET, LIABILITY, EQUITY, REVENUE, EXPENSE - **Account subtype** — AR, AP, CASH, SALES, COGS, INVENTORY, etc. The subtype is used by the auto-posting engine to resolve accounts from the config keys above. - **Is header** — header accounts cannot receive journal line amounts; they exist only for subtotaling in financial statements.

Use **GL → Fiscal Years** to create the current fiscal year, then **GL → Periods** to create the twelve monthly periods inside it. The system will not allow posting to a closed period.

1.2.6 1.6 Payment Terms and Tax Codes

- **Admin → Payment Terms** — define NET30, NET60, 2/10-NET30, etc. Used on customer and vendor records and defaulted onto SOs, POs, invoices, and bills.
- **Admin → Tax Codes** — define tax rates (e.g. TX-STATE at 6.25%). Assigned to items and overridable per invoice line. For US sales tax with multi-jurisdiction support, use the Sales Tax engine (Admin → Sales Tax).

1.2.7 1.7 Go-Live Setup Checklist

Before your first live transaction, confirm the following:


- ☐ Company name, address, and logo are entered in Company Settings
- ☐ GL account mappings (all `gl_*_account` keys) are set
- ☐ Fiscal year and all 12 periods are created
- ☐ Chart of accounts is imported (Admin → Import Tool → Chart of Accounts) or built by hand
- ☐ Payment terms are created and assigned to customers and vendors
- ☐ Tax codes or sales tax jurisdictions are configured
- ☐ Item master is loaded — categories, UOM, warehouses/bins, then items, then price lists (all importable, in that order — see §8.12)
- ☐ Customer master is loaded with credit limits and terms (importable)
- ☐ Vendor master is loaded with 1099 flags and terms (importable), then the vendor item catalog if used
- ☐ Admin user password changed from default
- ☐ Non-admin user accounts and groups are created
- ☐ Warehouse and bin locations are created (importable)
- ☐ Opening inventory balances are entered via manual adjustments

- ☐ Open AR invoices are entered or imported (Admin → Import Tool → AR Invoices — does not post to GL)
- ☐ Open AP bills are entered or imported (Admin → Import Tool → AP Bills — does not post to GL)
- ☐ In-flight Sales Orders / Purchase Orders are imported if migrating mid-cycle (Admin → Import Tool)
- ☐ Opening GL balances are imported (Admin → Import Tool → GL Opening Balances) — do this LAST, after AR/AP invoices/bills are loaded, since those import types don't post to GL themselves

1.3 2. How the Modules Connect

Understanding how data flows between modules prevents duplicate work and explains why a transaction in one area shows up somewhere unexpected.

1.3.1 2.1 The Core Flows



Every transaction that touches money posts a GL batch automatically. You do not need to create manual journal entries for normal operations.

1.3.2 2.2 Auto-Posting: What Posts to GL and When

The following events create a GL journal batch silently in the background the moment you save:

Event	GL Debit	GL Credit
AR Invoice saved	AR	Revenue (+ Tax Payable)
AR Payment applied to invoice	Cash	AR
AP Bill saved	Expense	AP
AP Payment applied to bill	AP	Cash
SO Shipment posted	COGS	Inventory

Event	GL Debit	GL Credit
Inventory Adjustment (positive qty)	Inventory	Inv-Adj
Inventory Adjustment (negative qty)	Inv-Adj	Inventory
AR Credit Memo created	Revenue	AR
AP Debit Memo created	AP	Expense
PO Receive (no direct GL)	—	— (FIFO layer created; GL posts when items ship)

Key implication: When you receive a PO, the goods enter inventory and a FIFO cost layer is created, but no GL entry posts at that moment. The GL entry (COGS) posts when those items are later shipped on a Sales Order. This is the standard perpetual inventory model — the inventory asset account increases on receipt via the AP bill (DR Inventory is embedded in the COGS flow), and COGS hits the income statement on shipment.

1.3.3 2.3 The AR-to-Cash Chain

Many users expect cash to appear in their bank account when they “apply” a payment. What actually happens is a GL entry (DR Cash / CR AR). The cash account balance rises, the AR balance falls. The actual bank deposit must be reconciled in **Bank Reconciliation** (\$7.8) when the bank statement confirms the funds cleared.

Invoice saved	→ AR balance rises, Revenue balance rises
Payment saved	→ No effect yet (payment is unmatched)
Payment applied	→ AR balance falls, Cash (GL) balance rises
Bank statement rec	→ Statement line matched to payment, bank confirmed

1.3.4 2.4 The PO-to-Expense Chain

PO created	→ No GL effect
PO received	→ On-hand rises; FIFO layer created
AP Bill from PO	→ AP balance rises, Expense (or Inventory) balance rises
AP Payment applied	→ AP balance falls, Cash balance falls

For **inventory items**: the AP bill posts DR Inventory / CR AP — the cost stays in inventory until the items ship, at which point COGS is posted. For **service or expense items** (non-inventory): the AP bill posts DR Expense / CR AP directly.

1.3.5 2.5 How a Sales Order Touches Five Modules

When a Sales Order is created, processed, and invoiced:

1. **SO created** — no financial effect; just a commitment
2. **SO shipped** — inventory on-hand falls; FIFO cost layers consumed; GL: DR COGS / CR Inventory
3. **SO invoiced → AR Invoice** — AR balance rises; GL: DR AR / CR Revenue
4. **AR Payment applied** — AR balance falls; GL: DR Cash / CR AR
5. **Bank Reconciliation** — payment matched to bank deposit; GL cash confirmed

The sales rep’s commission accrues conceptually at step 3 (when the invoice is created). The Commission Report at **Sales → Commissions** shows commission earned on invoiced SOs.

1.3.6 2.6 ATP (Available to Promise) and How Inventory Informs Sales

When you select an item on a Sales Order, the **ATP badge** shows:

ATP = On-hand - Committed (open SO lines) + On-order (open PO lines)

A green badge means you can promise this quantity to the customer. A red badge means either you will need to back-order or you need to place a PO first. The ATP calculation happens in real time and reflects all open SOs and POs — it is the link between sales commitments and purchasing plans.

1.4 3. Order-to-Cash

The Order-to-Cash workflow moves a sales opportunity from quotation through cash collection.

Customer → Quote → Sales Order → Shipment → AR Invoice → Cash Receipt → Applied → Reconciled

1.4.1 3.1 Customer Master

AR → Customers — create a customer before entering any orders.

Key fields: - **Customer number** — unique identifier; printed on documents - **Credit limit** — if set, the system blocks SO creation when the customer's open AR + open SO value exceeds this limit - **On credit hold** — manually block all new orders for this customer; a red banner appears on the SO form when a held customer is selected - **Default sales rep** — auto-populated on new SOs when the customer is chosen - **Customer class** — used by matrix pricing (e.g. KEY, STANDARD, PROSPECT) - **Payment terms** — defaulted onto invoices

Ship-to addresses: Click **Ship-To** on the customer row to manage multiple delivery addresses. One can be flagged as default; it auto-selects on the SO form.

Contacts: Click **Contacts** to add named contacts with phone and email. Contacts flagged “primary” receive emailed documents.

Customer Detail (Requirements / Timeline / Documents): Click **Detail** on a selected customer to open the customer's operational record — three tabs that turn the Customer Master into a complete knowledge base rather than a contact list:

- **Requirements** — the customer's standing operational rules, visible to every department: shipping preferences (carrier, freight terms), packaging / labeling / inspection requirements, quality expectations, inventory strategy, and flags for Vendor-Managed Inventory and Stock & Release programs. Enter them once here instead of re-explaining them in emails; anyone shipping or quoting for this customer can look them up.
- **Timeline** — the relationship history: dated, typed entries (Visit, Business Review, Engineering, Quality Issue, Corrective Action, Commercial, Milestone) with a summary and optional details. Add an entry after every customer visit or review — the timeline is permanent (removing an entry hides it but never destroys it) and survives personnel changes.
- **Documents** — file attachments up to 25 MB each: tax-exempt certificates, contracts, NDAs, quality agreements, packaging/labeling specs, routing guides. Certificates carry an **expiration date**; dates within 90 days (or past) show in red so an expired resale certificate never surprises you at invoice time. Removing a document deactivates it; the file stays on disk.

What to do next after adding a customer: Set the credit limit and payment terms before their first order. A customer with no credit limit will never be blocked by the credit check, regardless of how much they owe. Then open **Detail → Requirements** and record their packaging/labeling/inspection rules while they're fresh from on-boarding.

1.4.2 3.2 Sales Quotes

Sales → Quotes — optional step before creating a firm order.

For opportunities involving parts that don't exist in the Item Master yet (custom-engineered components needing supplier sourcing first), start from the **Inquiry Master** (§3.10) instead — it can spawn this quote for you once sourcing is done.

Statuses: DRAFT → SENT → ACCEPTED or EXPIRED or CANCELLED

- **Send** converts a DRAFT quote to SENT (recordkeeping only; no email is sent automatically unless configured).
- **Accept** creates a Sales Order from the quote lines and marks the quote ACCEPTED.
- **Expire** marks the quote EXPIRED; no order is created.

What comes next: After a customer accepts a quote (verbally or in writing), click **Accept** to convert it to a Sales Order. The quote line prices and quantities carry over exactly. You can then edit the SO if quantities need adjustment before shipment.

1.4.3 3.3 Sales Orders

Sales → Orders — the core transaction.

ORDER #	CUSTOMER	ORDER DATE	SHIP BY	STATUS	TOTAL	ACTIONS
SO-SM-180051	Smoke Test Co	2026-07-02		INVOICED	\$30.00	PDF Print Dock Slip
SO-SM-181338	Smoke Test Co	2026-06-30		INVOICED	\$30.00	PDF Print Dock Slip
SO-SM-175958	Smoke Test Co	2026-06-30		SHIPPED	\$30.00	Invoice PDF Print Dock Slip
SO-GVI-46032	Gator Valve Inc	2026-06-26		OPEN	\$2,828.00	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45825	Gator Valve Inc	2026-06-24		OPEN	\$7,891.04	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-DWY-001	Dwyer Instruments Inc	2026-06-22		OPEN	\$599.88	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45686	Gator Valve Inc	2026-06-22		OPEN	\$1,956.24	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45673	Gator Valve Inc	2026-06-20		OPEN	\$9,976.42	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45574	Gator Valve Inc	2026-06-15		OPEN	\$886.50	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45575	Gator Valve Inc	2026-06-10		OPEN	\$4,918.00	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-ACECO-001	Aceco Valve & Controls	2026-06-05		OPEN	\$3,783.20	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45595	Gator Valve Inc	2026-06-05		OPEN	\$2,053.20	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45496	Gator Valve Inc	2026-05-31		OPEN	\$2,905.50	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45626	Gator Valve Inc	2026-05-26		OPEN	\$3,025.80	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45392	Gator Valve Inc	2026-05-21		OPEN	\$5,272.00	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45724	Gator Valve Inc	2026-05-16		OPEN	\$12,753.00	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-GVI-45639	Gator Valve Inc	2026-05-11		OPEN	\$1,957.60	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip
SO-BRAY-001	Bray International Inc	2026-05-06		SHIPPED	\$4,561.70	Invoice PDF Print Dock Slip
SO-GVI-45478	Gator Valve Inc	2026-05-06		OPEN	\$8,354.40	Edit Ship Invoice Drop-Ship PO Cancel PDF Print Dock Slip

Figure 1.4: Sales Orders list showing order status, totals, and per-row actions

1.4.3.1 Creating a Sales Order

1. Choose a **customer**. The system immediately checks credit: a green/yellow/red banner shows available credit. If the customer is on hold, the **Create Order** button is disabled.
2. Set **order date**, **requested ship date** (optional), **period** (accounting period for GL posting), **payment terms**, **ship-to address**, and **sales rep**.
3. Add **line items**. For each line:
 - Select an **item**. The system fetches the price (checking contract → customer price list → matrix pricing → base price list → list price, in that order) and shows the **ATP** (available-to-promise) badge in green or red.
 - Enter **qty ordered**. If qty breaks apply the price may adjust.
 - Optionally set a **promise date** for this specific line.
 - Check **drop-ship** if the vendor should ship directly to the customer (see §3.7).
4. Save. The order is created in OPEN status.

What comes next after saving a Sales Order: - If ATP is red on any line, go to **Purchasing → Orders** and place a PO for the shortfall. Or go to **Inventory → Reorder Suggestions** to see all understocked items at once. - If the order should ship today, proceed to the **Ship** action (below). - If payment terms are prepaid, go to **AR → Deposits** to record the customer's payment before shipping.

1.4.3.2 Sales Order Statuses

Status	Meaning	What to do
OPEN	No lines shipped yet	Pick and pack; click Ship when ready
PARTIAL	Some lines shipped	Ship remaining lines or create a back-order
SHIPPED	All lines shipped	Click Invoice to generate the AR invoice
INVOICED	AR invoice generated	Monitor payment in AR → Payments
CANCELLED	Voided before fulfilment	No further action needed

1.4.3.3 Shipping

Click **Ship** on an order in OPEN or PARTIAL status. Enter: - **Ship date**, **period**, **warehouse** - Per-line **qty shipped** (defaults to remaining qty) - Optionally: BOL number, carrier pro number, pieces, weight, freight class

The system: - Creates SHIPMENT inventory transactions (reduces on-hand) - Consumes FIFO cost layers and calculates COGS - Posts a GL batch: DR COGS / CR Inventory - Updates line statuses; sets header to PARTIAL or SHIPPED

After shipping: Print or email the packing list (PDF button). The order status moves to SHIPPED. If not all lines shipped, status is PARTIAL — you can ship again or create a back-order. When all lines are SHIPPED, the **Invoice** button appears.

1.4.3.4 Invoicing

Once fully shipped (SHIPPED status), click **Invoice**. Provide an invoice number, invoice date, due date, and period. The system creates an AR invoice from the SO lines with the exact shipped quantities.

After invoicing: The AR Invoice is created automatically and GL auto-posts (DR AR / CR Revenue). Email the invoice to the customer's primary contact using the

Email button on the invoice. Then monitor payment from **AR → Payments**. If the customer does not pay by the due date, the invoice will appear in **AR → Aging** under the overdue buckets.

1.4.3.5 Back-orders

Click **Back-Order** on a PARTIAL order to split remaining (unshipped) qty into a new linked SO. The original order's lines are reduced to shipped qty; the new order covers the remainder.

When to use back-orders vs waiting: If you expect stock within a few days, leaving the order PARTIAL is fine. If the customer needs their invoice now and stock will take weeks, create a back-order so you can invoice the shipped portion immediately. The back-order report (**Sales → Back-Orders**) shows all open back-orders so nothing falls through the cracks.

1.4.3.6 Drop-Ship Orders

After adding drop-ship lines to an SO, click **Drop-Ship PO**. Choose a vendor, PO number, dates, period, and terms. The system creates a PO with the customer's shipping address; when the vendor ships and the PO is received, the linked SO lines are marked shipped automatically — no warehouse inventory movement occurs.

1.4.4 3.4 AR Invoices

AR → Invoices — invoices can be created standalone or from an SO (§3.3).

INVOICE #	CUSTOMER	DATE	DUE	TOTAL	BALANCE	STATUS	ACTIONS
INV-SO-SM-180051	Smoke Test Co	20260702	20260801	\$30.00	\$30.00	OPEN	PDF Void Write-off
INV-SM-180051	Smoke Test Co	20260702	20260801	\$0.00	\$0.00	OPEN	PDF Void Write-off
INV-SO-SM-181338	Smoke Test Co	20260630	20260730	\$30.00	\$30.00	OPEN	PDF Void Write-off
INV-SM-181338	Smoke Test Co	20260630	20260730	\$0.00	\$0.00	OPEN	PDF Void Write-off
INV-SM-175950	Smoke Test Co	20260630	20260730	\$0.00	\$0.00	OPEN	PDF Void Write-off
INV-SM-173158	Smoke Test Co	20260630	20260730	\$0.00	\$0.00	OPEN	PDF Void Write-off
INV-CLAVAL-01-1017	Cla-Val Co	20260329	20260428	\$2,776.26	\$2,776.26	OPEN	PDF Void Write-off

7 records 25 / page

Figure 1.5: AR Invoices list with status filter and per-row Void/Write-off actions

Standalone invoice creation: 1. Choose customer, invoice number, dates, period, payment terms. 2. Add lines: item, description, qty, unit price, tax rate, and optionally a jurisdiction override. 3. The system computes subtotal, tax, and total. On save it posts a GL batch: DR AR / CR Revenue (+ CR Tax Payable if tax > 0).

1.4.4.1 Voiding an Invoice

Only OPEN invoices can be voided. Click **Void**. The system posts a reversing GL batch.

When to void vs write-off: Void an invoice when it was created in error (wrong customer, wrong amount, duplicate). Write-off an invoice when the goods were delivered, the invoice is legitimate, but the customer will not pay. A void removes the revenue from your books; a write-off moves the balance to Bad Debt Expense.

1.4.4.2 Write-offs

For uncollectable balances, click **Write-Off** on an OPEN or PARTIAL invoice. Enter the write-off amount. The system creates an ar_write_offs record and posts GL: DR Bad Debt Expense / CR AR.

1.4.5 3.5 Cash Receipts

AR → Payments — record a cash receipt: 1. Choose customer, payment number, date, amount, payment method (CHECK, WIRE, ACH, etc.), and period. 2. Save. The payment is unmatched (status: OPEN). 3. Click **Apply**. Select open invoices and enter the amount to apply to each. The system updates invoice balances and posts GL: DR Cash / CR AR.

What comes next after applying a payment: - The invoice balance falls (possibly to \$0, which marks it PAID). - The Cash GL account rises. - The physical deposit must still be matched to your bank statement in **Bank Reconciliation** (§7.8) when the statement is available. - If the customer took an early-pay discount (e.g., 2/10-NET30) and paid less, apply their actual amount and enter the discount on the apply screen. The remaining balance is posted as discount taken.

1.4.5.1 Credit Memos

AR → Credit Memos — issue a credit for a return or price adjustment: 1. Create with customer, amount, and description. Posts GL: DR Revenue / CR AR. 2. Apply to an open invoice using **Apply** — reduces the invoice balance. 3. **Void** a credit memo to reverse it (GL reversal posted).

Credit memo vs voiding the invoice: If the customer received goods and is returning some of them, issue a credit memo — the original invoice was correct when issued. If the invoice itself was wrong (wrong price, wrong customer), void the invoice and reissue.

1.4.6 3.6 Customer Deposits

AR → Deposits — record a prepayment before the invoice is raised: 1. Create deposit: customer, amount, period. 2. Apply to an invoice when it is ready: GL moves the deposit from Deposits liability to AR. 3. **Void** reverses the application or the original deposit.

Procedure for prepaid customers: Record the deposit as soon as you receive the check or wire. Ship and invoice as normal. When applying the deposit to the invoice, the invoice balance will drop to zero (or to the remaining amount if the

deposit was partial). This keeps your AR aging accurate — the deposit does not show as an open invoice.

1.4.7 3.7 AR Aging and Collections

AR → Aging — shows open balances bucketed by 0-30, 31-60, 61-90, 91+ days past due.

How to run collections from the Aging screen: 1. Run the Aging report weekly (or daily for high-volume operations). 2. Focus the 61-90 and 91+ columns first — these are the most at risk. 3. For each overdue customer, click through to the customer record to see the contact name and phone. 4. Log your contact attempt in **AR → Collections** with notes. 5. Customers who are 90+ days with no response: discuss write-off with management. 6. Customers who promise to pay: set a follow-up date in the Collections log.

AR → Collections — a prioritized queue of customers with overdue balances. Log contact attempts with notes; the contact history is visible per customer.

1.4.8 3.8 Customer Statements

AR → Statements — view a customer's transaction history for any date range. **Print** generates a PDF. **Email** sends it to the customer's primary contact.

When to send statements: Send monthly statements to all customers with open balances on the last business day of the month. Many customers use the statement (not individual invoices) to schedule their payments. A statement shows all open invoices, any credits, and the total balance due.

1.4.9 3.9 Counter Sales

Sales → Counter Sales — one-screen entry for walk-in customers: creates the sales order, ships it, invoices it, and records the payment in a single step.

1. Pick the customer, enter SO #, date, and period; add line items — prices auto-fill from the customer's price list, and totals update live.
2. In the **Payment** panel, choose the method (CASH / CREDIT_CARD / CHECK), enter invoice # and payment #, and the amount tendered — **Change Due** is computed automatically.
3. **Complete Sale** runs the whole chain (SO → ship → invoice → payment → apply) and shows the resulting invoice and payment numbers. **New Sale** clears the screen for the next customer.

The Order Details and Payment panels sit side by side on a wide screen; on a narrower window the Payment panel moves below Order Details — the page never scrolls sideways, so the Complete Sale button is always reachable.

1.4.10 3.10 Inquiry Master

Inquiries (top-level sidebar link) — tracks a customer opportunity from the moment it arrives, *before* a part number or quote exists. Traditional flows in this guide start from an existing item; the Inquiry Master starts from a request — often for a custom-engineered part you have never sourced — and carries it through supplier sourcing and customer quoting to a win or a loss. Either way, the record is preserved: **lost inquiries are never deleted**, so the sourcing knowledge (who quoted, at what price, why the business was lost) stays searchable for the next opportunity.

Statuses: DRAFT → QUOTING → AWARDED or LOST or CANCELLED

1.4.10.1 Creating an Inquiry

1. Click **+ New Inquiry**. Enter the inquiry #, **customer** (contact and sales rep optional), **date received**, and target quote date. Industry, application, and estimated annual volume are free-form context for later reporting.
2. Add **lines**. Each line describes one part being requested:
 - Leave **Existing Item** at “— new part —” when the part doesn’t exist yet, and fill in the engineering identity instead: **customer part #**, description, **drawing #**, **revision**, and **material spec**.
 - Or select an existing item for repeat business — description and UOM auto-fill.
 - **Target price** records what the customer hopes to pay; it pre-fills the quote and award forms later.
3. Save. The inquiry is created in DRAFT.

The **Notes (Operational Intelligence)** box on the Overview tab is for contextual knowledge that doesn’t fit a field — “customer prefers castings from Taiwan”, “drawing rev B expected next month”. It is editable any time before award/loss.

1.4.10.2 The Engineering Package (Documents tab)

Upload drawings, spec sheets, CAD models, material certs, and customer correspondence on the **Documents** tab (max 25 MB per file). These files are the technical foundation suppliers quote against. Download or remove them from the same tab; removed documents are deactivated, not destroyed.

1.4.10.3 Sourcing: Spawn RFQ and Spawn Quote

- **Spawn RFQ** creates a supplier RFQ (§4.3) pre-loaded with the inquiry’s lines. Work the RFQ as usual — send to vendors, record quotes, compare prices in the comparison grid. The inquiry’s **Sourcing** tab shows the RFQ’s status and vendor-quote count with a **View RFQ** → link straight into it.
- **Spawn Quote** creates a customer Sales Quote (§3.2) from the inquiry’s lines. Enter your selling price per line (pre-filled from target price); the quote then follows its normal life — send, accept into an SO, or expire. The Sourcing tab links to it the same way.

Either action moves the inquiry to QUOTING. An inquiry can have at most one RFQ and one quote.

1.4.10.4 Award or Loss

- **Award** — the customer gave you the business. For each line, either select the existing item or let the system **create a new Item Master record** from the part details. Enter the winning **vendor** and **unit cost**. On award the system:
 - creates the items row (type STOCK, standard cost = the awarded cost) for new parts,
 - records the **customer part number** as a CUSTOMER cross-reference on the item (§6.9),
 - adds the winning vendor to the item’s **vendor catalog** (§4.11) as preferred, at the awarded cost,
 - links each inquiry line to its item and marks the inquiry AWARDED.
- **Mark Lost** — enter the reason (competitor, price, timing...). The inquiry, its lines, engineering package, RFQ, and quote all remain on file. Six months later, when the same drawing comes back around, search the Inquiries list and you have the full sourcing history.

What comes next after an award: the new item exists in the Item Master, priced and vendor-linked, so the normal flows take over — accept the spawned quote into a **Sales Order** (§3.3) and convert the RFQ’s winning quote into a **PO** (§4.3), or create both directly.

1.5 4. Procure-to-Pay

Vendor → Requisition → RFQ → PO → Receipt → AP Bill → Payment → Applied → Reconciled

1.5.1 4.1 Vendor Master

Purchasing → Vendor Management → Vendor Master — the central supplier database. Every PO, bill, RFQ, rebate, and payment references a Vendor Master record: enter each company once and every module reuses it.




Figure 1.6: Vendor Master grid with an agent’s detail open on the Manufacturers tab

Vendor types. Each vendor is typed to reflect its real role in the supply chain:

Type	Meaning
AGENT	Managing office / trading partner you deal with commercially
MANUFACTURER	An actual factory
TRADING_COMPANY	Trading company (may also have factories under it)
LOGISTICS / INSPECTION / WAREHOUSE_3PL / CUSTOMS_BROKER	Service providers

Type	Meaning
UNKNOWN_MFG	Placeholder for a factory whose identity is not yet known

Agents and manufacturers. An **agent** is the commercial front door: specs and RFQs go to the agent, the agent decides which of its factories builds the part, and POs/bills/payments are placed with the agent. Each manufacturer record carries an **Agent** field pointing at its agent; a manufacturer with no agent is a **direct** relationship. The Vendor Master grid shows an **Agent column with an Excel-style filter (\$1.3)**, plus an agent dropdown above the grid, so you can pull up any agent's stable of factories in one click.

Agents page. **Purchasing → Vendor Management → Agents** lists every agent with its manufacturer count. Select an agent to see its factories, **Link** an existing vendor to the agent, or **Unlink** one. Create new agents here (or retype an existing vendor as AGENT in the Vendor Master edit form).

Status. Every vendor carries a status: APPROVED → normal; CONDITIONAL / PROBATION → visible warnings; INACTIVE → not used for new business; **BLOCKED → the system refuses to create new purchase orders for this vendor** (existing POs and bills are unaffected, so you can still receive and pay what is already committed).

Vendor detail tabs. Select a vendor and click **Detail**: - **Overview** — commercial profile: trade name, website, incoterms, year established, employees, lead-time notes, plus **Internal Notes** visible only to your team (highlighted yellow) - **Contacts** — multiple contacts per vendor by department (Sales, Engineering, Quality, Production, Logistics, Accounting, Management) with email, phone, **WeChat and WhatsApp**; one contact is starred as primary - **Capabilities** — check off what the vendor can do from a controlled list of 28 manufacturing processes grouped by family (Casting, Forging, Machining, Forming, Molding, Finishing, Testing), plus the **materials** they work in (stainless, duplex, super duplex, titanium, ...). Because these are structured checkboxes rather than free text, they power the sourcing filters described below - **Certifications** — ISO/API/PED/ASME and other certificates with number, issuing body, and issue/expiry dates. Expiry dates within 90 days show in red - **Documents** — upload audit reports, factory photos, NDAs, banking information, quality manuals and more (25 MB per file, typed from a controlled list, with optional expiry and notes). Download returns the original file; Remove keeps the file archived on the server but hides it from the list - **Performance** — six live metrics computed from actual transactions (POs, total spend, fill rate, on-time delivery, average lead days, defect rate — the same math as the Vendor Scorecard, §4.13) alongside **manual scores** (Quality / Delivery / Commercial, 0-100) that you enter based on judgment; the Overall score is their average, color-coded green/amber/red. Use the manual scores to record what the numbers can't see — responsiveness, engineering support, how they handle problems - **Factory** (manufacturers only) — factory code, plant/quality/production managers, time zone, language, and free-form capacity/equipment/quality notes - **Manufacturers** (agents only) — the factories linked to this agent

Finding the right supplier. Above the grid, the **Any capability** and **Any material** dropdowns filter the list server-side — combined with the Type/Status/Agent/Country column filters, questions like “*approved stainless investment casters under agent X*” are a few clicks. The grid's **Capabilities** and **Certs** columns show profile completeness at a glance, so you can spot vendors whose knowledge base still needs filling in.

Certificate expiry warnings. An amber banner at the top of the Vendor Master lists every certification that is expired or expiring within 90 days, so renewals can be requested from the vendor before an audit catches the gap.

Unknown manufacturers. When you buy through an agent but don't yet know which factory

The screenshot shows the OpenERP interface. On the left is a sidebar with navigation links: Dashboard, FINANCIALS, SALES, PURCHASING, Vendor Management, Receiving, INVENTORY, and ADMIN. The main area is titled 'Agents'. It contains a table of agents with columns: Vendor #, Agent, Country, City, Incoterms, Contact, Email, and Manufacturer. The first agent is AGT-001, Wenzhou Sourcing Partners, located in Wenzhou, CN, with Incoterms FOB and 2 manufacturers. Below this table, a section titled 'MANUFACTURERS — WENZHOUS SOURCING PARTNERS' lists two manufacturers: MFG-101 (Ruian Precision Casting Co, MANUFACTURER, APPROVED, CN, Ruian) and UNK-001 (Unknown Manufacturer (Wenzhou SP), UNKNOWN_MFG, APPROVED). At the bottom, there is a dropdown menu to 'Link existing vendor to this agent' and a 'Link' button.

Figure 1.7: Agents page with the selected agent's manufacturers listed below

produces the part, create a vendor typed UNKNOWN_MFG under that agent (e.g. "Unknown Manufacturer (Agent X)"). When the factory is later identified, simply rename and retype that same record to MANUFACTURER — its ID never changes, so all purchasing history stays attached.

Financial fields (also editable under **AP → Vendors**, the accounting view of the same records): - **Tax ID + Is 1099** — populated on the 1099 report at year end - **Currency** — if not USD, bills are entered in the vendor's currency; FX gain/loss is computed when payment is applied - **Payment terms** — defaulted onto bills

Vendor bank accounts — under **AP → Vendor Bank Accounts**; used for ACH/EFT export.

What to do next after adding a vendor: Set the vendor type and, for manufacturers, the agent. Set payment terms and, if applicable, the currency. If the vendor is a US sole proprietor or LLC who provides services (not goods), check the **Is 1099** box and enter their Tax ID (EIN or SSN) — you will need this at year end. Add at least one contact per department you actually talk to — future RFQs, quality issues, and shipment questions all start from this list.

Loading many vendors at once: don't key them by hand — build the vendor spreadsheet described in **\$8.12.6** (one row per company, agents and factories in the same sheet) and load it through Admin → CSV Import.

1.5.2 4.2 Purchase Requisitions

Purchasing → Requisitions — internal request before a PO is issued.

Statuses: DRAFT → PENDING → APPROVED / REJECTED → CONVERTED or CANCELLED

- **Submit** sends a DRAFT to PENDING for approval.
- **Approve** (requires system.users.manage or an approver role) advances to APPROVED and stamps approved_by.

- **Convert** turns an APPROVED requisition into a PO; choose vendor, PO number, dates, period, and terms in the modal.

When to use requisitions: In organizations where purchasing approval is required before committing spend, requisitions are the gate. The requesting employee creates a DRAFT, submits it, and a manager approves or rejects. Only after approval can a PO be created. For small purchases below a threshold (e.g., under \$500), you may configure your policy to allow POs directly without a requisition.

1.5.3 4.3 RFQ and Quote Comparison

Purchasing → RFQs — request quotes from multiple vendors for the same items.

1. Create an RFQ with line items (item, description, qty).
2. **Send** changes status to SENT.
3. Use **Record Quote** to enter each vendor's response (price per line, lead time, availability). When the quoting vendor is an **agent**, a **Proposed Factory** dropdown appears listing that agent's manufacturers — record which factory the agent proposes to build at.
4. The comparison grid highlights the lowest price per line in green; a □ line under the vendor's name shows each quote's proposed factory, so you can compare not just prices but *who would actually make the part*.
5. **Select** the winning vendor's quote.
6. **Convert to PO** creates the purchase order at the quoted prices. The winning quote's proposed factory is carried onto the PO as its factory attribution (§4.4).

When to use RFQs: Use RFQs for any purchase where you have multiple potential vendors, the amount is significant, or you do not have an existing contract price. The comparison grid makes the decision defensible and documented. For routine reorders of items with a Vendor Catalog price (§4.10), you can skip the RFQ and go directly to a PO.

1.5.4 4.4 Purchase Orders

Purchasing → Orders — the core procurement transaction.

Creating a PO is similar to SO creation: choose vendor, dates, period, terms, warehouse, and add lines (item, qty, unit cost). The PO starts in OPEN status.

1.5.4.1 Factory Attribution (agent POs)

When the selected vendor is an **agent** (Vendor Master §4.1), a **Factory (built by)** dropdown appears on the form, listing the manufacturers linked to that agent. The PO's commercial party stays the agent — the agent gets the order, the bill, and the payment — but the factory field records *which plant actually builds the parts*. It appears as a **Factory** column on the PO list and can be set or corrected later via **Edit** (e.g., when the agent tells you after the fact which factory got the job). POs converted from an RFQ inherit the winning quote's proposed factory automatically. Leave it blank if the factory isn't known yet.

1.5.4.2 PO Statuses

Status	Meaning	What to do
OPEN	No lines received yet	Wait for delivery; expedite if overdue

Status	Meaning	What to do
PARTIAL	Some lines received	Receive remaining lines when they arrive
RECEIVED	All lines received	Click Bill to create the AP bill
BILLED	AP bill generated	Pay the bill in AP → Payments
CANCELLED	Voided before receipt	No further action needed

1.5.4.3 Receiving Goods

Click **Receive** on an OPEN or PARTIAL PO. Enter receipt number, receipt date, period, and warehouse (+ optional bin). The system: - Creates RECEIPT inventory transactions (increases on-hand) - Pushes a FIFO cost layer for each item received - Updates line statuses; sets header to PARTIAL or RECEIVED

After receiving: The goods are now in inventory. The on-hand count on Items list will show the increase. The vendor's bill has not yet been recorded — that happens when you click **Bill**. Do not click Bill until you have the vendor's invoice in hand and have matched it against what you actually received (three-way match).

For drop-ship POs (ship_to = customer address), receiving does not touch inventory — it marks the linked SO lines SHIPPED instead.

1.5.4.4 Creating an AP Bill from a PO

Click **Bill** on a RECEIVED or PARTIAL PO. Enter bill number, bill date, due date, period, and terms. The system creates an AP bill from the received quantities. Three-way matching is tracked (PO qty vs received qty vs billed qty) and visible under **Purchasing → 3-Way Match**.

Three-way match procedure: Before clicking Bill, verify: 1. **PO quantity** matches what you ordered (PO line qty) 2. **Received quantity** matches what actually arrived (receipt qty) 3. **Vendor invoice quantity and price** match the PO

The **3-Way Match** report (Purchasing → 3-Way Match) flags discrepancies. Do not pay a bill with an over-billed quantity or a price higher than the PO without a manager's approval and a PO amendment.

1.5.5 4.5 AP Bills

AP → Bills — bills can be created standalone or from a PO (§4.4).

On save, the system posts GL: DR Expense / CR AP. For foreign-currency bills the USD equivalent is computed using the exchange rate at bill date.

Void — OPEN bills only. GL reversal posted.

Standalone bills (not from a PO) are appropriate for utilities, rent, subscriptions, and professional services — expenses that do not go through the PO/receiving process. For goods that were purchased and received, always create the bill from the PO to preserve three-way match tracking.

1.5.6 4.6 AP Payments

AP → Payments — record a payment to a vendor: 1. Enter payment number, vendor, date, amount, method (CHECK, ACH, WIRE), and period. 2. Click **Apply** to match it against open bills. GL: DR AP / CR Cash. FX gain/loss entries are posted for foreign-currency bills.

Debit Memos (AP → Debit Memos) — record a vendor credit (return or price adjustment). Posts GL: DR AP / CR Expense. Apply to open bills to reduce their balance.

How the check run works in practice: 1. On the scheduled check run day (weekly or bi-weekly), go to **AP → Aging**. 2. Review all bills coming due in the next 7-14 days. 3. For each vendor with due bills, create a payment in **AP → Payments** and apply it to those bills. 4. Print checks or initiate ACH transfers outside the system. 5. After the bank confirms the checks cleared, match them in **Bank Reconciliation**.

1.5.7 4.7 AP Aging and Vendor Statements

AP → Aging — open balances bucketed by days past due.

Read the aging weekly. A past-due AP balance means you are damaging your relationship with that vendor and may be incurring late fees. A bill in the 91+ column that you do not recognize may indicate a receiving dispute — pull the three-way match report for that vendor to investigate.

AP → Vendor Statement — shows bills and payments in a date range. Print as PDF or view on screen.

1.5.8 4.8 1099 Report

AP → 1099 Report — lists vendors with `is_1099 = true` and total payments in the selected year. Filter by minimum amount (default \$600). Shows a  badge for vendors missing a Tax ID.

Year-end 1099 preparation: In January, run this report for the prior calendar year. For each vendor shown with a  badge, contact them to obtain their W-9 (Tax ID). 1099-NEC forms must be issued by January 31. See §10.5 (Annual Procedures) for the full year-end checklist.

1.5.9 4.9 Check Register and Positive Pay

AP → Check Register — log issued checks with check number, payee, amount, bank account. Mark as cleared or void.

AP → Positive Pay — download a CSV file of uncleared checks in the required bank format for fraud prevention.

1.5.10 4.10 Vendor Rebates

Purchasing → Vendor Rebates — track rebate agreements (percent or fixed-per-unit) with effective and expiry dates and a minimum purchase threshold.

1. **Compute** — scans PO receipts in a date range and calculates accrued rebate amounts. Skips receipts already accrued.
2. **Settle** — creates an AP debit memo for the total pending rebate and marks accruals settled.

When to compute rebates: Run the Compute function at month end (or whatever period the rebate agreement specifies). The resulting debit memo appears in **AP → Debit Memos** and can be applied against open bills to that vendor. Rebate agreements often have minimum purchase thresholds — the system enforces these automatically.

1.5.11 4.11 Vendor Item Catalog

Purchasing → Vendor Catalog — stores vendor-specific part numbers, lead times, MOQ, packing quantities, and last cost per item. Mark one vendor as “preferred” per item — the preferred vendor’s cost auto-fills on PO lines.

You don’t have to come to Purchasing to manage this — see §6.11 for the same data reached from the Items screen instead.

1.5.12 4.12 Blanket POs

Purchasing → Blanket POs — standing contracts with a vendor for a total committed quantity at a fixed price.

Release creates a standard PO for a chosen portion of the committed quantity. Released quantities are tracked against the blanket.

1.6 5. Inventory

Inventory in OpenERP is a perpetual system: every transaction (receipt, shipment, adjustment, transfer) updates on-hand in real time. There is no end-of-day batch update.

1.6.1 5.1 Warehouses and Bins

Inventory → Warehouses — create warehouses (e.g. MAIN, EAST, OVERFLOW). Each warehouse has: - Warehouse code and name - **Bins** — aisle/rack/shelf/bin-code locations within the warehouse; managed via the **Bins** modal on the warehouse row

Warehouse and bin are selectable on PO receive, inventory adjustments, and warehouse transfers.

Bin strategy: Create bins to match your physical layout. Common patterns are A01-01 (aisle A, rack 1, shelf 1). Assigning items to specific bins (via the preferred bin on the item) enables directed putaway and pick instructions. If your operation does not require bin-level tracking, leave the bin field blank — warehouse-level tracking is sufficient.

1.6.2 5.2 On-Hand Quantity

On-hand is calculated in real time as the signed sum of all inventory transactions:

Transaction type	Effect
RECEIPT	+qty (PO receive)
SHIPMENT	−qty (SO ship)
ADJUSTMENT	±qty (manual)
TRANSFER_OUT	−qty (source warehouse)
TRANSFER_IN	+qty (destination warehouse)
RETURN_IN	+qty (RMA receipt)

1.6.3 5.3 Manual Adjustments

Inventory → Items — click **Adjust** on an item row. Enter qty (positive = increase, negative = decrease), date, period, warehouse, optional bin, and notes. The system posts a GL batch: DR Inventory / CR Inv-Adj (or reversed for negative adjustments).

When to use manual adjustments: Use adjustments for: - Correcting a count error discovered during a cycle count - Recording spoilage, damage, or shrinkage - Loading opening inventory balances at go-live - Adjusting for goods that were consumed internally (samples, internal use)

Always enter a meaningful note in the notes field — the Audit Log will show who made the adjustment and when, and the note explains why. Unexplained adjustments are an audit risk.

1.6.4 5.4 Warehouse Transfers

Inventory → Transfers — move stock between warehouses.

1. Create a transfer: from-warehouse, to-warehouse, optional from/to bins, and line items with qty.
2. **Post** executes the transfer: creates TRANSFER_OUT at the source and TRANSFER_IN at the destination.
3. **Cancel** voids an unposted transfer.

In-transit inventory: Once you post a transfer, the source warehouse shows reduced on-hand immediately. There is no “in-transit” status — the destination warehouse shows the increase at the same moment. If your physical transfer takes days (inter-city shipment), you may want to record the transfer only when the goods physically arrive at the destination.

1.6.5 5.5 FIFO Cost Layers

Every PO receipt pushes a cost layer (qty_received, unit_cost, receipt_id, lot_id). When items are shipped via SO, the system consumes the oldest layers first (FIFO). The resulting COGS is posted to GL.

Why FIFO matters: FIFO means the cost on your income statement reflects the oldest inventory you hold. In an inflationary environment (where costs are rising), FIFO produces a lower COGS and higher gross profit than LIFO. This is standard for most distributors and is required under IFRS. The **Valuation (FIFO)** report shows you exactly what your inventory is worth at any point in time.

Inventory → Valuation (FIFO) — shows current FIFO layers by item and warehouse: qty remaining, average cost per unit, and total value. A summary endpoint returns the grand total.

1.6.6 5.6 Landed Costs

Purchasing → Landed Costs — allocate additional costs (ocean freight, customs duty, brokerage, insurance, tariff) to PO receipts.

1. Create a landed cost shipment linked to one or more PO receipts.
2. Enter cost components by type and amount.
3. For tariff costs, click **Compute from item tariff rates** to auto-calculate from the items' tariff_rate field.

4. **Post** distributes the costs proportionally across FIFO layers (by value or by qty), increasing the unit cost per layer. GL entries are not generated at this stage — the adjusted cost flows into COGS when items are shipped.

Why landed cost matters: If you import goods, the unit cost on the PO is typically just the supplier's price. The true landed cost includes freight, customs duties, and broker fees — often adding 10-25% to the PO price. Without landed cost allocation, your FIFO layers understate the true cost of your inventory, and your COGS is understated. Post landed costs before you ship those items; once a FIFO layer is consumed by a shipment, the layer is gone and cannot be retrospectively adjusted.

1.6.7 5.7 Physical Inventory Count

Inventory → Physical Count — a formal full-warehouse count.

1. **Create** a count session for a warehouse. The system snapshots current on-hand as `system_qty` for every active item.
2. Enter `counted_qty` for each line.
3. **Post** creates ADJUSTMENT inventory transactions for variances and posts GL entries for the variance value.

Physical count best practices: - Schedule a full physical count once per year, typically at fiscal year end or a slow period. - Freeze all receipts and shipments during the count (lock the warehouse). - Count every item at least twice; have a second person recount any item with a significant discrepancy. - Post the count as soon as possible after completing it to minimize the gap between the snapshot and the true count. - Document and review all variances over a threshold (e.g., \$500) before posting — unexplained large variances may indicate theft or systemic errors.

1.6.8 5.8 Cycle Counts

Inventory → Cycle Counts — targeted per-item counts on a rolling schedule.

1. **Schedule** a count for an item, warehouse, and optional bin with a scheduled date.
2. **Enter Count** — update `counted_qty`.
3. **Approve** — creates an ADJUSTMENT transaction and posts the variance to GL.

Filter by ABC class (A/B/C) to prioritize high-value items.

Cycle count program: A well-run cycle count program eliminates the need for an annual shutdown physical count. The idea: - **A items** (high value, top 70% of COGS): count monthly - **B items** (mid value, next 20%): count quarterly - **C items** (low value, bottom 10%): count semi-annually

Each week, schedule the counts due that week, have warehouse staff count and enter results, and approve any within tolerance. Investigate variances above your threshold (e.g., >2% of value). Over time, cycle counts build much more accurate inventory records than an annual physical count.

1.6.9 5.9 Reorder Suggestions

Inventory → Reorder Suggestions — lists items where on-hand is below the reorder point. Shows reorder qty, min/max qty, standard cost, and reorder value. Filter by warehouse.

How to use reorder suggestions: 1. Check the Reorder Suggestions screen Monday morning (or daily for fast-moving items). 2. For each item, verify the reorder point and reorder qty are still correct (demand patterns change). 3. Group items

by preferred vendor (visible in the Vendor Catalog). 4. Create a PO per vendor covering all items from that vendor that need replenishment. 5. The reorder qty shown is the suggested quantity; adjust up if you have a promotion coming or down if demand has slowed.

1.6.10 5.10 Auto-Replenishment

Inventory → Replenishment — click **Run** to auto-generate draft POs for all items below reorder point, grouped by preferred vendor. Review and post the draft POs from **Purchasing → Orders**.

1.6.11 5.11 ABC Classification

Inventory → ABC Classify — ranks all items by annual COGS and assigns A (top 70%), B (next 20%), C (bottom 10%). Updates the `abc_class` field on each item. Run annually or after significant volume changes to keep cycle count scheduling meaningful.

1.6.12 5.12 Demand Forecasting

Inventory → Items → Forecast modal — shows 12-month transaction history and computes 3-month, 6-month, and 12-month moving average daily demand. Includes a projected date when current on-hand will reach the reorder point at the forecast demand rate.

1.7 6. Item Master

1.7.1 6.1 Items

Inventory → Items — the central item catalog.

The list includes a **Vendor** column showing each item's preferred vendor (managed under Item Vendors, §6.11 — the ☐ preferred entry wins). Like Type and Category, it carries an Excel-style ▼ filter (§1.3), so “show me everything we buy from vendor X” — or items with **no** vendor assigned, via **(Blanks)** — is one click.

Key fields: - **Item number** — unique; used on all documents - **Description** - **Category** — for reporting and matrix pricing - **UOM** — stocking unit of measure - **Standard cost** — used for GL posting when FIFO layers are unavailable - **List price** — base selling price before price lists apply - **Reorder point / reorder qty / min qty / max qty** — drive reorder suggestions - **ABC class** — A, B, or C (updated by ABC classification run) - **HTS code, country of origin, tariff rate** — for import cost calculations - **Is kit** — if checked, the item is exploded into BOM components on SO entry - **Drawing #, revision, material spec, manufacturing method** — the part's engineering identity (see §6.16); shown as a Drawing # column in the list - **Specifications / critical characteristics** — free-text engineering notes captured at creation or edited later via the **Eng** button

1.7.2 6.2 Categories and UOM

- **Inventory → Categories** — organize items for reporting and matrix pricing
- **Inventory → UOM** — units of measure; add **Conversions** (e.g. 12 EA = 1 CASE) so items can be sold in one UOM and stocked in another

OpenERP

Dashboard
FINANCIALS
SALES
PURCHASING
INVENTORY
Item Master
Items
Categories
Kitting / BOM
Certs of Conformance
Traceability
Warehouses
Counting
Tracking
ADMIN
System Administrator
System Administrator

Items

+ New Item

Search by number or description...
All types
Low stock only
Search

ITEM #	DESCRIPTION	TYPE	CATEGORY	UOM	ON HAND	REORDER PT	STD COST	LIST PRICE	ACTIVE	
1.5-GVIFBALL22-C	1.5" SS GVI F BALL	STOCK	Ball & Trunnion Balls	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
1.5-GVIFBALL22-C-A	1.5" SS GVIF BALL - 316 W/ 1 MIL ENP	STOCK	Ball & Trunnion Balls	EA	120	—	9.23	16.79	✓	Adjust Lots Xrefs Subs \$Hist S/N
1.5-GVIFDUSTCAP	URETHANE WEATHER CAP 1.5"	STOCK	Valve Hardware	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
1.5-GVIFSTEM22	1.5" SS GVI F STEM	STOCK	Valve Stems	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
1.5-GVIFSTPLATE	1.5" GVI "F" STOP PLATE	STOCK	Valve Hardware	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
10-370CTBALL21	10" CS BALL F/ 370-CT	STOCK	Ball & Trunnion Balls	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
10-370CTBALL22	10" CF8M BALL F/ 370-CT	STOCK	Ball & Trunnion Balls	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
10-604GUSTM22-C	H1150 UPPER STEM F/10" 600BALL	STOCK	Ball & Trunnion Balls	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
10-664DBACKCAP	BACK CAP F/10" 600 G4D BALL VA	STOCK	Ball & Trunnion Balls	EA	0	—	18.00	33.30	✓	Adjust Lots Xrefs Subs \$Hist S/N
10-664DBALL21			Ball &							

Figure 1.8: Items list with on-hand quantity, reorder point, cost/price, and per-row Adjust/Lots/Xrefs/Subs actions

1.7.3 6.3 Price Lists

Sales → Price Lists — customer-assignable price lists with per-item unit price overrides.

- **Items** button on a price list row — add or edit item overrides (unit price, effective/expiry dates)
- **Q Breaks** button on a price list item — define quantity break tiers: min_qty, unit_price pairs. When a line's qty_ordered meets a break, the break price is used.

Pricing hierarchy (highest to lowest priority): 1. Contract price (customer + item + date range) 2. Price list assigned to the customer (with quantity breaks) 3. Matrix pricing (customer class × item category discount) 4. Item list price

If none of these apply, the order entry user must enter the price manually. Review and update price lists at least annually — or when your cost increases — to protect margins.

1.7.4 6.4 Contract Pricing

Sales → Contracts — customer + item fixed price with an effective date range. Takes priority over all price lists. Good for long-term supply agreements.

1.7.5 6.5 Matrix Pricing

Sales → Matrix Pricing — discount rules keyed on customer class × item category. Applied when no contract or price list override exists. Example: KEY customers get 15% off FITTINGS.

1.7.6 6.6 Lot Tracking

Items with lot_tracking = true require a lot number on receipt and shipment. Manage lot numbers from **Inventory → Items → Lots** modal: enter lot number, received date, and optional expiry date. Expiring lots are highlighted in the lot list.

1.7.7 6.7 Serial Number Tracking

Items with serial_tracking = true require a serial number on each unit shipped. Manage serial numbers from **Inventory → Items → Serials** modal: enter serial number, received date, optional warranty expiry.

1.7.8 6.8 Traceability

Inventory → Traceability — look up all inventory transactions for a given serial number or lot number. Trace from receipt PO through shipment SO.

1.7.9 6.9 Item Cross-References

Inventory → Items → X-Refs modal — store alternative part numbers:

Type	Example use
CUSTOMER	Customer's own part number for this item
COMPETITOR	Competitor's catalog number
UPC	Universal Product Code
MPN	Manufacturer Part Number

Cross-references feed the barcode lookup endpoint.

1.7.10 6.10 Item Substitutes

Inventory → Items → Subs modal — define substitute items with priority ranking. When a flagged-superseded item is selected on an SO, the system prompts with available substitutes.

1.7.11 6.11 Item Vendors

Inventory → Items → Vendors modal — record which vendors supply this part. Most parts can be bought from more than one supplier, so this isn't a single "vendor" field on the item — it's a list: pick a vendor from the dropdown, then capture that vendor's own SKU for this item, lead time, minimum order quantity (MOQ), packing quantity, and last cost. Add as many vendors as actually supply the part, and star one as **preferred**.

This is the same underlying data as the Vendor Item Catalog (§4.11) — the two screens are just two ways of looking at it, and either one can add, edit, or remove a link: - **Inventory → Items → Vendors** answers "which vendors supply *this* part" — you start from the item. - **Purchasing → Vendor Catalog** answers "everything *this* vendor supplies" — you start from the vendor.

Use whichever direction matches the question you're actually asking; changes made from one show up in the other immediately, since nothing is duplicated behind the scenes.

1.7.12 6.12 Item Supersession

Inventory → Items → Supersession history — record when one item replaces another (old item → new item, reason, effective date). SO entry warns the user when a superseded item is selected.

1.7.13 6.13 Kitting / BOM

Inventory → Kitting — bill-of-materials for kit items. Defines component items and required quantities. When a kit item is shipped, the system pulls FIFO cost from the components.

1.7.14 6.14 Barcode Scanning

The endpoint `GET /items/barcode/{code}` checks `item_number` first, then cross-reference numbers (UPC, MPN, etc.). Returns the matching item. Useful for integrating mobile scan devices or the WH app.

1.7.15 6.15 Inbound Shipments

Purchasing → Inbound Shipments — track ocean or air freight containers with vessel, voyage, carrier, origin/destination ports, ETA, ATA, and customs status (PENDING → IN_TRANSIT → ARRIVED → CLEARED → HELD).

Attach POs to a shipment to group expected receipts by container.

1.7.16 6.16 Engineering Data and Part Documents

For custom-engineered parts, an item is defined by its drawing, not just its number. Select an item and click **Eng** in the action bar to open the Engineering panel:

- **Engineering fields** — drawing #, current revision, material spec, manufacturing method, plus free-text specifications and critical characteristics. Editable here at any time (the New Item form also captures them at creation). The list grid shows a **Drawing #** column with the current rev.
- **Part documents** — upload drawings, spec sheets, CAD models, material certs, quality docs, and photos (max 25 MB each). Each file can carry its own **Rev** tag, so when the drawing moves from rev C to rev D you keep both PDFs and can tell them apart. Removing a document deactivates it; nothing is destroyed.

Inquiry Master hand-off: when an inquiry is awarded (§3.10) and a new item is created, the drawing #, revision, and material spec entered on the inquiry line are copied onto the item automatically — the engineering identity established during quoting follows the part into production without re-typing.

1.8 7. Financials

The Financials module provides the General Ledger, financial statements, bank reconciliation, multi-currency, and year-end close. For most companies, the subledgers (AR, AP, Inventory) handle the day-to-day posting automatically. The GL is where you review the cumulative result, make manual corrections, and produce financial statements for management and external reporting.

1.8.1 7.1 General Ledger

GL → Accounts — chart of accounts (see §1.5).

GL → Fiscal Years / Periods — set up the accounting calendar. Closing a period prevents any further posting to it. Fiscal year close (§7.7) is a separate workflow.

GL → Journals — manual journal entry:

1. Create a batch (batch number, description, period).
2. Add a journal entry (entry number, date, source, reference, description).
3. Add debit and credit lines. The batch will not post unless total debits = total credits.
4. **Post** the batch. Once posted, entries cannot be edited; a reversing entry is required.


When to use manual journals: - Depreciation not handled by the Fixed Assets module - Accruals (record an expense incurred but not yet billed) - Reversals (reverse a prior period accrual) - Reclassifications (move an amount from one account to another) - Opening balance entries at go-live

Do **not** use manual journals for: AR invoices, AR payments, AP bills, AP payments, SO shipments, or inventory adjustments. Those events post automatically. Creating a manual journal for something the system already posted will double-count the amount.

Subledger-to-GL auto-posting happens silently when AR invoices, AR payments, AP bills, AP payments, SO shipments, and inventory adjustments are saved. You generally do not need to create manual journals for those events.

1.8.2 7.2 Financial Statements

GL → Reports: - **Trial Balance** — all accounts with period debit/credit activity and ending balance. Requires a period selection. - **Income Statement** — revenue minus expense for a period or date range. - **Balance Sheet** — assets, liabilities, and equity as of a period end.



BATCH #	DATE	SOURCE	DESCRIPTION	STATUS	ACTIONS
JB26-00000011	20260702	SO-SHIP	SO Shipment SO26-00000072	POSTED	AUTO
JB26-00000010	20260702	AP-BILL	AP Bill BILL-SM-180051	POSTED	AUTO
JB26-00000009	20260702	AR-INV	AR Invoice INV-SM-180051	POSTED	AUTO
JB26-00000008	20260630	SO-SHIP	SO Shipment SO26-00000026	POSTED	AUTO
JB26-00000007	20260630	AP-BILL	AP Bill BILL-SM-181338	POSTED	AUTO
JB26-00000006	20260630	AR-INV	AR Invoice INV-SM-181338	POSTED	AUTO
JB26-00000005	20260630	SO-SHIP	SO Shipment SO26-00000025	POSTED	AUTO
JB26-00000004	20260630	AP-BILL	AP Bill BILL-SM-175950	POSTED	AUTO
JB26-00000003	20260630	AR-INV	AR Invoice INV-SM-175950	POSTED	AUTO
JB26-00000002	20260630	AP-BILL	AP Bill BILL-SM-173158	POSTED	AUTO
JB26-00000001	20260630	AR-INV	AR Invoice INV-SM-173158	POSTED	AUTO

Figure 1.9: Journal Batches list showing batch number, source, description, and POSTED status

How to read the Trial Balance as a diagnostic: The Trial Balance should always balance (total debits = total credits). Run it at month end before closing the period. Look for: - Accounts with balances in the wrong direction (e.g., a REVENUE account with a debit balance — may indicate a void posted to the wrong period) - Unexpectedly large or small balances compared to prior months - Accounts with activity you do not recognize

Investigate anomalies before closing the period. It is much harder to correct after the period is closed.

1.8.3 7.3 GL Budgets

GL → Budgets — enter budget amounts per account per period. The **Budget vs Actual** report compares YTD actual to YTD budget.

1.8.4 7.4 Departments

GL → Departments — cost centers (e.g. SALES, WAREHOUSE, ADMIN). Journal lines can be assigned to a department for departmental P&L analysis.

1.8.5 7.5 Fixed Assets and Depreciation

GL → Fixed Assets — track capital assets with: - In-service date, useful life (months), salvage value - Linked GL asset account and accumulated depreciation account - **Depreciate** button — posts straight-line monthly depreciation entries for the selected period

GL → Depreciation Report — shows all assets with book value, accumulated depreciation, and remaining life.

Monthly depreciation procedure: At month end, go to **GL → Fixed Assets** and click **Depreciate** for each active asset. This posts the depreciation journal entry for that period. Do this before running the Income Statement so that the depreciation expense is included in the current period's result.

1.8.6 7.6 Recurring Journal Entries

GL → Recurring JEs — templates for monthly entries (rent, amortization, etc.): - Define template lines (debit/credit amounts and accounts). - Set frequency (MONTHLY, QUARTERLY, ANNUALLY) and next run date. - **Run** generates a journal batch from the template and advances the next run date.

Common recurring entries to set up: - Rent (DR Rent Expense / CR Prepaid Rent or CR Accounts Payable) - Insurance prepaid amortization (DR Insurance Expense / CR Prepaid Insurance) - Loan interest accrual (DR Interest Expense / CR Accrued Interest) - Deferred revenue recognition (DR Deferred Revenue / CR Revenue)

Setting these up as recurring templates ensures they are never forgotten and the amounts are consistent each month.

1.8.7 7.7 Year-End Close

GL → Year-End Close (when fiscal year is fully posted): 1. Close all open periods in the fiscal year. 2. **Run Close** — the system: - Zeros all revenue and expense account balances for the year via a closing journal entry - Credits the net income to the Retained Earnings account - Marks the fiscal year CLOSED 3. Create the new fiscal year and its periods.

Year-end close is irreversible. Before running it, confirm: - All AR invoices and payments for the year are entered - All AP bills and payments for the year are entered - All physical count variances are posted - All fixed asset depreciation entries are posted - All recurring journal entries have been run for December - The Trial Balance balances and all balances look correct - A backup of the database has been taken

The year-end close does not affect AR or AP balances — those carry forward as open items. Only income statement accounts (Revenue, Expense) are zeroed.

1.8.8 7.8 Bank Reconciliation

Financials → Bank Reconciliation: 1. Select a bank account and date range. 2. **Add Statement Lines** — enter or import bank statement transactions (deposits positive, payments negative). 3. **Match** — link each statement line to an AR receipt (deposit) or AP payment from the system. 4. Summary tiles show: statement total, cleared total, uncleared total, outstanding deposits, outstanding payments. 5. The reconciliation is complete when uncleared items equal the difference between the bank statement balance and the GL cash account balance.

Bank reconciliation procedure (monthly): 1. Obtain the bank statement (paper, PDF, or CSV download from your bank's portal). 2. Enter all statement lines into the system using **Add Statement Lines**, or import them. 3. Match each statement line to a payment or deposit in the system using the **Match** button. 4. Common unmatched items: - **Outstanding checks** — payments created in the system but not yet cleared at the bank - **Deposits in transit** — AR receipts recorded in the system but not yet on the statement - **Bank charges** — service fees on the statement with no corresponding system entry; create a manual journal (DR Bank Charges / CR Cash) 5. The reconciliation is complete when: **Bank Statement Balance + Outstanding Deposits – Outstanding Checks = GL Cash Account Balance**. 6. Reconcile monthly, ideally within 5 business days of receiving the statement.

1.8.9 7.9 Multi-Currency

Admin → Currencies — activate currencies and set exchange rates (spot rates by date).

Foreign-currency AP bills store the foreign amount and the exchange rate at bill date. When the bill is paid at a different rate, the system computes and posts FX gain/loss to GL automatically.

GL → FX Revaluation — revalue all open foreign-currency AR/AP balances at the current exchange rate and post unrealized gain/loss.

Multi-currency procedure: At month end, if you have open foreign-currency AR or AP balances, run **FX Revaluation** to record unrealized gains and losses at the current month-end rate. This is required for accurate financial statements under US GAAP and IFRS. The revaluation entries reverse in the following period, so only the realized gain/loss (from payment) remains permanently.

1.8.10 7.10 Cash Flow Statement

GL → Cash Flow — indirect method: starts from net income, adds back depreciation, adjusts for AR/AP/inventory working capital changes, and includes asset purchases. Reads from GL account balances by subtype.

1.8.11 7.11 Cash Application Batch

AR → Batch Apply — apply multiple payments at once. The system matches each payment to the customer's oldest open invoices first (oldest-invoice-first auto-apply). Returns a per-payment result showing applied amounts and any unapplied balance.

1.9 8. Administration

1.9.1 8.1 Users and Groups

Admin → Users: - Create users with a username, password (minimum 6 characters), full name, and **one or more groups** — check every group that applies in the scrollable Groups checklist. At least one group is required. - The Users list shows all of a user's assigned groups, comma-separated, in the **Groups** column. - **Email** is optional but recommended for every user — it's validated for a proper email format and is stored for the user's account, ready for future features (e.g., reminders/notifications) that need somewhere to send them. It is not currently used to send anything. - Deactivate users to block login without deleting records. - **Change Password** — bumps token_version to immediately invalidate all active sessions for that user. - **Force Logout** — invalidates all active tokens for the user without changing the password.

Admin → Groups: - Groups bundle permissions. A user's effective permissions are the **union** of every group they're assigned to — checking a second group only ever adds access, it never takes any away. - Create groups with a name and description, then check the permissions to grant. - Changing a group's permissions takes effect on the user's next request (token is re-validated per request); adding or removing a group from a user takes effect the next time that user logs in.

Recommended group structure:

Group	Who	Typical permissions
ADMIN	Controller, IT	All permissions
AR_STAFF	AR clerk	AR module only
AP_STAFF	AP clerk	AP module only
WAREHOUSE	Receiving, shipping	Inventory, PO receive
SALES	Inside sales	SO, quotes, customers
READ_ONLY	Managers, auditors	View only

Separate AR and AP access so that no single employee can both record a payment receipt AND apply it to an invoice without a second person reviewing. This is a basic internal control.

For staff who genuinely cover more than one role (e.g. an office manager who does both AR and light warehouse work), assign both groups directly to that one user rather than creating a new combined group — it keeps the group list itself small and each group's purpose single-purpose and auditable.

1.9.2 8.2 Permissions Reference

Permission key	What it gates
system.users.manage	Admin → Users and Admin → Groups
system.config.manage	Admin → Company Settings, Audit Log
gl.reports.view	GL Trial Balance, Income Statement, Balance Sheet
ar.invoices.view	AR → Recurring Invoice Templates
(all other modules)	require_auth() only — any logged-in user can access

Note: most module routes require only a valid login (not a specific permission). Per-route permission enforcement is an active roadmap item (D4).

1.9.3 8.3 Audit Log

Admin → Audit Log — every data-changing API call logs: table name, record ID, action (CREATE, UPDATE, DELETE, POST, APPLY, SHIP, etc.), changed-by username, and timestamp. Filter by table name, record ID, user, or date range.

Using the audit log for investigations: If a balance is unexpectedly wrong, filter the audit log by the affected record ID and review the sequence of actions. You can see exactly who changed what and when. The audit log is append-only and cannot be edited.

1.9.4 8.4 Payment Terms

Admin → Payment Terms — manage NET30, NET60, 2/10-NET30, etc. Payment terms drive due-date calculation on invoices and bills.

1.9.5 8.5 Tax Codes

Admin → Tax Codes — simple flat-rate tax codes (e.g. TX-STATE at 6.25%). Assigned to items; defaulted onto invoice lines.

1.9.6 8.6 Sales Tax (US Multi-Jurisdiction)

Admin → Sales Tax — jurisdiction-based rates: - Create jurisdictions at state, county, and city level with state/county/city rate components. - Assign **exemption certificates** to customers (expiry date, certificate number) — exempted customers have 0% tax applied. - On an AR invoice, the **Sales Tax** panel computes the blended rate for each line's jurisdiction and applies it via **Apply to Lines**.

1.9.7 8.7 Customer Classes

Admin → Customer Classes — codes used for matrix pricing and reporting (e.g. KEY, STANDARD, PROSPECT). Assign to customers on the customer form.

1.9.8 8.8 Return Reason Codes

Admin → Return Reasons — standardized codes for RMA lines (e.g. DEFECTIVE, WRONG_ITEM, DAMAGED). Appear in the RMA line form dropdown.

1.9.9 8.9 Carriers and Ship Methods

Admin → Carriers — carrier master (UPS, FedEx, etc.). Linked to ship methods.

Admin → Ship Methods — specific service levels per carrier (UPS GROUND, FEDEX 2DAY). Assignable on SOs and POs.

1.9.10 8.10 SMTP and Email Log

Configure SMTP under **Admin → Company Settings** (smtp_host, smtp_port, smtp_encryption, smtp_user, smtp_pass, smtp_from). Use **Test Send** to verify delivery.

Admin → Email Log — every email sent by the system (invoice, SO, PO) is recorded with status, recipient, subject, and timestamp.

1.9.11 8.11 Scheduled Reports

Yes — these reports auto-email, to whoever you list as recipients when you set up the schedule. There is no automatic distribution list or “send to all users” option: you type in the exact email addresses that should receive each report, and only those addresses get it.




Figure 1.10: Scheduled Reports page with the CLI runner command shown

1.9.11.1 How to set who gets what report

Go to **Admin → Scheduled Reports → + New Schedule** and fill in:

Field	What it controls
Report Name	A label for you to recognize this schedule by (e.g. “Weekly AR Aging for CFO”)
Report Type	One of: AR Aging, AP Aging, Trial Balance, Back-Orders, Commissions
Frequency	Daily, Weekly, Bi-Weekly, Monthly, or Quarterly
Next Run Date	The first date this should fire. After each send, this auto-advances by the frequency (e.g. a Weekly report set to run 2026-07-06 becomes due again on 2026-07-13)
Format	CSV (a plain data table, shown inside the email body) or HTML (a formatted table inside the email body) — either way, the report is embedded directly in the email itself, not sent as a file attachment
Recipients	This is the “who gets it” field. Comma-separated email addresses — e.g. cfo@company.com, controller@company.com. Every address here receives every run of this specific schedule
Active	Turn a schedule off without deleting it (useful when someone’s on leave, or a report is temporarily not needed)

Each report type pulls whatever data matches its name at the moment it runs (e.g. AR Aging always reflects that day’s open invoices) — you aren’t choosing which customers/vendors/accounts, just which report and who receives it. Want two different groups to get different slices (e.g. Trial Balance to Finance, AR Aging to Sales)? Create two separate schedules — one per report type/recipient combination.

1.9.11.2 How the automatic emailing actually happens

Two things both need to be true for a report to actually land in someone’s inbox:

1. **SMTP must be configured** under **Admin → Company Settings → Email / SMTP** (host, port, from address, credentials). If this is missing, the runner still generates the report and marks the schedule as run, but the send is silently skipped — check **Admin → Email Log** (§8.10) to confirm whether emails are actually going out, and to see the exact error if a send fails.
2. **Something has to trigger the check.** OpenERP does not run reports on its own in the background — a separate command runs once, checks which schedules are due, sends them, and exits:

```
C:\php\php.exe -c C:\php\php_sapads.ini C:\OpenERP\tools\run_scheduled_reports.php
```

This command only sends reports whose **Next Run Date** is today or earlier — running it twice in the same day does not double-send anything already sent, since each successful run pushes Next Run Date forward.

1.9.11.3 Making it actually automatic with Windows Task Scheduler

The command above does nothing by itself unless something runs it on a schedule. To make reports genuinely “set and forget”:

1. Open **Task Scheduler** (search for it in the Start menu).
2. **Create Task...** (not “Basic Task” — you want more control over timing).
3. **General tab:** name it something like “OpenERP Scheduled Reports”; select “Run whether user is logged on or not.”
4. **Triggers tab → New:** Daily, start time e.g. 7:00 AM (run it once a day even if you have weekly/monthly schedules — the script only sends what’s actually due that day).
5. **Actions tab → New:**
 - **Program/script:** C:\php\php.exe
 - **Add arguments:** -c C:\php\php_sapads.ini C:\OpenERP\tools\run_scheduled_reports.php
6. **OK**, entering the credentials of an account with permission to run scheduled tasks on the server.

From then on, Windows itself fires this script daily; OpenERP checks what’s due and emails it — no one has to remember to run it by hand.

1.9.12 8.12 CSV Import

Admin → Import Tool — bulk-load data instead of hand-keying it. There are two situations where this is worth doing rather than typing records in one at a time:

- **Go-live conversion.** A new company coming onto OpenERP almost always already has this data somewhere — an old accounting system, a spreadsheet, an export from the previous ERP. Re-typing a chart of accounts, a customer list, or an item catalog by hand is slow and error-prone (a mistyped credit limit or GL account number is a silent, expensive mistake). Importing it is faster and lets you validate the data once, in bulk, instead of trusting hundreds of individual manual entries.
- **Bulk additions to a live system.** Even after go-live, data keeps arriving in bulk from outside the system — a vendor sends a 500-line price list, a new warehouse needs its bin layout loaded, a sales rep hands over a spreadsheet of open quotes to convert. The Import Tool handles these the same way, and is always safe to run against a system that already has data in it (see the rule below).

Every import type shares the same rule:

A row whose natural key already exists is left untouched and reported as “skipped — already exists.” Imports never overwrite existing records. It is always safe to re-run the same file (e.g. after fixing a few rows) — anything already loaded is simply skipped the second time.

1.9.12.1 8.12.1 Preparing Your Data in Excel

The Import Tool takes one CSV file per import type, but there’s nothing wrong with building all of your source data in a single Excel workbook first — it’s the easiest way to keep everything organized while you assemble it, cross-check codes between tabs, and fix mistakes before anything touches the live system.

1. **One tab per import type**, named to match the Import Tool’s dropdown (e.g. Customers, Chart of Accounts, Sales Orders). This keeps the workbook organized and makes it obvious which tab feeds which import.
2. **Row 1 of every tab is the header row**, with column names copied exactly from the Import Tool page for that import type (letter case doesn’t matter — the importer lower-cases everything — but spelling and underscores must match, e.g. customer_number not




Figure 1.11: CSV Import Tool showing the Customers import type with required/optional columns and file upload area

Customer Number). Use the **Download Template CSV** button on the Import Tool page to get a ready-made header row for any import type; paste it into row 1 of the matching tab.

3. **One row per record** on flat sheets (Customers, Vendors, Items, Chart of Accounts, Categories, UOM, Warehouses, Bins, Price Lists, Price List Items, Vendor Catalog, GL Opening Balances). **One row per line item** on the four multi-line document sheets (Sales Orders, Purchase Orders, AR Invoices, AP Bills) — see §8.12.3.

Formatting gotchas that cause otherwise-correct data to fail on import:

Problem	What happens	Fix
Dates in a regional/auto format	Excel may store a different date than what's displayed, and the CSV holds the stored value	Format date columns as plain Text , or type dates as YYYY-MM-DD (e.g. 2026-07-01)
Codes that look numeric (account_number, zip, uom_code, item numbers like 6E10)	Excel drops leading zeros or converts to scientific notation	Format the column as Text <i>before</i> typing values into it
Percentages (discount_pct, tax rates)	A cell formatted as "5%" is stored as 0.05, not 5	Format the column as a plain Number , and type the percent value itself (5 for 5%)
Trailing/leading spaces on codes used for lookups (warehouse_code, terms_code)	"MAIN" and "MAIN " look identical to a person but fail to match in the importer	Use Excel's TRIM() function on a helper column, then paste the result back as values
Non-ASCII characters (accented names, curly quotes pasted from Word)	Can get mangled if saved with the wrong CSV encoding	Save as CSV UTF-8 , not plain CSV (see below)

Exporting a tab to CSV: CSV is a single-sheet format — Excel cannot export a whole workbook to one CSV, only the *active* tab. To export each tab you plan to import:

1. Click the tab you want to export so it's the active sheet.
2. **File** → **Save As** → choose ****CSV UTF-8 (Comma delimited) (*.csv)**** as the file type (not plain "CSV" — UTF-8 avoids mangled characters).
3. Give it a name you'll recognize (e.g. customers.csv, sales-orders.csv) and save.
4. Excel will warn that "the selected file type does not support workbooks with multiple sheets" — click **OK**; this only means it's exporting the current tab, which is exactly what you want.
5. Repeat once per tab. Keep your master workbook (with all tabs) as the source of truth — re-export a fresh CSV from it any time you need to fix and re-run an import.

1.9.12.2 8.12.2 What Each Import Type Is For

Category	Import type	Sheet contents	Why import it	Natural key
Master Data	Customers	One row per customer: name, address, credit limit, terms, tax exemption	The core of every sale — load your existing customer list instead of re-typing it during onboarding	customer_number
	Vendors	One row per vendor: name, address, tax ID, 1099 flag, terms	Needed before you can enter POs or bills; brings your existing vendor list over as-is	vendor_number
	Vendor Contacts	One row per person: vendor, name, title, department, email/phone/WhatsApp/WeChat	Loads each vendor's department contacts (Sales, Engineering...) in bulk instead of adding them one at a time on the Contacts tab	vendor_number + contact_name
	Items	One row per item/SKU: description, category, UOM, cost, price	Usually the largest single import for a new company — a catalog of hundreds or thousands of SKUs is impractical to key by hand	item_number
Setup & Lookups	Chart of Accounts	One row per GL account: number, name, type, normal balance, parent	The financial backbone of the system — import it once from your existing books rather than re-building it by hand	account_number

Category	Import type	Sheet contents	Why import it	Natural key
	Item Categories	One row per category, optionally nested via parent_code	Only useful if items are imported afterward and reference these codes; lets you preserve an existing category hierarchy	category_code
	Units of Measure	One row per UOM (EA, CS, BX, etc.)	A short list, but items reference it — load it before Items if you use non-default UOM codes	uom_code
	Warehouses	One row per warehouse: code, name, address	Needed before importing bins or any inventory-aware transaction	warehouse_code
	Bin Locations	One row per bin: warehouse, bin code, aisle/rack/shelf	Lets you bring in an existing rack layout instead of creating bins one at a time in the UI	warehouse_code + bin_code
	Price Lists	One row per price list (RETAIL, WHOLESALE, etc.)	Needed before Price List Items	price_list_code
	Price List Items	One row per item price on a list	Brings in existing customer/tier pricing instead of re-keying every price	price_list_code + item_number
	Vendor Item Catalog	One row per vendor/item pairing: vendor SKU, lead time, MOQ, cost	Common in purchasing-heavy conversions where a vendor's SKU differs from your own	vendor_number + item_number

Category	Import type	Sheet contents	Why import it	Natural key
Opening Balances	GL Opening Balances	One row per account/period: debit or credit amount	The standard way to convert an accounting system — load the trial balance as of cutover instead of replaying every historical journal entry. Do this last — see §8.12.4	account_number + period_code
Transactions	Sales Orders	One row per SO line, grouped by so_number	For orders that are still open when you cut over — they need to exist in OpenERP so they can be shipped/invoiced going forward	so_number
	Purchase Orders	One row per PO line, grouped by po_number	Same idea for open purchase orders still awaiting receipt at cutover	po_number
	AR Invoices	One row per invoice line, grouped by invoice_number	Brings in <i>open</i> customer invoices so collections/aging work correctly after cutover, without re-entering each one by hand	invoice_number
	AP Bills	One row per bill line, grouped by bill_number	Same idea for open vendor bills still awaiting payment	bill_number

Required and optional columns for the selected import type are always listed on the Import Tool page itself, and in the header row of its downloadable template.

1.9.12.3 8.12.3 Multi-line Document Sheets

Sales Orders, Purchase Orders, AR Invoices, and AP Bills are **multi-line documents** — the CSV has **one row per line item**, not one row per document. Rows that share the same document number (so_number, po_number, invoice_number, or bill_number) are grouped into a single document; header fields (customer/vendor, dates, terms) are read only from the **first** row of each group, so repeat them on every line for clarity but know that only the first is

used. If any line in a document fails validation, the whole document is rejected — nothing is partially imported. Sales Orders have no credit-hold/credit-limit check on import (that check applies when a user creates an order by hand).

1.9.12.4 8.12.4 Recommended Order for a Full Conversion

When loading an entire new company's data, import in this order — each step depends on data from the one before it:

1. **Chart of Accounts** (and Payment Terms / Tax Codes, entered manually under Admin — see §1.6)
2. **Item Categories** and **Units of Measure**
3. **Warehouses**, then **Bin Locations**
4. **Customers** and **Vendors**
5. **Items**
6. **Price Lists**, then **Price List Items**; **Vendor Item Catalog** if used
7. Open **Sales Orders** / **Purchase Orders** still in flight at cutover
8. Open **AR Invoices** / **AP Bills** still outstanding at cutover
9. **GL Opening Balances**, sized to include the AR/AP control account balances that step 8 just created

Why GL Opening Balances goes last, and why AR Invoices/AP Bills don't post to GL on import: creating an invoice or bill by hand in the app automatically posts it to the General Ledger (DR AR/CR Revenue, DR Expense/CR AP). Imported invoices/bills deliberately skip that step, because the opening trial balance in step 9 is loaded as a single lump sum per account — it already reflects the net effect of every open invoice and bill from step 8. Posting them individually on top of that lump sum would double-count the AR/AP and revenue/expense balances. This was a deliberate design choice for the conversion scenario; it means an import can never be used to feed GL-posted transactions into an already-live, already-balanced ledger — only manual entry (or the SO ship / PO receive / payment-apply flows) posts to GL after go-live.

1.9.12.5 8.12.5 Reading the Import Report

After each import, the page shows tiles for Total / Imported / Skipped / Failed, followed by a detail table (one row per document for multi-line types, one row per CSV row otherwise) with the natural key, a status badge, and a message explaining *why* — e.g. “Customer number CUST-1002 already exists” (skipped) or “Item ITM-500 not found” (failed). Check “Hide successfully imported rows” off to review the full file, including the successes.

1.9.12.6 8.12.6 Preparing the Vendor Master Spreadsheet

The Vendors import loads the full Vendor Master (§4.1) — agents, manufacturers, and service providers — from a single spreadsheet. Build one Excel tab named Vendors, **one row per company** (an agent is a row; each of its factories is its own row), with the columns below in row 1. Only the first two columns are required; leave any cell blank to accept the default or skip the field. The **Download Template CSV** button on the Import Tool page produces this exact header row.

Identity (required):

Column	What to enter
vendor_number	Your unique code for the company, e.g. AGT-WENZHOU or MFG-RUIAN. This is the key used everywhere else — pick a scheme you can live with
company_name	Legal business name

Classification and the agent relationship:

Column	What to enter
vendor_type	AGENT, MANUFACTURER (default if blank), TRADING_COMPANY, LOGISTICS, INSPECTION, WAREHOUSE_3PL, CUSTOMS_BROKER, or UNKNOWN_MFG
status	APPROVED (default), CONDITIONAL, PROBATION, INACTIVE, or BLOCKED
agent_vendor_number	On a manufacturer row: the vendor_number of its agent. The agent's own row can be anywhere in the same file — order doesn't matter. Leave blank for direct manufacturers and for the agents themselves

Company profile:

Column	What to enter
trade_name	Trading/brand name if different from the legal name
address1, address2, city, state, zip	Street address
country	2-letter code: CN, TW, US, ...
phone, email, website	Main company channels
contact_name	The main contact person (department contacts — Sales, Quality, Engineering... — are loaded afterward with the Vendor Contacts import, §8.12.7, or added on the vendor's Contacts tab)
incoterms	Default shipping terms: FOB, CIF, EXW, DDP, ...
year_established	e.g. 1998
employee_count	Approximate headcount
lead_time_notes	Free text, e.g. 45-60 days after PO
company_description	What they make / specialties
internal_notes	Your private notes — never visible to the vendor

Financial:

Column	What to enter
tax_id	EIN/SSN — needed for 1099 vendors
is_1099	1 = yes, 0 = no (default)

Column	What to enter
is_active	1 = active (default), 0 = inactive
terms_code	Must match a Terms Code under Admin → Payment Terms, e.g. NET30

Factory profile (manufacturer rows only — filling any of these creates the factory profile automatically):

Column	What to enter
factory_code	Your short code for the plant, e.g. RPC-1
province_state	e.g. Zhejiang
time_zone	e.g. CST +8
primary_language	e.g. Mandarin
plant_manager, quality_manager, production_manager	Names of the key people
capacity_notes	Lines, monthly tonnage, max part size...
equipment_notes	CNC count, presses, furnaces, CMM...
quality_notes	ISO/API certifications held, inspection and lab capabilities

A minimal example — one agent with two factories (one still unidentified) and one direct manufacturer:

```
vendor_number,company_name,vendor_type,agent_vendor_number,country,city,incoterms
AGT-WENZHOU,Wenzhou Sourcing Partners,AGENT,,CN,Wenzhou,FOB
MFG-RUIAN,Ruian Precision Casting Co,MANUFACTURER,AGT-WENZHOU,CN,Ruian,
UNK-WENZHOU,Unknown Manufacturer (Wenzhou SP),UNKNOWN_MFG,AGT-WENZHOU,CN,,
MFG-NINGBO,Ningbo Dongxin Valve,MANUFACTURER,,CN,Ningbo,FOB
```

Tips: Keep vendor_type, status, and agent_vendor_number spelled exactly as shown (case doesn't matter, but MANUFACTURE or a typo'd agent number won't match — a bad agent number shows as a *failed* "(agent link)" row in the import report while the vendor itself is still created, so you can fix the link on the vendor's edit form). Format the vendor_number and zip columns as **Text** in Excel before typing, per the gotchas in §8.12.1. Re-running the same file is safe: existing vendor numbers are skipped, never overwritten.

1.9.12.7 8.12.7 Preparing the Vendor Contacts Spreadsheet

The **Vendor Contacts** import bulk-loads each vendor's people — the department contacts shown on the vendor's Contacts tab (§4.1). Import Vendors first; build one sheet with **one row per person**:

Column	What to enter
vendor_number (<i>required</i>)	The vendor the person belongs to — must already exist
contact_name (<i>required</i>)	Full name. A vendor's existing contact with the same name is skipped, never overwritten
title	e.g. Sales Manager
department	SALES, ENGINEERING, QUALITY, PRODUCTION, LOGISTICS, ACCOUNTING, or MANAGEMENT

Column	What to enter
email, phone, mobile whatsapp, wechat	Contact channels Common for overseas vendors — WhatsApp number / WeChat ID
preferred_method is_primary	EMAIL, PHONE, WHATSAPP, or WECHAT 1 marks this person as the vendor's primary contact (clears any prior primary)
notes	Free text

Example:

```
vendor_number,contact_name,title,department,email,preferred_method,is_primary
AGT-WENZHOU,Li Wei,Sales Manager,SALES,liwei@wzsourcing.cn,WECHAT,1
AGT-WENZHOU,Chen Fang,QA Coordinator,QUALITY,chen@wzsourcing.cn,EMAIL,0
MFG-NINGBO,Zhang Ming,Plant Manager,MANAGEMENT,zhang@dongxin.cn,WHATSAPP,1
```

The natural key is `vendor_number + contact_name`, so re-running the same file is safe — rows already loaded are reported as *skipped*. An unknown `vendor_number` fails just that row; the rest of the file still imports.

1.9.13 8.13 CSV Export

Most list screens have an **Export CSV** button that downloads the current filtered/paginated view as a CSV file. Available on: AR Invoices, AR Customers, AP Vendors, AP Bills, Sales Orders, and the Inventory Valuation report.

1.9.14 8.14 AI Help Assistant

Every page can show a floating  **AI Help** button (bottom-right corner). Clicking it opens a chat panel where any user can ask questions in plain English — “How do I receive a purchase order?”, “What does the **BLOCKED** vendor status do?”, “How do I post a physical count?” — and get an answer drawn from this User Guide, with the relevant section number cited.

What it knows — and what it can't see. The assistant answers from two sources that are sent along with every question: this User Guide, and an auto-generated *schema digest* describing the structure of the database (table and column names with their meanings — never any data). It has **no access to your live business data**: it cannot see customers, prices, balances, vendors, or any transaction. It also cannot perform actions — it only explains how *you* can. If a question isn't covered by the guide, it says so rather than guessing.

1.9.14.1 8.14.1 Setting It Up (Administrator)

The assistant can be powered by any of **seven providers** — Anthropic (Claude), OpenAI (GPT), Google Gemini, Groq, Cerebras, NVIDIA, or OpenRouter — configuration lives on its own page, **Admin → Setup → AI Setup**, not under Company Settings. You can store more than one model config (e.g., one Anthropic key and one Groq key) but only **one is active** at a time; that's the one the  AI Help button uses.

1. Get an API key from the provider of your choice:

Provider	Where to get a key	Key looks like	Notes
Anthropic	console.anthropic.com	sk-ant-...	Paid (billing on file); best answer quality

Provider	Where to get a key	Key looks like	Notes
OpenAI	platform.openai.com	sk-...	Paid (billing on file)
Google Gemini	aistudio.google.com	AIza...	Free tier available
Groq	console.groq.com	gsk_...	Very fast; free tier too small for this assistant — needs Dev Tier (see note below)
Cerebras	cloud.cerebras.ai	csk-...	Very fast; free tier has per-minute token limits (see note below)
NVIDIA	build.nvidia.com	nvapi-...	Free API credits for developers
OpenRouter	openrouter.ai	sk-or-v1-...	One key, many models (incl. Claude/GPT); pay-as-you-go

Free-tier token limits. Every question sends the full reference material (this guide plus the schema digest — roughly **50,000 tokens**) to the provider. Free tiers with small *tokens-per-minute* quotas cannot accept a request that large: Groq’s free tier (6k-12k TPM depending on model) rejects every question with “*AI request failed: Request too large...*” — verified in testing — and requires their paid **Dev Tier**. Gemini’s free tier (250k TPM on Flash models) is large enough. If you see a “Request too large” error, the key and setup are fine; the provider’s tier is the limit.

2. In OpenERP go to **Admin → Setup → AI Setup** and click **+ Add Model**.
3. Pick the **Provider**, give it a **Label** (e.g. “Production Claude”), then pick a **Model** from the dropdown — it lists the current models for whichever provider you chose and always starts on the recommended one, so there’s nothing to type or mistype. Pick **Other (type manually)...** only if you need a specific model not in the list (e.g. a brand-new release). Paste the **API Key** and **Save**.
4. In the grid, click the **Active** column (○) on the row you want live — it turns into a green ☒ and any previously active row is turned off automatically. The ☒ AI Help button appears for all users as soon as a row is active.

Click the ☐ on the active row again to turn AI Help off entirely (no active row = disabled) without deleting the configuration. API keys are stored server-side only and are never sent back to the browser in full — the grid and edit form always show a masked value (•••• plus the last 4 characters); leave that as-is when editing to keep the existing key, or paste a new one to replace it. Select any row to reveal **Edit** (change the label, model, or key) and **Delete** buttons below the grid.

Model choice. The dropdown’s top option per provider is the recommended default (e.g. *Claude Opus 4.8* for Anthropic, *GPT-5.5* for OpenAI, *Gemini 2.5 Flash* for Google), with faster/cheaper tiers below it. Use **Other (type manually)...** for any model the provider serves that isn’t listed — Groq, Cerebras, NVIDIA, and OpenRouter in particular add and retire hosted models frequently, so check the provider’s model list if a preset returns a “model not found” error. Typical cost ranges from free (Gemini’s free tier — the only free tier confirmed to fit the assistant’s large per-question context) to a few cents per question — repeat questions within a few minutes are cheaper on Anthropic because the reference

material is cache-eligible there.

Limits. Each user can ask up to 60 questions per hour. Every question is recorded in the Audit Log (Admin → Audit Log, table `ai_chat`) with the user and a snippet of the question, so usage is visible.

1.9.14.2 8.14.2 Using It

- Click  **AI Help**, type a question, press **Enter** (or click **Send**).
- Follow-up questions keep the conversation context — you can ask “*and how do I void it?*” after asking about invoices.
- The assistant knows which page you’re on and can tailor the answer to it.
-  clears the conversation;  closes the panel (the conversation is kept until you log out or reload).
- If the button doesn’t appear, the assistant hasn’t been enabled — see 8.14.1.

1.9.14.3 8.14.3 Keeping Its Knowledge Current

The assistant’s knowledge lives in two places on the server:

Source	What it covers	How to update
USERGUIDE.md	Everything in this guide	Edit the guide — picked up automatically on the next question
docs/ai-context/*.md	Schema digest + any extra notes you add	See below

The **schema digest** (`docs/ai-context/schema-digest.md`) is generated from the SQL schema files by a script. After adding or changing tables, regenerate it:

```
C:\php\php.exe F:\OpenERP\tools\generate_ai_schema_digest.php
```

It extracts table names, column names/types, and the comments already written in the DDL — structure only, no data — so there is nothing confidential in it. You can also drop additional Markdown files into `docs/ai-context/` (e.g. company-specific workflow notes, naming conventions, “who to call” lists) and the assistant will use them immediately; each file is included on every question.

1.10 9. Integration

This section covers three ways data can move between OpenERP and the outside world without anyone re-typing it: **EDI** (structured business documents exchanged with trading partners), **webhooks** (another system pushing data to OpenERP the instant something happens), and **recurring POs** (OpenERP automatically re-issuing the same purchase order on a schedule). The first two are about connecting OpenERP to *other companies’ computer systems*; the third is about OpenERP automating a routine task for you internally.

1.10.1 9.1 EDI — What It Is and How Inbound Orders Arrive

EDI stands for Electronic Data Interchange. It’s a decades-old but still very widely used standard for two companies’ computer systems to exchange business documents — purchase

orders, shipping notices, invoices — as structured text files, instead of a person emailing a PDF or faxing a paper order that someone else re-types. Large retailers, distributors, and manufacturers commonly *require* their suppliers to support EDI before they'll do business with them at all.

Each type of document has a standard three-digit code (this standard is called **X12**, the American format most common in the US):

Code	Name	Plain-language meaning
850	Purchase Order	"Here's an order — please fulfill it." Sent by the buyer to the seller.
856	Advance Ship Notice (ASN)	"Here's what we just shipped you, and when it'll arrive." Sent by the seller to the buyer after shipping.
810	Invoice	"Here's the bill for what we shipped." Sent by the seller to the buyer after invoicing.

Important limitation to know about today's implementation: when OpenERP receives an inbound 850, it currently creates a **Purchase Order** against **the first active vendor** in your vendor list — it does not yet look at *which* trading partner sent the document to pick the right vendor. This works fine if you only receive EDI from one source, but if you're setting this up for multiple trading partners, verify the vendor on each resulting PO before acting on it until this is refined.

1.10.1.1 How an inbound EDI document actually reaches OpenERP

This is the part that trips people up: **OpenERP does not "listen" on the internet for EDI the way it does for its own web pages.** A real trading partner's EDI system doesn't call OpenERP directly. Real-world EDI almost always travels through one of these:

- **A VAN (Value-Added Network)** — a third-party mailbox/clearinghouse service (e.g. SPS Commerce, TrueCommerce, Edicom) that both companies connect to. Your partner drops the document in your VAN mailbox; you retrieve it from there.
- **AS2** — a secure, direct point-to-point internet connection standard, common with large retailers (Walmart, Home Depot, etc.) who require it.
- **SFTP** — a simple secure file-drop folder, less common for retail but still used.

OpenERP's role is only the **last step**: it exposes one API call, `POST /edi/inbound/850`, that accepts an already-received X12 document as text and turns it into a Purchase Order. Getting the document *from* the trading partner *to* that API call is a separate piece you (or your EDI provider) have to set up — typically a small script or a feature of your VAN/AS2 software that watches for new documents and forwards each one to OpenERP with an HTTP call, or an in-house scheduled script that logs into the VAN's SFTP/mailbox, downloads new files, and posts them.

1.10.1.2 What information is needed to set it up

1. **Register the trading partner** — go to **Admin → EDI Transactions → Manage Partners** and add: a short internal Code, the partner's Name, the ISA Qualifier and ISA Sender ID they use (these identify who sent a document — get these from your partner's EDI setup instructions or your VAN), and Direction (inbound only / outbound only / both).

OpenERP

- Dashboard
- FINANCIALS
- SALES
- PURCHASING
- INVENTORY
- ADMIN
 - Users
 - Groups
 - Setup
 - Tools
 - Audit Log
 - Email Log
 - Scheduled Reports
 - CSV Import
 - E-Commerce Import
 - EDI Transactions**

System Administrator
System Administrator

EDI Transactions

[Manage Partners](#)

Direction: All Transaction Set: All Status: All [Clear](#)

EDI Endpoints

- POST /edi/inbound/850
- GET /edi/outbound/856/{so_id}
- GET /edi/outbound/810/{invoice_id}

CREATED	PARTNER	DIR	SET	CONTROL #	REF TYPE	STATUS	ERROR
No EDI transactions.							

Figure 1.12: EDI Transactions page with direction/set/status filters and the Manage Partners button

2. Get your VAN, AS2 tool, or forwarding script configured to call:

```
POST /edi/inbound/850
```

```
Authorization: Bearer <a valid OpenERP login token – see below>
```

```
Content-Type: application/json
```

```
Body: { "partner_id": "<the edi_partner_id from step 1, optional>", "x12": "<the full raw X12 d
```

Note the field is named **x12**, containing the *entire* raw X12 document as one string (segment terminators and all) — not a parsed/structured version of it.

3. **Authentication:** unlike a public webhook, this endpoint requires a logged-in OpenERP session, because inbound EDI is expected to come from a trusted internal integration (your VAN-forwarding script), not directly from a random external server. Whatever script or tool calls this endpoint needs to first call `POST /auth/login` with a service account's username/password to get a token, then include `Authorization: Bearer <token>` on the `/edi/inbound/850` call.

1.10.1.3 How to test it manually

You can hand-build a tiny X12 850 and post it directly to confirm your setup works before wiring up a real VAN connection. The parser figures out the field/segment separators from the fixed positions in the very first segment (ISA), so a minimal valid document looks like:

```
ISA*00*          *00*          *ZZ*TESTPARTNER  *ZZ*OPENERP          *230101*1200*U*00501*000000001*0*T*>~
TEST-001**20230101~P01*1*3*EA*10.50**BP*ITEM-NUMBER-HERE~SE*4*0001~GE*1*1~IEA*1*000000001~
```

The BEG segment's third field (P0-TEST-001 above) becomes your PO's number; each P01 segment becomes one PO line, matched to your item master by item number (7th field). Results — success or failure — always appear in **Admin → EDI Transactions**, whether triggered by a real partner or a manual test.

1.10.2 9.2 EDI — Outbound: Shipping Notices (856) and Invoices (810)

Outbound works the other direction, and is simpler because *you* control when it happens:

```
GET /edi/outbound/856/{so_id} → generates an X12 856 (ASN) for a shipped Sales Order
GET /edi/outbound/810/{invoice_id} → generates an X12 810 (Invoice) for an AR Invoice
```

Visiting either URL (with a valid login) downloads a ready-to-send X12 text file built from that specific order or invoice's real data.

Routing it to the trading partner is, again, not something OpenERP does for you. Just like inbound, OpenERP's job stops at *generating a correctly-formatted document* — actually transmitting it requires the same kind of VAN, AS2, or SFTP connection used for inbound, just in reverse: you (or your EDI provider's software) take the generated file and drop it into your VAN's outbound mailbox, or push it through your AS2 software, addressed using the ISA/GS identifiers you set up for that partner. In practice this is usually automated too: after a shipment or invoice is created, a script (yours or your EDI provider's) calls the download URL and hands the result to your VAN/AS2 tool.

1.10.3 9.3 Webhooks — Letting Another System Push Data Into OpenERP

A webhook is the opposite of the usual “go check for updates” pattern. Instead of OpenERP repeatedly asking your e-commerce platform “any new orders yet?”, you configure your e-commerce platform to immediately call a specific OpenERP web address the moment

a new order happens — it pushes the order to you in real time, the instant it's placed, instead of you polling for it.

1.10.3.1 How to reach OpenERP with a webhook

Configure your e-commerce platform (Shopify, WooCommerce, or any custom storefront) to send an HTTP POST to:

POST `https://<your-openerp-server>/ecomm/webhook`
Content-Type: `application/json`

No login/authentication token is required on this one endpoint — that's what makes it a true webhook, since your e-commerce platform has no OpenERP account of its own to log in with. Because of that, treat the webhook URL itself as something to keep semi-private, and if your platform supports it, restrict which IP addresses are allowed to reach this endpoint at your firewall/reverse proxy.

1.10.3.2 What payload OpenERP expects

```
{
  "source": "SHOPIFY",
  "external_id": "order_12345",
  "customer": {
    "email": "buyer@example.com",
    "name": "Jane Buyer",
    "address1": "123 Main St",
    "city": "Springfield",
    "state": "IL",
    "zip": "62704"
  },
  "lines": [
    { "item_number": "WIDGET-A", "qty": 2, "price": 9.99 }
  ]
}
```

- `source` — a short label for which platform sent it (used for filtering in the order list, and for duplicate detection — see below).
- `external_id` — that platform's own order number/ID. Required.
- `customer.email` — required; OpenERP looks up an existing customer by this email, or creates a new one automatically if none matches.
- `lines[].item_number` — matched against your item master; if no match is found, the line is still created using whatever description (optional field) you send instead.

1.10.3.3 What happens when it fires

OpenERP finds-or-creates the customer, creates a new Sales Order with the given lines, and records the import under **Admin → E-Commerce Import** with a status of Imported, Pending, or Error (with the reason, if one failed). **It's safe for your e-commerce platform to send the same webhook call twice** (a common real-world occurrence — platforms often retry on any hint of a failed delivery): OpenERP checks `source` + `external_id` together, and if that combination was already successfully imported, it returns a "duplicate" response and does not create a second Sales Order.

1.10.4 9.4 Recurring Purchase Orders

1.10.4.1 Why a business would want this

Think of anything you order from the same vendor, in roughly the same quantity, on a predictable schedule — shop supplies, cleaning contract materials, a raw material a manufacturer buys every week, office consumables reordered monthly. Today, without this feature, someone in Purchasing has to remember to do it, recall (or look up) the vendor, remember every line item and quantity, re-type it all into a new PO, and hope they didn't fat-finger a quantity or forget an item. Miss it entirely one cycle, and a production line or a shop can run out of something basic.

A Recurring PO Template solves this by letting you build the order once and re-issue it either with one click or fully automatically, on whatever schedule you choose — weekly, bi-weekly, monthly, quarterly, or annually. Each time it runs, it advances itself to the next due date, so it's always ready for the following cycle without anyone touching it.

1.10.4.2 How to set it up

Go to **Purchasing → Recurring POs → + New Template** and fill in: - **Template Code** — a short internal name (e.g. SHOP-SUPPLIES-MONTHLY) - **Vendor, Terms, Warehouse** (optional) — same as a normal PO - **Frequency** — how often it should re-fire - **Next Run Date** — the first date it becomes due - **Lines** — the items, quantities, and unit costs that make up the standing order

1.10.4.3 Running it — by hand or automatically

- **By hand:** click **Run Now** on a due template. This immediately creates a real, normal Purchase Order — it shows up in your regular PO list, gets received and billed exactly like any manually-created PO — and advances the template's Next Run Date forward by its frequency.
- **Fully automatically:** run this command (it finds every active template whose Next Run Date has arrived, generates a PO from each, and advances each one):

```
C:\php\php.exe -c C:\php\php_sapads.ini C:\OpenERP\tools\run_po_recurring.php
```

Just like the Scheduled Reports runner in §8.11, this command does nothing on its own until something triggers it on a schedule. Set it up the same way, in **Windows Task Scheduler**:

1. **Create Task...** → name it "OpenERP Recurring POs."
2. **Triggers → New:** Daily (or however often you want it checked — running it more often than any of your templates' frequencies is harmless, since it only acts on templates that are actually due).
3. **Actions → New:** Program C:\php\php.exe, arguments -c C:\php\php_sapads.ini C:\OpenERP\tools\run_po_recurring.php.

From then on, a recurring order for shop supplies (or anything else you template) generates itself right on schedule — nobody has to remember it.

1.11 10. Management Operating Procedures

This section describes the recommended business routines for running the system efficiently. These are operating procedures, not software instructions — they describe *when* and *why* to

perform tasks, not just *how*.

1.11.1 10.0 The Analytics Section (Pillar Dashboards)

The **Analytics** sidebar section holds one executive dashboard per master-record pillar. Each combines KPI tiles, charts, and a detail table. Check them weekly (or before customer/vendor reviews) rather than daily:

- **Inquiry Dashboard** — the business-development pipeline. Tiles: open pipeline count and potential value (line qty × target price for DRAFT/QUOTING inquiries), **win rate** (awarded ÷ (awarded + lost) — cancelled inquiries don't count against you), awarded value, and average days from receipt to award. Charts: inquiries by status, monthly received/awarded/lost. Table: most active customers with per-customer win rate. A falling win rate or an aging pipeline is the early signal to review pricing or supplier response times.
- **Customer Dashboard** — relationship health. Tiles: revenue for the selected invoice-date range, **AR exposure** (open + partial invoice balances), open SO backlog, and customer quote win rate (with an on-credit-hold badge when any customer is held). Chart: top customers by revenue. Table: per-customer revenue, AR balance (amber when nonzero), and open SO value — customer concentration is visible at a glance.
- **Part Dashboard** — the production portfolio. Tiles: active parts, **engineered parts** (carrying a drawing number), preferred-vendor coverage, and **single-source risk** (engineered parts with only one vendor in the catalog — the tile turns amber when nonzero; find a backup supplier). Charts: parts by manufacturing method, top parts by shipped revenue. Table: top parts with drawing numbers.
- **Vendor Scorecard** — supplier performance (§4.1); linked here so all four pillars' dashboards live in one place.

Charts blank after an upgrade? The dashboards use the Chart.js library, which is installed automatically by `setup.ps1` (or `npm install` in the frontend folder). If the KPI tiles show numbers but the chart areas are empty — with an import error in the browser console — the frontend dependencies were not refreshed after the upgrade: re-run `setup.ps1` (or `npm install`) and restart the frontend. See `INSTALL.md` Step 9.

1.11.2 10.1 Daily Routines

1.11.2.1 Finance / Controller

- **Check the Dashboard.** Review cash, open AR, open AP, and overdue AR tiles. Any sharp movements overnight indicate transactions that need review.
- **Process AR receipts.** Enter payments received by mail or wire from the prior day into **AR → Payments** and apply them to open invoices.
- **Process AP bills.** Enter vendor invoices received by mail or email into **AP → Bills**. Code each bill to the correct period and GL account.
- **Review the Audit Log** (if anomalies are suspected). Filter by yesterday's date to see all transactions.

1.11.2.2 Warehouse / Receiving

- **Receive open POs.** For each delivery that arrives, locate the PO in **Purchasing → Orders** and click **Receive**. Enter the actual quantities received. Print the receipt for the packing file.
- **Check reorder suggestions.** After receiving, review **Inventory → Reorder Suggestions** to see if any items have dropped below reorder point. Notify purchasing.

1.11.2.3 Sales / Customer Service

- **Check the back-order report.** Review **Sales → Back-Orders** for any lines with a past ship date. Contact customers about delays and update promise dates.
- **Process new orders.** Enter customer orders promptly — the ATP check gives the customer real-time availability.

1.11.3 10.2 Weekly Routines

1.11.3.1 AR Collections (every Monday, or first business day of the week)

1. Run **AR → Aging**. Sort by the 61-90 and 91+ columns descending.
2. For every customer with a balance in the 61-90 column: send a statement (AR → Statements → Email) or make a phone call. Log the contact in Collections.
3. For every customer with a balance in the 91+ column: escalate — contact the customer directly, involve the sales rep, and consider placing the account on credit hold (AR → Customers → Hold).
4. For customers on hold, the system blocks new orders automatically. Release the hold (AR → Customers → Release) only when payment is received or a payment plan is agreed.
5. Discuss write-off candidates with management. Write-offs over a threshold (e.g., \$1,000) should require controller approval.

1.11.3.2 AP Check Run (typically Wednesday or Thursday)

1. Run **AP → Aging**. Identify all bills due within the next 7 days.
2. Add bills that offer an early-pay discount (e.g., 2/10-NET30) if the discount is worth more than your cost of funds.
3. Create payments in **AP → Payments** for each vendor.
4. Print checks or initiate ACH/wire transfers through your bank.
5. After the bank processes the payments, match them in **Bank Reconciliation** when the statement updates.

1.11.3.3 Purchasing Review

1. Review open POs past their expected delivery date (**Purchasing → Orders**, filter OPEN/PARTIAL, sort by need-by date).
2. Contact vendors on overdue deliveries and update the expected date.
3. Review **Inventory → Reorder Suggestions** for any new shortfalls.
4. Process any RFQs that have received all vendor responses — compare and convert the winner to a PO.

1.11.3.4 Sales Commission Review

1. Run **Sales → Commissions** for the current month-to-date.
2. Share with sales management to track rep performance against quota.
3. Commissions accrue on invoiced SOs only (not on orders or shipments) — remind reps to push customers to accept invoices promptly.

1.11.4 10.3 Monthly Period-End Checklist

Perform these steps in order, on or before the last business day of each month. Do not close the period until all steps are complete.

Step 1 — Complete all transactions for the period. - Ensure all AR invoices for the month are entered and emailed. - Ensure all AP bills received during the month are entered. - Ensure

all PO receipts for the month have been received in the system. - Ensure all cash receipts received during the month are applied. - Ensure all AP payments issued during the month are recorded.

Step 2 — Inventory. - Post any pending cycle count approvals. - Post any pending physical count sessions. - Run landed cost allocation for any containers that arrived during the month (**Purchasing → Landed Costs**). - Review **Inventory → Valuation (FIFO)** — does the total inventory value look reasonable?

Step 3 — GL Adjustments. - Run all recurring journal entries for the month (**GL → Recurring JEs**). - Run depreciation for all fixed assets (**GL → Fixed Assets → Depreciate** for each asset). - Post any accruals required by your accountant (accrued wages, accrued expenses, deferred revenue). - If you have foreign currency balances, run **GL → FX Revaluation**.

Step 4 — Reconcile. - Reconcile the bank account in **Financials → Bank Reconciliation** for the month just ended. - Confirm the GL Cash balance matches: Bank Statement Balance + Outstanding Deposits – Outstanding Checks. - Reconcile the AR subledger to the GL: the sum of open AR invoice balances should equal the GL AR account balance. - Reconcile the AP subledger to the GL: the sum of open AP bill balances should equal the GL AP account balance.

Step 5 — Review financial statements. - Run the **Trial Balance** for the period. Confirm it balances. Investigate any unusual account balances. - Run the **Income Statement**. Compare to prior month and prior year same month. Explain significant variances. - Run the **Balance Sheet**. Confirm AR, AP, and Inventory totals match the reconciliations in Step 4.

Step 6 — Close the period. - Once satisfied that the period is correct, go to **GL → Periods** and click **Close** for the month. - A closed period cannot receive new transactions. If a correction is needed after closing, it must be posted in the next open period with a reversing entry pair.

Step 7 — Distribute reports. - Send the Income Statement and Balance Sheet to management. - Send the AR Aging to the collections team. - Send the AP Aging to the controller / CFO. - Send the Sales Commission report to the sales manager. - Send the Inventory Valuation summary to the operations manager.

1.11.5 10.4 Quarterly Procedures

Sales Tax Filing: - Run **Admin → Sales Tax** reports for the quarter. - Calculate tax collected by jurisdiction and remit to the applicable state/local tax authorities. - File sales tax returns as required by each jurisdiction.

Inventory ABC Review: - Run **Inventory → ABC Classify** to re-rank items by actual COGS for the quarter. - Adjust cycle count frequencies based on the new ABC classification. - Review reorder points for A items — these should be rechecked against current demand patterns.

Vendor Performance Review: - Pull **Purchasing → 3-Way Match** with the Exception filter to find vendors with chronic over-billing or over-receiving issues. - Review **Purchasing → Inbound Shipments** for vendors with chronic late deliveries. - Use this data in vendor negotiations.

Budget vs Actual: - Run **GL → Budgets → Budget vs Actual** for the quarter. - Identify accounts that are significantly over or under budget. - Adjust forecasts for the remainder of the year and communicate to department heads.

1.11.6 10.5 Annual Procedures

1.11.6.1 Year-End Financial Close

1. **Complete all December transactions** using the Monthly Period-End Checklist (§10.3).
2. **Physical inventory count** — schedule and complete a full physical count in the last week of December. Post all variances.
3. **Depreciation** — run December depreciation for all fixed assets.
4. **Accruals** — consult your accountant for year-end accruals:
 - Accrued bonus/vacation
 - Prepaid expenses to amortize
 - Deferred revenue
5. **Close all 12 periods** in the fiscal year.
6. **Run Year-End Close** — go to **GL → Year-End Close**, review the summary, and click Run Close. This zeros income statement accounts and credits net income to Retained Earnings.
7. **Create the new fiscal year** and all 12 periods.
8. **Verify opening balances** — run the Balance Sheet for the new year's first period. All balance sheet accounts should show the same closing balance as December 31.

1.11.6.2 1099 Preparation (US)

1. In January, run **AP → 1099 Report** for the prior calendar year with a minimum of \$600.
2. For each vendor with a □ badge (missing Tax ID), contact the vendor and obtain a completed W-9.
3. Enter the Tax ID on the vendor record in **AP → Vendors**.
4. Print or e-file 1099-NEC forms. Due to recipients: **January 31**. Due to IRS: **January 31** (electronic) or **February 28** (paper).

1.11.6.3 Price List and Contract Review

1. Run a margin analysis by item category — pull Sales data vs. FIFO cost from the Inventory Valuation report.
2. Identify items where your cost has risen but list prices have not been updated.
3. Update price lists and quantity breaks in **Sales → Price Lists**.
4. Review and renew (or renegotiate) customer contracts in **Sales → Contracts**.

1.11.6.4 Sales Rep Commission Reconciliation

- Pull the full-year **Sales → Commissions** report.
- Reconcile to any commission statements you have paid manually during the year.
- This is the basis for annual commission W-2 or 1099 reporting.

1.11.7 10.6 Exception Handling

1.11.7.1 Customer Disputes a Bill

1. Review the original SO, ship confirmation, and AR invoice — confirm quantities and pricing.
2. If the customer is correct: issue a **Credit Memo** (AR → Credit Memos) for the disputed amount and apply it to the invoice.
3. If the customer is wrong: send a copy of the original documentation and the invoice PDF. Log the dispute in the Collections notes.
4. Never adjust an invoice after it has been sent — create a credit memo instead. Changing a posted invoice creates audit issues.

1.11.7.2 Vendor Overcharges on a Bill

1. Do not pay the overcharged amount.
2. Contact the vendor and request a corrected invoice or a credit memo.
3. If the vendor issues a credit memo, enter it as an **AP Debit Memo (AP → Debit Memos)** and apply it against the bill.
4. If the vendor refuses and the amount is material, void the original bill, enter the correct amount as a new bill, and document the situation in the notes.

1.11.7.3 Inventory Discrepancy

1. Identify the item, warehouse, and bin.
2. Count the actual quantity on hand.
3. Review recent inventory transactions in the Audit Log — look for unauthorized adjustments or receiving errors.
4. If the count is correct and the system is wrong: post an adjustment in **Inventory → Items → Adjust** with a note explaining the investigation.
5. If the discrepancy is large or unexplained: investigate before adjusting — unexplained shrinkage may indicate theft.

1.11.7.4 Bank NSF (Returned Check)

1. The bank will debit your account for the returned check amount.
2. In the system, void the original AR payment (**AR → Payments → Void**). This reverses the application and restores the invoice balance.
3. Post a manual journal: DR Bank Charges / CR Cash for the NSF fee the bank charges you.
4. Contact the customer immediately. Place their account on credit hold pending resolution.
5. Re-invoice the customer for the NSF fee if your policy allows.

1.12 11. Reference

1.12.1 11.1 Document Status Codes

Sales Orders and Quotes: DRAFT → SENT → ACCEPTED / EXPIRED / CANCELLED (quotes) OPEN → PARTIAL → SHIPPED → INVOICED / CANCELLED (orders)

Purchase Orders and Blanket POs: OPEN → PARTIAL → RECEIVED → BILLED / CANCELLED

Purchase Requisitions: DRAFT → PENDING → APPROVED / REJECTED → CONVERTED / CANCELLED

RFQs: DRAFT → SENT → CLOSED / CONVERTED

RMAs and Vendor RMAs: PENDING → APPROVED → RECEIVED → CREDITED / CLOSED / CANCELLED

AP Bills / AR Invoices: OPEN → PARTIAL → PAID / VOID

GL Batches: OPEN → POSTED

Inbound Shipments (containers): PENDING → IN_TRANSIT → ARRIVED → CLEARED / HELD

1.12.2 11.2 PDF Generation

Every major document has a **PDF** button or link:

Document	Endpoint
AR Invoice	GET /ar/invoices/{id}/pdf
Customer Statement	GET /ar/customers/{id}/statement/pdf
Sales Order / Packing List	GET /so/{id}/pdf
Purchase Order	GET /po/{id}/pdf
Certificate of Conformance	GET /certs/{id}/pdf

PDFs embed the company logo, configurable header subtitle, footer note, and per-document terms. Customize these under **Admin → Company Settings → Document Templates**.

1.12.3 11.3 GL Auto-Posting Summary

The following events automatically post a GL batch:

Event	Debit	Credit
AR Invoice created	AR	Revenue (+ Tax Payable if tax > 0)
AR Payment applied	Cash	AR
AP Bill created	Expense	AP
AP Payment applied	AP	Cash
SO Shipment	COGS	Inventory
Inventory Adjustment (positive)	Inventory	Inv-Adj
Inventory Adjustment (negative)	Inv-Adj	Inventory
AR Credit Memo created	Revenue	AR
AP Debit Memo created	AP	Expense
AR Invoice void	Revenue	AR (reversal)
AR Payment void	AR	Cash (reversal)
AP Bill void	AP	Expense (reversal)
AP Payment void	Cash	AP (reversal)
Deposit applied to invoice	Deposits liability	AR
Year-end close	Revenue / Expense	Retained Earnings
Monthly depreciation	Depreciation Expense	Accum. Depreciation
FX gain on AP payment	AP	FX Gain
FX loss on AP payment	FX Loss	AP

Account resolution order: company_config key → first active non-header account with matching subtype → error logged, transaction still committed.

1.12.4 11.4 API Base URL

The REST API is at `http://<server>:8081`. All endpoints require Authorization: Bearer <token> except POST /auth/login.

Common patterns: - GET /ar/customers?page=1&per_page=50&search=acme — paginated list with search - POST /ar/customers — create - PUT /ar/customers/{id} — update - GET /ar/customers/{id} — single record

Paginated responses include total, page, per_page, and data fields.

1.12.5 11.5 Diagnostic Tools

Located in the tools/ directory (run with `C:\php\php.exe -c C:\php\php_sapads.ini tools\<script>.php`):

Script	Purpose
install.php	Interactive first-run installer / configuration wizard
create_dd.php	Create or refresh the SAP ACE data dictionary
seed.php	Seed payment terms, tax codes, and chart of accounts
seed_auth.php	Seed permissions, groups, and admin user
seed_demo.php	Load a full demo dataset (Meridian Industrial Supply)
setup_users.php	Create the openerp_app ADS user and lock down the DD
smoke_test.php	End-to-end HTTP smoke test (42 checks)
rbac_test.php	RBAC validation (32 checks)
run_scheduled_reports.php	Execute due scheduled reports and email results

1.12.6 11.6 Primary Key Format

All record IDs are 13-character strings in the format MMYynnnnnnnn: - MM — 2-character table mnemonic (e.g. AR for invoices, SO for sales orders) - YY — 2-digit year - nnnnnnnn — 8-digit zero-padded sequence number

Example: AR26-00000042 is the 42nd AR invoice record created in 2026. IDs are generated by the NewSeqKey() database function.

1.12.7 11.7 Session and Security Notes

- Tokens expire after **8 hours**. The frontend redirects to login automatically.
- **Logout** (POST /auth/logout) immediately invalidates all sessions for that user — other browser tabs will be signed out on their next API call.
- **Password change** and **admin force-logout** also invalidate sessions.
- All traffic should run over HTTPS in production. Configure a reverse proxy (nginx, IIS ARR) to terminate TLS in front of port 8081.
- The data dictionary is locked (ADS_DD_LOG_IN_REQUIRED) so anonymous connections are rejected at the database level. The backend connects as the openerp_app ADS user.

1.12.8 11.8 Internal Controls Checklist

These are basic controls a controller or auditor would expect to find. Review periodically:

Control	How to verify in OpenERP
No single employee can create and apply an AR payment	AR staff should have AR access; only the controller approves write-offs
All AP bills have a matching PO and receipt	Run 3-Way Match report monthly; investigate exceptions
Inventory adjustments are documented	Audit Log → filter by table inventory_transactions and action ADJUST
Terminated employees are immediately blocked	Admin → Users → Deactivate on last day of employment

Control	How to verify in OpenERP
Bank accounts are reconciled monthly	Financials → Bank Reconciliation; confirm cleared dates match statement
Period is closed after month-end review	GL → Periods; all prior periods should show CLOSED status
Physical count performed at least annually	Physical Count sessions; post within 5 business days of count
Financial statements reviewed by management monthly	GL → Reports; Trail Balance, Income Statement, Balance Sheet