

Kraken - BM Adapter

Execution Environment

Host name	alterra - adsl-172-10-101-139.dsl.hstntx.sbcglobal.net
OS	Mac OS X 64bit
Katalon version	7.2.1.1
Browser	

Summary

ID	Test Suites/Kraken - BM Adapter		
Description			
Total	7		
Passed	0	Failed	7
Error	0	Incomplete	0
Start	2020-02-25 19:49:13	End	2020-02-25 19:49:19
Elapsed	5.632s		

#	ID	Description	Status
1	Test Cases/Kraken - BM Adapter/Biller Label Failed		FAILED
2	Test Cases/Kraken - BM Adapter/Biller Label Success		FAILED
3	Test Cases/Kraken - BM Adapter/Command Type Failed		FAILED
4	Test Cases/Kraken - BM Adapter/Command Type Success		FAILED
5	Test Cases/Kraken - BM Adapter/Product Mapping Failed		FAILED
6	Test Cases/Kraken - BM Adapter/Product Mapping Success		FAILED
7	Test Cases/Kraken - BM Adapter/Request - Response Mapping Success		FAILED

Biller Label Failed

Information

ID	Test Cases/Kraken - BM Adapter/Biller Label Failed		
Description			
Tag			
Start	2020-02-25 19:49:14	End	2020-02-25 19:49:16
Elapsed	1.787s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Biller Label Failed

#	Description	Elapsed	Status
1	<p>runFeatureFile("Include/features/Kraken - BM Adapter/Biller Label Failed.feature")</p> <p>Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Biller Label Failed.feature at cucumber.runtime.io.FileResourceIterator\$FileIterator.<init> (FileResourceIterator.java:63) at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator.java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14) at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java:19) at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:305) at cucumber.runtime.Runtime.run(Runtime.java:97) at cucumber.api.cli.Main.run(Main.java:35) at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at Biller Label Failed.run(Biller Label Failed:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)</p>	0.925s	FAILED

Biller Label Failed

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1582634942161.run(TempTestSuite1582634942161. groovy:36))		

Biller Label Success

Information

ID	Test Cases/Kraken - BM Adapter/Biller Label Success		
Description			
Tag			
Start	2020-02-25 19:49:16	End	2020-02-25 19:49:16
Elapsed	0.626s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Biller Label Success

#	Description	Elapsed	Status
1	<p>runFeatureFile("Include/features/Kraken - BM Adapter/Biller Label Success.feature")</p> <p>Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Biller Label Success.feature at cucumber.runtime.io.FileResourceIterator\$FileIterator.<init> (FileResourceIterator.java:63) at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator.java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14) at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java:19) at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:305) at cucumber.runtime.Runtime.run(Runtime.java:97) at cucumber.api.cli.Main.run(Main.java:35) at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at Biller Label Success.run(Biller Label Success:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)</p>	0.206s	FAILED

Biller Label Success

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1582634942161.run(TempTestSuite1582634942161. groovy:36))		

Command Type Failed

Information

ID	Test Cases/Kraken - BM Adapter/Command Type Failed		
Description			
Tag			
Start	2020-02-25 19:49:16	End	2020-02-25 19:49:17
Elapsed	0.735s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Command Type Failed

#	Description	Elapsed	Status
1	<p>runFeatureFile("Include/features/Kraken - BM Adapter/Command Type Failed. feature")</p> <p>Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Command Type Failed. feature</p> <p>at cucumber.runtime.io.FileResourceIterator\$FileIterator.<init> (FileResourceIterator.java:63) at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator. java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14) at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable. java:19) at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 48) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions. java:305) at cucumber.runtime.Runtime.run(Runtime.java:97) at cucumber.api.cli.Main.run(Main.java:35) at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile.call(Unknown Source) at Command Type Failed.run(Command Type Failed:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:142)</p>	0.157s	FAILED

Command Type Failed

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1582634942161.run(TempTestSuite1582634942161. groovy:36))		

Command Type Success

Information

ID	Test Cases/Kraken - BM Adapter/Command Type Success		
Description			
Tag			
Start	2020-02-25 19:49:17	End	2020-02-25 19:49:17
Elapsed	0.475s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Command Type Success

#	Description	Elapsed	Status
1	<p>runFeatureFile("Include/features/Kraken - BM Adapter/Command Type Success. feature")</p> <p>Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Command Type Success. feature</p> <p>at cucumber.runtime.io.FileResourceIterator\$FileIterator.<init> (FileResourceIterator.java:63) at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator. java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14) at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable. java:19) at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 48) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions. java:305) at cucumber.runtime.Runtime.run(Runtime.java:97) at cucumber.api.cli.Main.run(Main.java:35) at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile.call(Unknown Source) at Command Type Success.run(Command Type Success:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:142)</p>	0.140s	FAILED

Command Type Success

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1582634942161.run(TempTestSuite1582634942161. groovy:36))		

Product Mapping Failed

Information

ID	Test Cases/Kraken - BM Adapter/Product Mapping Failed		
Description			
Tag			
Start	2020-02-25 19:49:17	End	2020-02-25 19:49:18
Elapsed	0.322s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Product Mapping Failed

#	Description	Elapsed	Status
1	<p>runFeatureFile("Include/features/Kraken - BM Adapter/Product Mapping Failed. feature")</p> <p>Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Product Mapping Failed. feature at cucumber.runtime.io.FileResourceIterator\$FileIterator.<init> (FileResourceIterator.java:63) at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator. java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14) at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable. java:19) at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 48) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions. java:305) at cucumber.runtime.Runtime.run(Runtime.java:97) at cucumber.api.cli.Main.run(Main.java:35) at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile.call(Unknown Source) at Product Mapping Failed.run(Product Mapping Failed:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:142)</p>	0.094s	FAILED

Product Mapping Failed

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1582634942161.run(TempTestSuite1582634942161. groovy:36))		

Product Mapping Success

Information

ID	Test Cases/Kraken - BM Adapter/Product Mapping Success		
Description			
Tag			
Start	2020-02-25 19:49:18	End	2020-02-25 19:49:18
Elapsed	0.430s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Product Mapping Success

#	Description	Elapsed	Status
1	<p>runFeatureFile("Include/features/Kraken - BM Adapter/Product Mapping Success.feature")</p> <p>Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Product Mapping Success.feature</p> <p>at cucumber.runtime.io.FileResourceIterator\$FileIterator.<init> (FileResourceIterator.java:63)</p> <p>at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator.java:28)</p> <p>at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14)</p> <p>at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java:19)</p> <p>at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111)</p> <p>at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48)</p> <p>at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30)</p> <p>at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:305)</p> <p>at cucumber.runtime.Runtime.run(Runtime.java:97)</p> <p>at cucumber.api.cli.Main.run(Main.java:35)</p> <p>at cucumber.api.cli.Main\$run.call(Unknown Source)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)</p> <p>at Product Mapping Success.run(Product Mapping Success:16)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestMainPhase(TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142)</p>	0.235s	FAILED

Product Mapping Success

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1582634942161.run(TempTestSuite1582634942161. groovy:36))		

Request - Response Mapping Success

Information

ID	Test Cases/Kraken - BM Adapter/Request - Response Mapping Success		
Description			
Tag			
Start	2020-02-25 19:49:18	End	2020-02-25 19:49:19
Elapsed	0.666s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Request - Response Mapping Success

#	Description	Elapsed	Status
1	<p>runFeatureFile("Include/features/Kraken - BM Adapter/Request - Response Mapping Success.feature")</p> <p>Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Request - Response Mapping Success.feature at cucumber.runtime.io.FileResourceIterator\$FileIterator.<init> (FileResourceIterator.java:63) at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator.java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14) at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java:19) at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:305) at cucumber.runtime.Runtime.run(Runtime.java:97) at cucumber.api.cli.Main.run(Main.java:35) at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at Request - Response Mapping Success.run(Request - Response Mapping Success:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.</p>	0.104s	FAILED

Request - Response Mapping Success

#	Description	Elapsed	Status
	<pre>accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1582634942161.run(TempTestSuite1582634942161. groovy:36))</pre>		