Kraken - BM Adapter

Execution Environment

Host name	alterra - adsl-172-10-101-139.dsl.hstntx.sbcglobal.net
OS	Mac OS X 64bit
Katalon version	7.2.1.1
Browser	

Summary

ID	Test Suites/Kraken - BM Adapter		
Description			
Total	7		
Passed	0	Failed	7
Error	0	Incomplete	0
Start	2020-02-25 19:55:23	End	2020-02-25 19:55:27
Elapsed	3.801s		

#	ID	Description	Status
1	Test Cases/Kraken - BM Adapter/Biller Label Failed		FAILED
2	Test Cases/Kraken - BM Adapter/Biller Label Success		FAILED
3	Test Cases/Kraken - BM Adapter/Command Type Failed		FAILED
4	Test Cases/Kraken - BM Adapter/Command Type Success		FAILED
5	Test Cases/Kraken - BM Adapter/Product Mapping Failed		FAILED
6	Test Cases/Kraken - BM Adapter/Product Mapping Success		FAILED
7	Test Cases/Kraken - BM Adapter/Request - Response Mapping Success		FAILED

Biller Label Failed

Information

ID	Test Cases/Kraken - BM Adapter/Biller Label Failed
Description	
Tag	

Start	2020-02-25 19:55:24	End	2020-02-25 19:55:25
Elapsed	1.030s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Biller Label Failed

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Kraken - BM Adapter/Biller Label Failed.feature")	0.650s	FAILED

Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Biller Label Failed.feature
        at cucumber.runtime.io.FileResourceIterator$FileIterator.<init>(FileResourceIterator.java:63)
        at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator.java:28)
        at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator(FileResourceIterator.java:14)
        at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java:19)
        at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath(CucumberFeature.java:111)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30)
        at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:305)
        at cucumber.runtime.Runtime.run(Runtime.java:97)
        at cucumber.api.cli.Main.run(Main.java:35)
        at cucumber.api.cli.Main$run.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy:76)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Biller Label Failed.run(Biller Label Failed:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)

Biller Label Failed

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source) at TempTestSuite1582635313814.run(TempTestSuite1582635313814.groovy:36))		

Biller Label Success

Information

ID   Test Cases/Kraken - BM Adapter/Biller Label Success

Description

Tag

Start   2020-02-25 19:55:25   End   2020-02-25 19:55:25

Elapsed   0.388s

Status   FAILED

Details

#	Description	Elapsed	Status

Biller Label Success

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Kraken - BM Adapter/Biller Label Success.feature")	0.157s	FAILED

Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException:
Not a file or directory: /Users/alterra/Documents/Katalon
Project/Trunko/Include/features/Kraken - BM Adapter/Biller Label Success.feature
        at cucumber.runtime.io.FileResourceIterator$FileIterator.<init>
(FileResourceIterator.java:63)
        at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator.
java:28)
        at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator
(FileResourceIterator.java:14)
        at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.
java:19)
        at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath
(CucumberFeature.java:111)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:
48)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:
30)
        at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.
java:305)
        at cucumber.runtime.Runtime.run(Runtime.java:97)
        at cucumber.api.cli.Main.run(Main.java:35)
        at cucumber.api.cli.Main$run.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall
(CucumberBuiltinKeywords.groovy:76)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall
(CucumberBuiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call
(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:46)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:169)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Biller Label Success.run(Biller Label Success:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestCaseMainPhase(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:91)

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)		
	at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)		
	at TempTestSuite1582635313814.run(TempTestSuite1582635313814.groovy:36)		
	)		

Command Type Failed

Information

ID	Test Cases/Kraken - BM Adapter/Command Type Failed
Description	
Tag	

Start	2020-02-25 19:55:25	End	2020-02-25 19:55:25
Elapsed	0.427s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Command Type Failed

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Kraken - BM Adapter/Command Type Failed. feature")	0.089s	FAILED

Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Command Type Failed. feature
       at cucumber.runtime.io.FileResourceIterator$FileIterator.<init> (FileResourceIterator.java:63)
       at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator. java:28)
       at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14)
       at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable. java:19)
       at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111)
       at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 48)
       at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 30)
       at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions. java:305)
       at cucumber.runtime.Runtime.run(Runtime.java:97)
       at cucumber.api.cli.Main.run(Main.java:35)
       at cucumber.api.cli.Main$run.call(Unknown Source)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy)
       at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
       at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call (Unknown Source)
       at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:46)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
       at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:169)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
       at Command Type Failed.run(Command Type Failed:16)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
       at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)
       at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:169)
       at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:142)

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)		
	at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)		
	at TempTestSuite1582635313814.run(TempTestSuite1582635313814.groovy:36)		
	)		

Command Type Success

Information

ID	Test Cases/Kraken - BM Adapter/Command Type Success
Description	
Tag	

Start	2020-02-25 19:55:25	End	2020-02-25 19:55:26
Elapsed	0.373s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Command Type Success

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Kraken - BM Adapter/Command Type Success. feature")	0.162s	FAILED

Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Command Type Success. feature
        at cucumber.runtime.io.FileResourceIterator$FileIterator.<init> (FileResourceIterator.java:63)
        at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator. java:28)
        at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14)
        at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable. java:19)
        at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 48)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 30)
        at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions. java:305)
        at cucumber.runtime.Runtime.run(Runtime.java:97)
        at cucumber.api.cli.Main.run(Main.java:35)
        at cucumber.api.cli.Main$run.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call (Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:46)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:169)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Command Type Success.run(Command Type Success:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:142)

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)		
	at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)		
	at TempTestSuite1582635313814.run(TempTestSuite1582635313814.groovy:36))		

Product Mapping Failed

Information

ID   Test Cases/Kraken - BM Adapter/Product Mapping Failed

Description

Tag

Start   2020-02-25 19:55:26   End   2020-02-25 19:55:26

Elapsed   0.347s

Status   FAILED

Details

#	Description	Elapsed	Status

Product Mapping Failed

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Kraken - BM Adapter/Product Mapping Failed. feature")	0.147s	FAILED

Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Product Mapping Failed. feature
        at cucumber.runtime.io.FileResourceIterator$FileIterator.<init> (FileResourceIterator.java:63)
        at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator. java:28)
        at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14)
        at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable. java:19)
        at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 48)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 30)
        at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions. java:305)
        at cucumber.runtime.Runtime.run(Runtime.java:97)
        at cucumber.api.cli.Main.run(Main.java:35)
        at cucumber.api.cli.Main$run.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call (Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:46)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:169)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Product Mapping Failed.run(Product Mapping Failed:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:142)

Product Mapping Failed

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source) at TempTestSuite1582635313814.run(TempTestSuite1582635313814.groovy:36))		

Product Mapping Success

Information

ID	Test Cases/Kraken - BM Adapter/Product Mapping Success
Description	
Tag	

Start	2020-02-25 19:55:26	End	2020-02-25 19:55:27
Elapsed	0.376s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Product Mapping Success

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Kraken - BM Adapter/Product Mapping Success. feature")	0.098s	FAILED

Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Product Mapping Success. feature
        at cucumber.runtime.io.FileResourceIterator$FileIterator.<init> (FileResourceIterator.java:63)
        at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator. java:28)
        at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator (FileResourceIterator.java:14)
        at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable. java:19)
        at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath (CucumberFeature.java:111)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 48)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java: 30)
        at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions. java:305)
        at cucumber.runtime.Runtime.run(Runtime.java:97)
        at cucumber.api.cli.Main.run(Main.java:35)
        at cucumber.api.cli.Main$run.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy:76)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall (CucumberBuiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call (Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:46)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:169)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Product Mapping Success.run(Product Mapping Success:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:142)

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)		
	at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)		
	at TempTestSuite1582635313814.run(TempTestSuite1582635313814.groovy:36))		

Request - Response Mapping Success

Information

ID	Test Cases/Kraken - BM Adapter/Request - Response Mapping Success
Description	
Tag	

Start	2020-02-25 19:55:27	End	2020-02-25 19:55:27
Elapsed	0.361s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Request - Response Mapping Success

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Kraken - BM Adapter/Request - Response Mapping Success.feature")	0.123s	FAILED

Keyword runFeatureFile was failed (Root cause: java.lang.IllegalArgumentException: Not a file or directory: /Users/alterra/Documents/Katalon Project/Trunko/Include/features/Kraken - BM Adapter/Request - Response Mapping Success.feature
        at cucumber.runtime.io.FileResourceIterator$FileIterator.<init>(FileResourceIterator.java:63)
        at cucumber.runtime.io.FileResourceIterator.<init>(FileResourceIterator.java:28)
        at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator(FileResourceIterator.java:14)
        at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java:19)
        at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath(CucumberFeature.java:111)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48)
        at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30)
        at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:305)
        at cucumber.runtime.Runtime.run(Runtime.java:97)
        at cucumber.api.cli.Main.run(Main.java:35)
        at cucumber.api.cli.Main$run.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy:76)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:169)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Request - Response Mapping Success.run(Request - Response Mapping Success:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.

#	Description	Elapsed	Status
	accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source) at TempTestSuite1582635313814.run(TempTestSuite1582635313814. groovy:36))		