OOP-D: Out-of-Process Display Compositor

Chrome GPU Brownbag 2018/03/14 kylechar@chromium.org

What is OOP-D?

Moving the display compositor from the browser UI thread to a dedicated compositor thread in the GPU process.


Why OOP-D?

- Enable Vulkan support
 - Vulkan compositing without writing a Vulkan command buffer.
- Enable salamander architecture
 - No renderer impl thread(s), do impl thread work in GPU process.
- Less display compositor GL overhead
 - No IPC and maybe no command buffer.
- More responsive UI
 - Display compositor not impacted by UI thread queuing delay.
 - UI thread runs fewer tasks which lowers queuing delay.
- Fewer browser process crashes


What changes with OOP-D?

- 1. Where the display compositor runs.
- 2. **How** the browser process controls the display compositor.
- 3. How and where the UI compositor submits CompositorFrames.
- 4. Where the renderer compositor submits CompositorFrames.
- 5. **How** renderer metadata reaches the browser.

Compositing Message Flow (Current)




Compositing Message Flow (OOP-D)




GPU Process Changes

- 1. Added VizCompositorThread for display compositor
 - FrameSinkManagerImpl (1) + viz::Display (n) + CompositorFrameSinkSupport (m)
- 2. Display compositor uses InProcessCommandBuffer
 - Sends GL commands from compositor to gpu main thread.
 - Existing code used for Android WebView and tests.
- 3. Software compositing runs on VizCompositorThread
 - SoftwareOutputSurface instead of GLOutputSurface

GL Command Flow (Current)




GL Command Flow (OOP-D)




Browser Process Changes

- 1. No more display compositor.
- 2. HostFrameSinkManager uses IPC.
 - Sends IPCs to FrameSinkManagerImpl in GPU process.
- 3. VizProcessTransportFactory controls display compositor.
 - Replaced by GpuProcessTransportFactory.
- 4. CompositorFrame submission over IPC.


Display Compositor Control (Current)




Display Compositor Control (OOP-D)




Browser Frame Submission (Current)



Browser Frame Submission (Current)




Browser-GPU IPC (OOP-D)




Renderer Process Changes

- Submits CompositorFrames to GPU.
 - Renderer is unaware anything changed.
- 2. Browser can't inspect renderer CompositorFrames. Need to send renderer metadata to browser process directly.


Renderer Frame Submission (Current)



Renderer CompositorFrame Submission (OOP-D)



Renderer CompositorFrame Submission (OOP-D)



OOP-D Status

- Works (mostly) on Windows, Linux and Mac
- Rough edges:
 - Software compositing for video, pepper, etc.
 - DevTools renderer data and screen capture
 - OOPIF hit testing
 - InProcessCommandBuffer
 - Testing
- Guarded by VizDisplayCompositor feature
 - Command line --enable-features=VizDisplayCompositor
 - chrome://flags/#enable-viz-display-compositor

OOP-D Tracking

- Hoping to start finch trial in M67
 - Windows and Linux on canary/dev channels
- OOP-D Finch Trial
 - https://crbuq.com/787097
- OOP Launch on Desktop
 - o https://crbuq.com/730193

Questions?