```
1 /usr/local/bin/python3.8 /Applications/PyCharm CE.
   app/Contents/plugins/python-ce/helpers/pydev/
   pydevconsole.py --mode=client --host=127.0.0.1 --
   port=50941
 2
 3 import sys; print('Python %s on %s' % (sys.version
   , sys.platform))
 4 sys.path.extend(['/Users/reischeljon/Desktop/
   PythonJedi', '/Users/reischeljon/Desktop/PythonJedi
   /Ch1', '/Users/reischeljon/Desktop/PythonJedi/
   Ch1assignment', '/Users/reischeljon/Desktop/
   PythonJedi/Ch02', '/Users/reischeljon/Desktop/
   PythonJedi', '/Users/reischeljon/Desktop/PythonJedi
   '1)
 5
 6 PyDev console: starting.
 8 Python 3.8.5 (v3.8.5:580fbb018f, Jul 20 2020, 12:11
   :27)
 9 [Clang 6.0 (clang-600.0.57)] on darwin
10 >>> # Jonathan's Ch2 log
11 >>> 5+4
12 9
13 >>> 5-4
14 1
15 >>> 5/4
16 1.25
17 >>> 5*4
18 20
19 >>> 5//4
20 1
21 >>> 2**3
22 8
23 >>> 16**.5
24 4.0
25 >>> 16%2
26 0
27 >>> 17%2
28 1
29 >>> abs(-7)
30 7
```

```
31 >>> a=2
32 >>> b=5
33 >>> a
34 2
35 >>> b
36 5
37 >>> b//a
38 2
39 >>> b**a
40 25
41 >>> b%a
42 1
43 >>>
44 >>>
45 >>>
46 >>>
47 >>>
48 >>>
49 >>>
50 >>>
51 >>>
52 >>> a = "this is a sentence"
53 >>> b=3
54 >>> c=4.3
55 >>> d= true
56 Traceback (most recent call last):
57
     File "/Library/Frameworks/Python.framework/
   Versions/3.8/lib/python3.8/code.py", line 90, in
   runcode
       exec(code, self.locals)
58
     File "<input>", line 1, in <module>
59
60 NameError: name 'true' is not defined
61 >>> d= True
62 >>>
63 >>> type(d)
64 <class 'bool'>
65 >>> type(a)
66 <class 'str'>
67 >>> type(b)
68 <class 'int'>
69 >>> type(c)
```

| 70 <class 'float'=""></class> |
|-------------------------------|
| 71 >>> type(d) |
| 72 <class 'bool'=""></class> |
| 73 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |