ROUTE 1

Building configuration...

Current configuration : 1100 bytes
!
version 16.6.4
no service timestamps log datetime msec
no service timestamps debug datetime msec
no service password-encryption
!
hostname R1
!
!
no ip cef
no ipv6 cef
!

!
spanning-tree mode pvst
!

!
interface GigabitEthernet0/0/0
no ip address
duplex auto
speed auto
!
interface GigabitEthernet0/0/0.10
description Credito-Gateway
encapsulation dot1Q 10
ip address 10.10.0.1 255.255.255.0
ip access-group 110 in
!
interface GigabitEthernet0/0/0.20
description Cobranca-Gateway
encapsulation dot1Q 20
ip address 10.10.1.1 255.255.255.0
ip access-group 110 in
!
interface GigabitEthernet0/0/1
no ip address
duplex auto
speed auto
shutdown

```
!
interface GigabitEthernet0/0/2
no ip address
duplex auto
speed auto
shutdown
!
interface Vlan1
no ip address
shutdown
!
ip classless
!
ip flow-export version 9
!
!
access-list 110 deny ip 10.10.0.0 0.0.0.255 10.10.1.0 0.0.0.255
access-list 110 deny ip 10.10.1.0 0.0.0.255 10.10.0.0 0.0.0.255
access-list 110 permit ip any any
!
!
line con 0
!
line aux 0
!
line vty 0 4
login

!
end
```

SW1

Building configuration...

```
Current configuration : 1401 bytes
!
version 15.0
no service timestamps log datetime msec
no service timestamps debug datetime msec
no service password-encryption
!
hostname SW1
!
!
```

```
spanning-tree mode pvst
spanning-tree extend system-id
!
interface FastEthernet0/1
description PC1-Credito
switchport access vlan 10
switchport mode access
!
interface FastEthernet0/2
description PC2-Cobranca
switchport access vlan 20
switchport mode access
!
interface FastEthernet0/3
!
interface FastEthernet0/4
!
interface FastEthernet0/5
!
interface FastEthernet0/6
!
interface FastEthernet0/7
!
interface FastEthernet0/8
!
interface FastEthernet0/9
!
interface FastEthernet0/10
!
interface FastEthernet0/11
!
interface FastEthernet0/12
!
interface FastEthernet0/13
!
interface FastEthernet0/14
!
interface FastEthernet0/15
!
interface FastEthernet0/16
!
interface FastEthernet0/17
!
interface FastEthernet0/18
!
interface FastEthernet0/19
```

```
!
interface FastEthernet0/20
!
interface FastEthernet0/21
!
interface FastEthernet0/22
!
interface FastEthernet0/23
description Trunk-to-R1
switchport trunk allowed vlan 10,20
switchport mode trunk
!
interface FastEthernet0/24
description Trunk-to-SW2
switchport trunk allowed vlan 10,20
switchport mode trunk
!
interface GigabitEthernet0/1
!
interface GigabitEthernet0/2
!
interface Vlan1
no ip address
shutdown
!

!
line con 0
!
line vty 0 4
login
line vty 5 15
login
!
```

SW2

% Invalid input detected at '^' marker.

```
SW2> enable
SW2#show running-config
Building configuration...


Current configuration : 1316 bytes
```

```
!
version 15.0
no service timestamps log datetime msec
no service timestamps debug datetime msec
no service password-encryption
!
hostname SW2

!
spanning-tree mode pvst
spanning-tree extend system-id
!
interface FastEthernet0/1
description PC3-Credito
switchport access vlan 10
switchport mode access
!
interface FastEthernet0/2
description PC4-Cobranca
switchport access vlan 20
switchport mode access
!
interface FastEthernet0/3
!
interface FastEthernet0/4
!
interface FastEthernet0/5
!
interface FastEthernet0/6
!
interface FastEthernet0/7
!
interface FastEthernet0/8
!
interface FastEthernet0/9
!
interface FastEthernet0/10
!
interface FastEthernet0/11
!
interface FastEthernet0/12
!
interface FastEthernet0/13
!
interface FastEthernet0/14
!
```

```
interface FastEthernet0/15
!
interface FastEthernet0/16
!
interface FastEthernet0/17
!
interface FastEthernet0/18
!
interface FastEthernet0/19
!
interface FastEthernet0/20
!
interface FastEthernet0/21
!
interface FastEthernet0/22
!
interface FastEthernet0/23
!
interface FastEthernet0/24
description Trunk-to-SW1
switchport trunk allowed vlan 10,20
switchport mode trunk
!
interface GigabitEthernet0/1
!
interface GigabitEthernet0/2
!
interface Vlan1
no ip address
shutdown
!

!
line con 0
!
line vty 0 4
login
line vty 5 15
login
!
end
```