

# DuPont Tedlar AI Lead Generation System

---


## 1. Solution Architecture


A **four-stage AI GTM workflow** that progressively identifies, scores and filters leads:




---

## 2. Data Processing Pipeline






STAGE 3: TARGET ROLE IDENTIFICATION



Note: Clay People Search based on Role Title wasn't as good as LinkedIn Sales Nav search



### 3. AI Workflow Orchestration

Pipeline is orchestrated by `main.py` that relies on event triggers with:

1. **Priority order:** Later stages processed first such that companies closer to completion are processed through the pipeline before starting new ones.
2. **Automatic triggers:** Callbacks connect stages (when Stage 2 completes, Stage 3 starts automatically for qualified companies).
3. **Rate limiting:** Shared limiter tracks API tokens (30k/minute) across all stages.
4. **Resume capability:** Each stage produces JSON artifacts, enabling resume from interruption and preventing duplicate reruns.
5. **Tiered qualification:** Scoring thresholds before proceeding to next stage ensures resources focus on high-potential leads. Low-scoring companies filtered early.

## 4. Implementation Results

### 4.1 Data Outputs

Each stage produces JSON artifacts stored in `data/`:

```

data/
├── events/
│   ├── discovered_events.json      # 22 raw events from Stage 1.1
│   ├── scored_events.json         # Tiered events from Stage 1.2
│   ├── discovered_companies.json  # 37 companies from Stage 1.3
│   └── companies/
│       └── {EventName}.json       # Companies per event
├── companies
│   └── all_qualified_companies.json # All discovered companies scored
against ICP
├── {CompanyName}/
│   ├── research.json              # Stage 2.1 deep research
│   ├── scoring.json               # Stage 2.2 ICP scores
│   └── target_roles.json          # Stage 3 decision-makers
└── contacts/
    ├── role_identification_results.json
    ├── linkedin_sales_nav_searches.json
    ├── clay_push_results.json
    └── {CompanyName}/
        ├── {ContactName}_analysis.json # Stage 4.1 hooks/angles
        └── {ContactName}_outreach.json  # Stage 4.2 email draft

```

## 5. Limitations & Future Work

### Current Limitations:

- Contact discovery generates custom LinkedIn Sales Navigator URL, but workflow doesn't route the actual LinkedIn profiles discovered back for the last stage (ie. personalized outreach to each profile)
- Rate limits require ~60s min. delays between API calls

### Potential Enhancements:

- Add email verification step before outreach
- CRM integration for direct lead export