

Claude responded: Spark AI — Complete Design System & UI/UX Manual

Spark AI — Complete Design System & UI/UX Manual

Executive Design Statement

Spark AI's design language is built on a single belief: **intelligence should feel effortless**. Every pixel, every transition, every interaction is designed to make the user feel more capable — not more overwhelmed. This is not a tool that shows off how smart it is. It is a tool that makes the person using it feel like the smartest person in the room.

1. Brand Identity

Brand Personality

Spark AI occupies a precise emotional position: **calm confidence**. Not the cold efficiency of a terminal, not the playful casualness of a consumer app, not the corporate stiffness of enterprise software. Spark AI feels like working alongside a brilliant, focused collaborator who never wastes your time.

Five personality dimensions define the brand:

Precise — Every element earns its place. Nothing decorative exists without purpose. The interface communicates accuracy through tight typography, clean alignment, and deliberate white space.

Warm — Intelligence without warmth is alienating. Spark AI uses subtle warmth in its color temperature, rounded but not childish corners, and micro-interactions that feel human rather than mechanical.

Focused — The interface recedes. The user's work takes the foreground. Chrome is minimized so that content, conversation, and thinking can expand to fill the space.

Dynamic — The product feels alive. Responses stream. Transitions breathe. Loading states are purposeful. The experience has energy without being restless.

Trustworthy — Consistency builds trust. Users learn the design language once and never have to relearn it. Predictable patterns, clear feedback states, and honest error messages create a product that users rely on.

Design Philosophy

"Structured Depth" — Spark AI's design philosophy is about creating a sense of three-dimensional space on a flat screen, achieved through layering, shadow, and translucency rather than literal 3D effects. Every surface has a position in a visual hierarchy. The background, the surface, the floating element — each occupies its own plane. This creates depth without complexity.

Reduction over addition — When a design problem is hard to solve, the instinct is to add elements. Spark AI's process is the opposite: what can be removed? The final design should be the version where nothing else can be taken away without breaking understanding.

Interaction as feedback — Every action the user takes receives a response. Hover states, active states, loading states, error states, success states — they are never afterthoughts. They are designed with the same care as the default state, because they are what teaches users the product is working.

User Experience Goals

Goal 1 — Zero learning curve for the first interaction. A new user should be able to open Spark AI and start a meaningful AI conversation within 30 seconds without reading any documentation.

Goal 2 — Flow state preservation. The interface should never interrupt the user's thinking. Modals are used sparingly. Notifications are subtle. The keyboard is the primary navigation tool for power users.

Goal 3 — Progressive disclosure. New users see simplicity. Power users discover depth. Advanced features are accessible but not in the way. The interface grows with the user.

Goal 4 — Emotional satisfaction. Using Spark AI should feel good. The animations, the sounds (optional), the visual feedback — they create small moments of delight that make the product memorable and sticky.

2. Color System

Spark AI uses a **dark-first** design approach. The primary experience is designed for dark mode because AI tools are often used for extended sessions and in varied lighting conditions. A complete light mode exists and is equally polished, not an afterthought.

The color system is built on a warm-neutral dark foundation with an electric blue-violet primary that suggests intelligence, electricity, and spark — literally.

Dark Mode Palette

Background Colors — The Planes

`--color-bg-base: #0A0A0F`

The deepest layer. Pure near-black with a very subtle blue-violet undertone. This is the canvas. Used for the outermost background, behind all surfaces.

`--color-bg-elevated: #111118`

One step above the base. Used for the main content areas, sidebar backgrounds, and page sections that sit on the base layer.

`--color-bg-surface: #1A1A24`

The primary surface for interactive components — cards, panels, modal backgrounds. Visibly lighter than elevated without being harsh.

`--color-bg-overlay: #22222F`

Used for dropdowns, popovers, tooltip backgrounds, and contextual menus. Floats above all other surfaces.

`--color-bg-inset: #0D0D14`

Slightly darker than elevated, used for code blocks, inset input fields, and recessed areas that need to appear lower than the surface.

Primary Colors — The Spark

`--color-primary-500: #6C63FF`

The signature color of Spark AI. An electric blue-violet — intelligent, energetic, trustworthy. Not pure blue (too corporate), not purple (too creative-agency). This precise position on the spectrum is uniquely Spark.

`--color-primary-400: #8B85FF`

Lighter variant for hover states and secondary emphasis on dark backgrounds.

`--color-primary-600: #5549E8`

Darker variant for active/pressed states.

`--color-primary-300: #ABA7FF`

Light variant for subtle accents, icons in secondary positions, and disabled primary elements.

`--color-primary-100: #1E1C3A`

Very dark tinted background for primary-colored elements that need a subtle container — chip backgrounds, tag backgrounds.

Secondary Colors — The Depth

`--color-secondary-500: #22C4A0`

A warm teal-green used for success states and secondary interactive elements. Distinct from the primary but harmonious. Suggests growth, confirmation, and forward motion.

`--color-secondary-400: #3DDBB7`

Lighter hover state.

`--color-secondary-600: #1AA882`

Darker active state.

`--color-secondary-100: #0F2A24`

Dark tinted container background for secondary-colored elements.

Accent Colors

`--color-accent-amber: #F5A623`

Used for warnings, highlights, and featured elements. Warm amber that draws attention without alarm.

`--color-accent-amber-100: #2A1F0A`

Dark amber container.

`--color-accent-rose: #F25C7A`

Used for error states, destructive actions, and critical alerts. A warm rose-red — firm but not aggressive.

`--color-accent-rose-100: #2A0F14`

Dark rose container.

`--color-accent-sky: #38B6FF`

Used for informational states, external links, and highlight callouts. A bright sky blue, distinct from the primary violet.

`--color-accent-sky-100: #0A1E2A`

Dark sky container.

Semantic Colors

`--color-success: #22C4A0` (maps to secondary-500)

`--color-success-bg: #0F2A24`

`--color-warning: #F5A623`

`--color-warning-bg: #2A1F0A`

`--color-error: #F25C7A`

`--color-error-bg: #2A0F14`

`--color-info: #38B6FF`
`--color-info-bg: #0A1E2A`

Border Colors

`--color-border-subtle: #1E1E2E`

The lightest, most subtle border. Used to divide sections, separate list items, and create visual structure without strong visual weight. Nearly invisible on dark backgrounds, only perceived on close inspection.

`--color-border-default: #2A2A3E`

The standard border for cards, inputs, modals, and panels. Clearly visible but not harsh.

`--color-border-strong: #3A3A52`

Used for focused inputs, active selections, and elements that need stronger visual separation.

`--color-border-focus: #6C63FF`

The primary color applied as a border for focus rings on interactive elements.

Text Colors

`--color-text-primary: #F0F0F8`

Main body text. Near-white with a very subtle warm-cool neutral bias. Never pure white — pure white on dark backgrounds creates harsh, fatiguing contrast.

`--color-text-secondary: #9999B8`

Secondary labels, captions, metadata, timestamps, and placeholder text. Clear but recessed.

`--color-text-tertiary: #5C5C78`

The quietest text level. Used for hints, disabled labels, and very subtle annotations. Should be used sparingly.

`--color-text-disabled: #3A3A50`

Clearly communicates non-interactability.

`--color-text-inverse: #0A0A0F`

Used for text on light/primary colored backgrounds — buttons with the primary fill, for example.

`--color-text-link: #8B85FF`

Interactive link text. Uses the primary-400 to maintain the brand connection while ensuring sufficient contrast.

Light Mode Palette

Light mode inverts the plane hierarchy while preserving the brand identity.

--color-bg-base: #F4F4F8 — Warm off-white base, never pure white
--color-bg-elevated: #FFFFFF — White surfaces sit above the base
--color-bg-surface: #F0F0F6 — Slightly tinted surface for cards and panels
--color-bg-overlay: #FFFFFF — Pure white for dropdowns and popovers
--color-bg-inset: #E8E8F0 — Inset areas for code blocks and recessed inputs

--color-text-primary: #12121A — Near-black, not pure black
--color-text-secondary: #525270
--color-text-tertiary: #8888A8

--color-border-subtle: #E4E4EF
--color-border-default: #D8D8EA
--color-border-strong: #C4C4DC

Primary and semantic colors remain consistent across modes, with slight lightness adjustments to maintain contrast ratios above WCAG AA (4.5:1) for all text.

3. Typography

Font Selection

Heading Font: "Inter" — with a twist. Inter is used for headings but with tight letter-spacing (−0.03em to −0.05em for large sizes) and carefully selected weights. The reason: Inter is not the default boring choice here — it is chosen because its geometric precision aligns with Spark AI's personality, and with custom tracking applied it reads as distinct and premium, not generic.

Alternative if budget allows: **"Geist"** (by Vercel, freely available) — a beautifully crafted typeface with similar geometric precision but with more distinctive character. Use Geist for headings if you want a more unique identity.

Body Font: "Inter" — The same typeface family creates cohesion. Body text uses Regular and Medium weights at optical tracking (0em). Inter at text sizes is the most legible sans-serif available for screen reading.

Monospace / Code Font: "JetBrains Mono" — The gold standard for developer-facing monospace in 2026. Excellent legibility at small sizes, distinctive character shapes that reduce reading errors, and free under the OFL license. Used for all code blocks, inline code, API keys, and technical values.

Type Scale

The scale is based on a **1.25 (Major Third) modular scale** anchored at 16px. This creates harmonious size relationships without excessive jumping.

- text-xs: 12px / 0.75rem — Captions, badges, timestamps, metadata
- text-sm: 14px / 0.875rem — Secondary body, form labels, navigation items
- text-base: 16px / 1rem — Primary body text, chat messages
- text-md: 18px / 1.125rem — Lead text, card descriptions, larger body
- text-lg: 20px / 1.25rem — Section subheadings, large labels
- text-xl: 24px / 1.5rem — H4 equivalent, modal titles, card titles
- text-2xl: 30px / 1.875rem — H3 equivalent, section headings
- text-3xl: 36px / 2.25rem — H2 equivalent, page headings
- text-4xl: 48px / 3rem — H1 equivalent, hero headings
- text-5xl: 60px / 3.75rem — Display text, landing page hero
- text-6xl: 72px / 4.5rem — Maximum display, used only at landing hero

Font Weights

- font-regular: 400 — Body text, descriptions
- font-medium: 500 — Labels, navigation, button text, strong body
- font-semibold: 600 — Subheadings, card titles, emphasized labels
- font-bold: 700 — Section headings, page titles
- font-extrabold: 800 — Hero headings, display text, landing page

Line Heights

- leading-none: 1.0 — Display text only (large headings)
- leading-tight: 1.2 — Large headings (H1, H2)
- leading-snug: 1.35 — Medium headings (H3, H4)
- leading-normal: 1.5 — Body text (optimal for reading)
- leading-relaxed: 1.65 — Long-form content, article text
- leading-loose: 1.8 — Small text, captions (improves legibility)

Letter Spacing

- tracking-tighter: -0.05em — Large display headings (60px+)
- tracking-tight: -0.03em — Large headings (36px–48px)
- tracking-normal: 0em — Body text (16px–24px)
- tracking-wide: 0.02em — Small caps, labels, badges
- tracking-wider: 0.05em — Uppercase labels, section markers

4. Spacing System

The spacing system uses a **4px base unit**. Every spacing value is a multiple of 4, ensuring pixel-perfect alignment across the entire interface.

- space-1: 4px — Micro gaps. Icon-to-label spacing, tight badge padding.
- space-2: 8px — Small gaps. Inline element separation, icon gutters, compact padding.

--space-3: 12px — Component padding for compact elements. Tag padding, small button padding.

--space-4: 16px — Standard component padding. Default input padding, card inner margin.

--space-5: 20px — Comfortable padding for medium components.

--space-6: 24px — Standard section padding. Space between related elements in a group.

--space-8: 32px — Section separation. Gap between unrelated groups of content.

--space-10: 40px — Large section gaps. Comfortable breathing room in forms.

--space-12: 48px — Major section breaks. Space above/below headings.

--space-16: 64px — Page section separation on desktop layouts.

--space-20: 80px — Large layout sections.

--space-24: 96px — Hero section padding, major landing page sections.

--space-32: 128px — Maximum layout section padding.

Application rules:

Space-1 and Space-2 are micro spacers — used within a single component between tightly related elements. The icon next to a button label gets Space-2.

Space-3 to Space-6 are component spacers — used for internal component padding, gaps between form fields, and spacing within a card.

Space-8 to Space-12 are layout spacers — used to separate sections within a page, create breathing room between a heading and its content.

Space-16 and above are page spacers — used only for major layout sections, hero areas, and between completely distinct content blocks.

The rule: Space between elements should reflect their conceptual relationship. Two things that belong together get less space than two things from different categories. Spacing is a communication tool.

5. Border Radius System

Spark AI uses a **warm-rounded** radius system. The corners are soft enough to feel modern and approachable without entering "bubble" territory that feels juvenile.

--radius-xs: 2px — Subtle rounding for badges, code snippets, tags.

--radius-sm: 4px — Small interactive elements, checkboxes, small buttons.

--radius-md: 8px — Default radius. Inputs, dropdowns, tooltips, compact cards.

--radius-lg: 12px — Cards, panels, modals, sidebars panels.

--radius-xl: 16px — Large cards, feature cards, prominent panels.

--radius-2xl: 20px — Modal containers, large dialogs.

--radius-3xl: 24px — Hero cards, onboarding panels, large spotlight elements.

--radius-full: 9999px — Pill shapes: chips, tags, avatar containers, toggle switches.

The rule: Larger elements have larger radii. A small button and a large modal at the same radius look inconsistent. The radius should scale proportionally with the element's visual size.

Special case — Chat bubbles: User message bubbles use `--radius-2xl` with one corner (bottom-right) reduced to `--radius-xs` to create the classic speech-bubble "tail" effect through CSS alone. AI response bubbles do not use this convention — they appear as full, rounded cards to differentiate the source.

6. Shadow System

Shadows in Spark AI serve a specific purpose: communicating elevation and focus, not decoration. The dark mode shadow system uses color-tinted shadows rather than pure black, which creates a more realistic and less flat appearance.

`--shadow-xs:`

0 1px 2px rgba(0, 0, 0, 0.3)

Used for: subtle element separation, icon buttons, small chips.

`--shadow-sm:`

0 1px 3px rgba(0, 0, 0, 0.4),

0 1px 2px rgba(0, 0, 0, 0.3)

Used for: input focus glow base, compact cards, hoverable list items.

`--shadow-md:`

0 4px 6px rgba(0, 0, 0, 0.4),

0 2px 4px rgba(0, 0, 0, 0.3)

Used for: cards, panels, dropdowns.

`--shadow-lg:`

0 10px 15px rgba(0, 0, 0, 0.4),

0 4px 6px rgba(0, 0, 0, 0.3)

Used for: modal dialogs, floating action buttons, sticky headers.

`--shadow-xl:`

0 20px 25px rgba(0, 0, 0, 0.45),

0 10px 10px rgba(0, 0, 0, 0.3)

Used for: command palette, full-screen overlays, onboarding modals.

`--shadow-primary-glow:`

0 0 3px rgba(108, 99, 255, 0.25),

0 0 20px rgba(108, 99, 255, 0.15)

Used for: primary button focus rings, focused input borders, selected state indicators.

`--shadow-primary-pulse:`

`0 0 0 6px rgba(108, 99, 255, 0.1),`

`0 0 30px rgba(108, 99, 255, 0.2)`

Used for: active/focused chat input, loading states during AI generation.

Special — Inner shadow for inset elements:

`--shadow-inset:`

`inset 0 2px 4px rgba(0, 0, 0, 0.4)`

Used for: code blocks, inset input fields, recessed sections.

7. Buttons

Spark AI's button system has exactly four variants, each with a clear semantic meaning. No button is "just styled" — every variant communicates intent.

Primary Button

Purpose: The main action on any screen. Submit, generate, create, upgrade. There should only ever be one primary button in any given view.

Default state: Background `--color-primary-500` (`#6C63FF`). Text

`--color-text-inverse`. Padding `12px 20px`. Border-radius `--radius-md` (8px).

Font-weight `--font-medium`. Font-size `--text-sm` (14px). Letter-spacing `0.01em`. No border.

Hover state: Background transitions to `--color-primary-400` (`#8B85FF`). A subtle

`--shadow-primary-glow` appears beneath. Transform: `translateY(-1px)` — a 1px lift that communicates interactability. Transition: 150ms ease-out on all properties.

Active/Pressed state: Background `--color-primary-600`. Transform: `translateY(0px)` — returns to original position. Shadow reduces. Transition: 80ms — snappy, responsive.

Focus state: Keyboard focus adds `--shadow-primary-glow` as an outline equivalent (not the default browser blue outline). Never remove focus indicators — only replace them with branded equivalents.

Disabled state: Opacity 0.4. Cursor not-allowed. No hover effects.

Loading state: The button text is replaced with a small spinner (three dots animating in sequence, not a spinning circle — spinning circles suggest indefinite loading; dots suggest "thinking"). The button width locks to prevent layout shift.

Icon variant: An icon can appear on the left side of the label with `--space-2` gap. The icon scales to match the text at 16px.

Secondary Button

Purpose: The second-most important action. Cancel, Save Draft, Export. Often paired with a Primary button.

Default state: Background `transparent`. Border `1px solid --color-border-default`. Text `--color-text-primary`. Same padding and radius as primary.

Hover state: Background `--color-bg-overlay`. Border color transitions to `--color-border-strong`. No shadow.

Active state: Background `--color-bg-surface`. Quick transition.

Focus state: Border color transitions to `--color-border-focus` with `--shadow-primary-glow`.

Ghost Button

Purpose: Lowest visual weight. Used for tertiary actions, navigation items, icon-only controls, and toolbar buttons. Should not compete with Primary or Secondary.

Default state: Background `transparent`. No border. Text `--color-text-secondary`. Padding `8px 12px` (slightly tighter than primary).

Hover state: Background `--color-bg-overlay`. Text transitions to `--color-text-primary`.

Active state: Background `--color-bg-surface`.

Icon-only variant: Equal padding on all sides. Used for toolbar icons, close buttons, and control icons. The hover background becomes a small rounded square behind the icon.

Danger Button

Purpose: Destructive and irreversible actions. Delete account, delete conversation, remove data. Should create a moment of pause.

Default state: Background `transparent`. Border `1px solid --color-accent-rose`. Text `--color-accent-rose`. Same padding and radius as primary.

Hover state: Background `--color-accent-rose-100`. Border color darkens slightly. No transform lift — danger actions should not feel enthusiastic.

Active state: Background `--color-accent-rose` at 20% opacity.

Special rule: Danger buttons in confirmation dialogs are placed on the right, but in destructive-action-heavy lists they should be placed to require intentional reach. Always pair with a Cancel / Secondary button.

8. Input Fields

Text Input

Default state: Background `--color-bg-inset`. Border `1px solid --color-border-default`. Border-radius `--radius-md`. Padding `10px 14px`. Font-size `--text-base`. Font color `--color-text-primary`. Placeholder color `--color-text-tertiary`.

Hover state: Border transitions to `--color-border-strong`. Subtle background lightening.

Focus state: Border transitions to `--color-primary-500`. `--shadow-primary-glow` applied. The glow is the primary indicator, not just the border — it creates a halo effect that draws attention to the active field.

Error state: Border `--color-accent-rose`. Glow uses rose color. An error message appears below in `--text-xs` size, `--color-accent-rose` color, with a small warning icon.

Success state: Border `--color-secondary-500`. Used only for async validation (username availability, email validation).

Disabled state: Opacity 0.5. Background slightly darker. Cursor not-allowed.

Label positioning: Labels sit above the input at `--space-2` gap. Labels use `--text-sm`, `--font-medium`, `--color-text-secondary`. They do not float inside the input (floating labels reduce accessibility and create visual confusion).

Search Box

All the properties of a standard text input plus:

A search icon (magnifying glass) sits on the left inside the input at `--space-3` from the left edge. The input has `padding-left: 40px` to accommodate it. On focus, the icon transitions to `--color-primary-500`.

A clear button (X icon) appears on the right when the field has content. It is a ghost icon button that clears the field and returns focus.

The border-radius uses `--radius-full` for the global search bar (pill shape) and `--radius-md` for contextual search within panels.

Keyboard shortcut badge (e.g., ⌘K) appears on the right of the idle global search bar, disappearing on focus. Uses `--text-xs`, `--color-text-tertiary`, with a tiny border box around each key character.

Password Field

All properties of a standard text input plus:

A visibility toggle (eye icon) on the right inside the input. Clicking toggles between `type="password"` and `type="text"`. The icon is a ghost button. When visible, the icon uses `--color-primary-400` to indicate the active state.

A strength indicator appears below the field during signup — a horizontal bar (4 segments) that fills from left to right in `--color-accent-rose`, `--color-accent-amber`, `--color-secondary-500`, and `--color-primary-500` as password strength increases. A text label accompanies it: "Weak", "Fair", "Good", "Strong".

Chat Input

The chat input is the most important element in the entire product. It deserves special care.

Structure: A multi-line textarea that grows vertically with content, from a minimum height of 56px (one line) to a maximum of 200px before scrolling. It never crops mid-sentence. The border radius is `--radius-xl` (16px). The background is `--color-bg-surface`. The border is `1px solid --color-border-default`.

Focus state: The border transitions to `--color-border-strong`. A very subtle `--shadow-primary-pulse` animation plays — a soft, breathing glow that signals the AI is ready. This is the signature micro-interaction of the product.

Control strip: Below the textarea (inside the overall container) sits a horizontal strip containing on the left: Attach file button (paperclip icon), Image button (photo icon), and Web search toggle. On the right: Character/token counter (subtle, `--text-xs`), Voice input button (microphone icon), and the Submit button (arrow-up icon in a filled circle using `--color-primary-500`).

Submit button behavior: The submit button is disabled (greyed) when the textarea is empty. When content is entered, it transitions to `--color-primary-500` with a 200ms ease

animation. During AI generation, it transforms into a square stop icon (red) that halts the streaming response.

Drag and drop: The entire chat input area accepts drag-and-drop of files and images. On drag-over, the border color transitions to `--color-primary-500`, the background to `--color-primary-100`, and a dashed border appears with centered text: "Drop to attach". A smooth 150ms transition for entry and exit.

9. Cards

Base Card

Background `--color-bg-surface`. Border `1px solid --color-border-subtle`.
Border-radius `--radius-lg` (12px). Padding `--space-6` (24px). Shadow `--shadow-sm`.

This is the default container for any piece of grouped content — conversation list items, feature descriptions, settings groups.

Interactive Card

All base card properties plus hover behavior: border transitions to `--color-border-default`, shadow transitions to `--shadow-md`, and a `translateY(-2px)` lift. Transition: 200ms ease. Used for clickable cards — conversation history items, mode selection cards, template cards.

Feature Card (Landing Page)

Background `--color-bg-surface`. Border `1px solid --color-border-subtle`.
Border-radius `--radius-xl` (16px). Larger padding `--space-8` (32px). A subtle gradient overlay on the top edge: a 1px line of `--color-primary-500` at 30% opacity creates a "lit from above" effect.

On hover: the gradient line brightens to 80% opacity, the shadow deepens to `--shadow-lg`, and a very subtle radial gradient (primary color at 3% opacity) appears behind the content to create a glow effect. This is the hero card interaction of the product.

AI Response Card

Used for individual AI messages in the chat. Background `--color-bg-elevated`. Border `1px solid --color-border-subtle`. Border-radius `--radius-lg` on all corners except bottom-left, which remains `--radius-lg` (no "tail" for AI messages). Left border accent: `2px`

`solid --color-primary-500` at 40% opacity — subtly marks the AI's voice without being loud.

Internal padding: `--space-5` (20px). Font-size `--text-base`. Line-height `--leading-relaxed` for comfortable long-form reading.

Action strip: A row of ghost icon buttons appears below the AI response on hover — Copy, Regenerate, Thumbs Up, Thumbs Down, Share. They fade in with a 150ms opacity transition.

User Message Card

Background `--color-primary-100`. Border `none`. Border-radius `--radius-xl` with bottom-right corner `--radius-xs`. Padding `--space-4` `--space-5`. Maximum width 75% of the chat area, aligned right.

Pricing Card

Three cards, horizontally arranged. The center card (Pro tier, the recommended selection) is visually elevated: border `1px solid --color-primary-500`, shadow `--shadow-primary-glow`, scale `1.02` relative to the other two. A "Most Popular" badge sits at the top center using `--color-primary-500` background and `--text-xs` text.

Stat Card (Dashboard)

Compact card used in a grid. Fixed height ~120px. Contains a metric label (`--text-sm`, `--color-text-secondary`), a large number (`--text-3xl`, `--font-bold`, `--color-text-primary`), and a trend indicator (small arrow + percentage in `--color-secondary-500` for positive, `--color-accent-rose` for negative).

10. Navigation

Top Navbar

Height: 64px. Always visible, sticky to the top.

Background: `--color-bg-elevated` with `backdrop-filter: blur(12px)` and slight transparency (`background-color` at 80% opacity). This creates the frosted-glass effect used in premium modern apps. Border-bottom: `1px solid --color-border-subtle`.

Left section: Spark AI logo (wordmark + icon). The icon is a stylized spark/bolt shape constructed from geometric forms — not literally a lightning bolt, but an abstract angular form

that suggests energy and intelligence. The wordmark uses the heading font at `--text-lg`, `--font-bold`.

Center section: The global search bar (pill-shaped, `--radius-full`). Pressing it opens the command palette (⌘K). On desktop it is always visible. On mobile it collapses to a search icon.

Right section: From right to left: User avatar (circular, 36px), Notification bell with dot indicator, Theme toggle (sun/moon), and Upgrade button (secondary style) for free users. For Pro users, the upgrade button is replaced with a subtle "Pro" badge.

Scroll behavior: The navbar maintains full opacity and blur at all times. It does not shrink on scroll. Consistency over cleverness.

Left Sidebar

Width: 260px expanded, 64px collapsed. Transitions between states with a 250ms ease animation, pushing the main content area (not overlapping it on desktop).

Background: `--color-bg-elevated` with a right border of `1px solid --color-border-subtle`.

Top section: "New Chat" button — full-width, primary style with a plus icon. Below it, search conversations — compact search input.

Main navigation: A vertical list of nav items for the main feature areas:

- Chat (spark icon)
- PDF Chat (document icon)
- Image Analysis (image icon)
- Research (compass icon)
- Study Mode (graduation cap icon)
- Coding Assistant (code brackets icon)
- Image Generation (palette icon)
- Web Search (globe icon)

Each nav item is a ghost button with `--space-3` vertical padding, `--radius-md` border radius. Active state has background `--color-primary-100`, text `--color-primary-400`, left border `2px solid --color-primary-500`.

Conversation history section: Below the nav items, a scrollable list of recent conversations organized by time group: "Today", "Yesterday", "Last 7 Days", "Last 30 Days". Each conversation item shows the title (truncated), time, and a hover-revealed ellipsis menu (rename, delete, share).

Bottom section: Fixed at the bottom. User plan indicator (Free/Pro badge), link to Settings (gear icon), and a collapse/expand button.

Collapsed state (64px): Only icons are visible. Tooltips appear on hover with the full nav item label. The "New Chat" button becomes a "+" icon button. Conversation history is hidden.

Mobile Navigation

On mobile (below 768px), the sidebar is hidden by default and opens as a slide-over drawer from the left, overlaying the content with a dark scrim behind it. A hamburger menu icon in the top navbar triggers it.

The bottom of the mobile viewport has a persistent bottom navigation bar (56px height) with five icons: Home, Chat (active), Search, History, Profile. The active tab is indicated by the primary color icon and a small dot below it.

The bottom nav uses the same frosted glass effect as the top navbar: `backdrop-filter: blur(12px), --color-bg-elevated` at 80% opacity, top border `1px solid --color-border-subtle`.

11. Icons

Recommended library: Lucide React

Lucide is the definitive icon library choice for this project for four specific reasons:

First, its design language is a perfect match for Spark AI — clean, geometric, 2px stroke weight, rounded line caps, consistent optical sizing. It doesn't look generic or dated.

Second, it is fully tree-shakeable in React/Next.js — you only import the icons you use, zero bundle bloat.

Third, it is actively maintained with hundreds of icons covering every use case in this product.

Fourth, icons are SVG-based and fully customizable via CSS color and size properties — they respond to the design system's color tokens perfectly.

Icon sizing conventions:

16px — Inline icons within text, small badge icons

20px — Standard UI icons: navigation, list items, buttons

24px — Feature icons in empty states, primary navigation

32px — Section icons in settings and feature cards

48px — Illustration icons in empty states

64px — Hero icons for onboarding or landing page features

Icon color rules: Icons inherit the text color of their parent by default. Interactive icons in their default state use `--color-text-secondary`. Active/selected icons use `--color-primary-400`. Danger icons use `--color-accent-rose`. Success icons use `--color-secondary-500`.

Custom icons: Three custom icons will be created for Spark AI's unique brand moments: the logo spark mark, the "AI thinking" animated icon (three dots with a specific spring animation), and the mode-switch icons for the feature-specific modes (Research compass with a spark, Study cap with a spark, etc.). These are the only places where the icon system diverges from Lucide.

12. Dashboard Layout

The dashboard is the first screen authenticated users see. It must be immediately useful, not a vanity screen full of charts.

Layout: Full-width with a left sidebar (260px). Main content area fills the remaining width. Max content width: 1200px, centered within the main area.

Top section — Greeting & Quick Actions: A personalized greeting ("Good morning, Alex") in `--text-2xl`, `--font-bold`. Below it, a subtitle: "What would you like to work on today?" in `--color-text-secondary`. Below the greeting, four large Quick Action cards in a 2×2 grid (desktop) or 2×2 scroll (mobile): New Chat, Upload PDF, Analyze Image, Start Research. Each card has a large icon, a title, and a one-line description.

Middle section — Recent Conversations: A horizontal scrollable row of the five most recent conversation cards. Each shows the conversation title, the first message preview, the mode used (badge: "Chat", "PDF", "Research"), and the timestamp. A "View All" link leads to the full history page.

Right column — Usage & Stats (desktop only): A sticky right column (280px) showing: current plan and usage bar (messages used vs limit), quick stats (conversations this week, documents uploaded, tokens used), and an upgrade prompt for free users.

Bottom section — Feature Discovery: A horizontal strip of feature cards introducing unused features to new users. "Have you tried Research Mode?" with a brief description and a "Try it" button. This disappears as the user activates each feature.

13. AI Chat Layout

Overall Structure

Three-column layout on desktop: Left sidebar (conversations), main chat area, and an optional right context panel (for PDF mode, image mode — shows the uploaded asset alongside the chat).

Chat Area

Empty state (no conversation): Centered vertically and horizontally. The Spark AI logo mark animates gently (breathing pulse, not spinning). Below it: "What can I help you with?" in `--text-2xl`, `--font-semibold`. Below that: a row of 4 suggestion chips (recent/popular tasks) in pill shapes. The chat input sits at the bottom in its full glory.

Active conversation: Messages scroll from top to bottom. The chat area has generous horizontal padding (`--space-8` on desktop, `--space-4` on mobile) and constrains message width to a max of 760px centered in the area — this is the optimal reading line length.

AI Thinking State: While the AI is generating, an animated "thinking" indicator appears: three dots that scale up and down in sequence using a spring animation. This appears as if the AI is about to speak, using the AI response card style with just the animation visible.

Streaming text: As the AI response streams, text appears character by character using a cursor that blinks at the end of the current stream position. Code blocks, when they begin streaming, show the language badge immediately and the content fills in below.

Message Bubbles

User messages: Right-aligned, `--color-primary-100` background, `--radius-xl` with the bottom-right corner `--radius-xs`, max-width 75%.

AI messages: Left-aligned, full width up to max reading width. `--color-bg-elevated` background, left accent border. Avatar (Spark AI spark mark, 28px circle) appears at the top-left of each response.

Code within AI messages renders in syntax-highlighted blocks: `--color-bg-inset` background, JetBrains Mono font, line numbers, a language badge at top-right, and a Copy button. Scrolls horizontally for wide code.

Prompt Box

Pinned to the bottom of the chat area. Has `--space-4` padding around it. The input itself is the Chat Input described in section 8. Above the input, a model selector dropdown (small, ghost-style) shows the current AI model and allows switching.

Keyboard shortcuts displayed in small text below the input: "Enter to send · Shift+Enter for new line · / for commands".

14. Landing Page Layout

Section 1 — Hero

Full-viewport-height section. Background `--color-bg-base` with a subtle radial gradient of `--color-primary-500` at 4% opacity centered behind the hero content — barely perceptible, but adds a sense of the product glowing from within.

Content: Badge at top ("Now in Beta" / "Trusted by 10K users") in a pill with `--color-primary-100` background. Main headline in `--text-6xl`, `--font-extrabold`, `--tracking-tighter`. Two lines maximum: "Think Faster. Work Smarter." or the chosen final headline. Subheadline in `--text-xl`, `--color-text-secondary`, max-width 560px, centered.

Two CTA buttons: "Start for Free" (primary) and "See how it works" (ghost, with a play icon). `--space-4` gap between them.

Below the CTAs: Social proof strip — "Join 10,000+ professionals, students, and developers". Small avatars (6 circular avatar images overlapping) + star rating + number.

Visual: A large, beautifully rendered screenshot/mockup of the chat interface (the product's chat window) centered below the headline text. It uses a subtle perspective tilt (3D CSS transform — 10 degrees of rotation) creating the "hero product screenshot" effect used by Linear and Vercel. The screenshot has a `--shadow-xl` glow beneath it. This visual is the centerpiece of the landing page.

Scroll indicator: A small animated scroll indicator (chevron down, bouncing) at the very bottom of the viewport.

Section 2 — Feature Grid

Heading: "Everything you need, in one place." Three-column grid of six Feature Cards (from the card system described above). Each has an icon, a title, and a 2-sentence description. Features shown: AI Chat, PDF Chat, Image Analysis, Research Mode, Coding Assistant, Web Search.

Section 3 — Deep Feature Showcase

A series of three alternating two-column sections (text left + visual right, then visual left + text right) that highlight the three most differentiating features in detail. Each section has: a mode

badge ("PDF Chat"), a large heading, bullet-point benefits using check icons in `--color-secondary-500`, and a product screenshot or animated demo visual.

Section 4 — Social Proof / Testimonials

Dark card grid with three testimonials from users (real or placeholder for launch). Each testimonial card: quote text, user name, title, and avatar. A subtle star rating. The cards have the Feature Card hover effect.

Section 5 — Pricing

Heading: "Simple, transparent pricing." Three pricing cards (Free, Pro, Team) in the card styles described above. A billing toggle (Monthly/Yearly) above the cards — yearly shows a "Save 20%" badge. Below the pricing cards: an FAQ accordion with the five most common pricing questions.

Section 6 — CTA Banner

A full-width banner section with `--color-primary-100` background and a `--color-primary-500` border top and bottom. Large centered text: "Start building with Spark AI today." Primary CTA button centered. Subtext: "No credit card required. Free forever."

Section 7 — Footer

Four-column footer: Logo + one-line description + social icons (column 1). Product links (column 2). Company links (column 3). Legal links + theme toggle (column 4). Bottom bar: copyright, "Made with ♥ by [Name]".

15. Mobile Experience

Breakpoints:

Mobile: < 640px (`--screen-sm`)

Tablet: 640px–1024px (`--screen-md`)

Desktop: > 1024px (`--screen-lg`)

Mobile-first principles: All layout decisions are made for mobile first. Desktop is an enhancement of the mobile layout, not the other way around. This is critical because a significant percentage of initial users will access via mobile browser before the native app exists.

Typography scaling: Heading sizes reduce on mobile. `--text-6xl` hero becomes `--text-4xl`. `--text-4xl` page headings become `--text-2xl`. Body text remains `--text-base` — do not reduce body text on mobile.

Navigation: Top navbar collapses to logo + hamburger + action icon. Sidebar becomes a slide-over drawer. Bottom navigation bar appears (five items). The global search becomes a full-screen overlay when activated.

Chat interface on mobile: The sidebar is hidden. The chat area is full-width. The prompt box sticks to the bottom of the viewport above the keyboard. When the software keyboard appears, the chat area scrolls up so the last message remains visible above the prompt box. This is one of the most technically sensitive interactions in the mobile experience — it must be tested thoroughly.

Touch targets: All interactive elements have a minimum touch target of 44×44px (Apple HIG standard). Even if an icon appears visually smaller, the touch area around it extends to the minimum. Prevent accidental taps on adjacent controls.

Cards on mobile: Two-column grids collapse to single column. Feature cards stack vertically. Quick Actions become a 2×2 grid (not horizontal scroll).

Gestures: Swipe right from left edge opens the sidebar drawer. Swipe left on a conversation history item reveals a delete action. Pull-to-refresh on the conversation list.

16. Animation System

Spark AI's animation philosophy: **purposeful, fast, and spring-based**. Animations communicate state changes and create perceived performance — they are not decorative flourishes.

Timing Tokens

`--duration-instant:` 80ms — Micro-interactions, icon state changes
`--duration-fast:` 150ms — Hover states, show/hide tooltips
`--duration-normal:` 250ms — Card transitions, modal appearances
`--duration-slow:` 350ms — Page transitions, drawer open/close
`--duration-deliberate:` 500ms — Onboarding steps, feature reveals

Easing Tokens

`--ease-linear:` linear — Progress bars only
`--ease-out:` cubic-bezier(0,0,0.2,1) — Elements entering view
`--ease-in:` cubic-bezier(0.4,0,1,1) — Elements leaving view
`--ease-in-out:` cubic-bezier(0.4,0,0.2,1) — Elements changing position
`--ease-spring:` cubic-bezier(0.34,1.56,0.64,1) — Playful bouncy elements

--ease-anticipate: cubic-bezier(0.36,0,0.66,-0.56) — Dramatic state changes

Specific Animation Definitions

Page transitions: Fade + translateY(8px) → translateY(0). Duration `--duration-slow`, `--ease-out`. New pages slide up slightly as they appear, creating a sense of depth and progression.

Modal appear: Scale(0.96) + opacity(0) → scale(1) + opacity(1). Duration `--duration-normal`, `--ease-spring`. The spring easing gives modals a slight overshoot that feels physical.

Sidebar open: TranslateX(-100%) → translateX(0). Duration `--duration-slow`, `--ease-out`. The content slides in from the left.

Hover state transitions: All hover state color/background changes: duration `--duration-fast`, `--ease-out`. Snappy but not instant.

Chat message appear: Each new message (both user and AI) fades in + slides up 12px. Duration `--duration-normal`, `--ease-out`. Staggered — user message appears first, AI thinking indicator appears 200ms later.

AI typing cursor: A 1px wide, 1em tall cursor blinks at 500ms intervals using an opacity keyframe animation. When the stream ends, the cursor fades out over 300ms.

Primary button primary glow pulse: A keyframe animation that oscillates the shadow size between `--shadow-primary-glow` and `--shadow-primary-pulse` over 2000ms, repeating. Applied only during AI generation loading states to the submit button.

Number/stat count-up: Dashboard stats count up from 0 to their value over 1000ms on page load, using a quadratic easing. This makes the dashboard feel alive on first view.

Skeleton loading: Rather than spinners, use skeleton screens — placeholder shapes in `--color-bg-overlay` with a shimmer animation (a gradient that sweeps left to right over 1500ms). This creates perceived performance — the user sees the layout before the data arrives.

Reduced Motion

All animations must respect `prefers-reduced-motion: reduce`. When set, transitions reduce to opacity-only changes (no translate, no scale), durations drop to `--duration-instant`, and looping animations stop completely. This is not optional — it is an accessibility and legal requirement.

17. Accessibility

Accessibility is built into the design system, not bolted on afterward. Every component specification includes its accessibility behavior.

Color contrast: All text colors meet WCAG AA minimum contrast ratios (4.5:1 for body text, 3:1 for large text and UI components). Primary buttons, form labels, and navigation items are tested against their backgrounds. The dark mode palette described above was designed with these ratios as a constraint, not an afterthought.

Focus management: Every interactive element has a visible focus state that is not the default browser outline but a branded equivalent (the primary glow). Focus order follows a logical reading order. Modals trap focus within themselves when open. When a modal closes, focus returns to the element that opened it.

Keyboard navigation: The entire application is fully operable via keyboard. Tab for forward navigation, Shift+Tab for backward, Enter/Space for activation, Escape for closing modals and dropdowns, Arrow keys for navigating lists and menus.

ARIA labeling: Icon-only buttons have `aria-label` attributes. Dropdown menus use `role="menu"` and `aria-expanded`. The chat conversation list uses `role="feed"` with appropriate `aria-setsize`. AI-generated content updates use `aria-live="polite"` to announce updates to screen readers without interrupting.

Semantic HTML: Headings follow a logical hierarchy (one H1 per page, H2 for sections, H3 for subsections). Navigation uses `<nav>` with `aria-label` to distinguish multiple navigation regions. The chat input uses `<textarea>` with an associated label, not a `<div contenteditable>`.

Form accessibility: Every input has an associated `<label>` using the `for` attribute or wrapping. Error messages are associated with their inputs using `aria-describedby`. Required fields are marked with `aria-required="true"` and a visual indicator (not just color — a text indicator or asterisk).

Motion accessibility: As described in the animation section, all animations respect `prefers-reduced-motion`.

Screen reader testing: Test with VoiceOver (Mac/iOS) and NVDA (Windows). The chat conversation, the navigation, and the document upload flow must be fully comprehensible via screen reader.

Touch accessibility: Touch targets of 44×44px minimum. Sufficient spacing between adjacent touch targets to prevent errors. Swipe gestures have alternative button-based equivalents.

18. Design Tokens

Design tokens are the single source of truth for all visual decisions. They are defined once and referenced everywhere — CSS custom properties on the web, style dictionaries for React Native.

The token architecture has three levels:

Level 1 — Primitive Tokens: Raw values with no semantic meaning.

```
--primitive-violet-500: #6C63FF  
--primitive-neutral-900: #0A0A0F  
--primitive-radius-8: 8px  
--primitive-space-16: 16px
```

Level 2 — Semantic Tokens: Primitive tokens aliased to meaningful roles. These are what components reference.

```
--color-primary: var(--primitive-violet-500)  
--color-bg-base: var(--primitive-neutral-900)  
--radius-md: var(--primitive-radius-8)  
--space-4: var(--primitive-space-16)
```

Level 3 — Component Tokens: Semantic tokens scoped to specific components.

```
--button-primary-bg: var(--color-primary)  
--button-primary-text: var(--color-text-inverse)  
--input-border-default: var(--color-border-default)  
--input-border-focus: var(--color-primary)  
--card-bg: var(--color-bg-surface)  
--card-border: var(--color-border-subtle)
```

Complete token categories:

Color tokens (backgrounds, borders, text, semantic), Typography tokens (sizes, weights, line-heights, letter-spacing), Spacing tokens, Radius tokens, Shadow tokens, Duration tokens, Easing tokens, Z-index tokens.

Z-index token system:

```
--z-base:    0   — Default document flow  
--z-raised:  10  — Cards with hover lift, sticky elements  
--z-dropdown: 100 — Dropdown menus, popovers  
--z-sticky:  200 — Sticky headers, floating controls  
--z-overlay: 300 — Modal backdrops, scrim  
--z-modal:   400 — Modal dialogs, drawers
```

--z-toast: 500 — Toast notifications (must appear over modals)
--z-tooltip: 600 — Tooltips (must appear over everything)

19. Component Naming Convention

A consistent naming convention makes the codebase self-documenting and enables designers and developers to speak the same language.

Component names: PascalCase, descriptive, and unambiguous.

Base pattern: [Context][Element][Variant]

Examples:

ButtonPrimary
ButtonSecondary
ButtonGhost
ButtonDanger
ButtonIconOnly

InputText
InputSearch
InputPassword
InputChat

CardBase
CardInteractive
CardFeature
CardPricing
CardAIMessage
CardUserMessage
CardStat

NavbarTop
NavSidebar
NavBottomMobile
NavItem
NavItemActive

ModalBase
ModalConfirm
ModalDanger

BadgeStatus
BadgePlan

BadgeMode

AvatarUser

AvatarAI

AvatarGroup

File naming: Component files use the same PascalCase name. `ButtonPrimary.tsx`, `CardFeature.tsx`, `InputChat.tsx`.

CSS class naming (if needed): BEM-like but using design token prefixes. `.spark-button-primary`, `.spark-card-feature`. Prefer CSS-in-JS or Tailwind utility classes over custom class names where possible.

Icon naming: Follow Lucide's naming convention for standard icons. Custom icons: `IconSparkMark`, `IconAIThinking`, `IconModeResearch`.

Page naming: PascalCase, prefixed with "Page". `PageDashboard`, `PageChat`, `PageSettings`, `PageLanding`.

Layout components: Prefixed with "Layout". `LayoutMain`, `LayoutAuth`, `LayoutPublic`, `LayoutChat`.

Hook naming: Camelcase, prefixed with "use". `useChat`, `useConversation`, `useSubscription`, `useTheme`, `useMediaQuery`.

20. Final Design Guidelines — The Spark AI Design Manual

The Ten Laws of Spark AI Design

Law 1 — One Primary Action Per Screen. Every screen has a single most-important action. It uses the Primary Button style. Everything else is secondary or ghost. Never create a screen where the user doesn't know what to do next.

Law 2 — Surface Area Reflects Importance. Important things are bigger, higher contrast, and have more surrounding white space. Unimportant things are smaller, lower contrast, and more dense. If you find yourself giving equal visual weight to six things at once, you're not designing — you're decorating.

Law 3 — Never Use Color Alone to Communicate. Error states use color AND an icon AND text. Success states use color AND text. Active states use color AND position/underline. Someone who cannot distinguish red from green must still understand every state in the interface.

Law 4 — Every Empty State is an Opportunity. Empty states (no conversations, no documents, no search results) are not failures — they are the first experience many users will have with a feature. They should be beautiful, explain what the feature does, and provide a clear first action.

Law 5 — Loading States are Part of the Design. Skeleton screens, not spinners, for content loading. Skeleton shapes must match the actual content shape that will replace them. The AI "thinking" indicator is a unique interaction, not a spinner. Every async operation has a designed loading state.

Law 6 — Mobile is Not a Smaller Desktop. Mobile designs are not shrunk desktop designs. They use different layouts, different interaction patterns, different navigation, and different information density. Design mobile separately within the same design system.

Law 7 — Transitions Create Understanding. When an element appears, it should come from somewhere that makes sense. When it disappears, it should go somewhere. Modals grow from their trigger. Drawers slide from the edge. Toasts arrive from the top. Motion communicates spatial relationships.

Law 8 — Typography Does the Heavy Lifting. In a minimal design system, typography carries more visual weight than any other element. Size, weight, and color are your primary design tools. Use them intentionally. A well-typeset page without a single decorative element is more beautiful than a cluttered page with every graphic treatment applied.

Law 9 — Consistency is a Feature. Every button press behaves the same way. Every hover state works the same way. Every error message looks the same way. Users who learn the pattern once can apply it everywhere. Breaking consistency for "creativity" is a cost that users pay, not a reward.

Law 10 — Design for the 1,000th Use, Not the First. Onboarding moments and empty states are for first use. But 90% of interactions happen in the 1,000th session. Optimize for efficiency, density, and keyboard navigation for experienced users. Don't make power users wade through beginner UX every time.

Design Review Checklist

Before any component or screen is considered complete, verify:


Does this work in dark mode and light mode? Does this work at mobile, tablet, and desktop breakpoints? Does every interactive element have a hover, active, focus, and disabled state? Does every async operation have a loading and error state? Is every empty state designed? Are all color contrast ratios WCAG AA compliant? Can this entire flow be completed with a keyboard only? Does every icon-only button have an aria-label? Does this respect [prefers-reduced-motion](#)? Is there exactly one primary action in this view?

The Hierarchy of Design Decisions

When a design decision is unclear, resolve it in this order:

1. Does the design system already answer this? Check the tokens, components, and laws above first.
2. What does the user need to accomplish? Start from the user's goal, not the UI's constraints.
3. What is the simplest solution? The answer that requires the fewest new elements, new patterns, or new concepts wins.
4. What is most consistent with the rest of the product? Prefer consistency over cleverness.
5. Only after these four questions fail to resolve the decision should new design patterns be introduced.

Architecture Diagram — Design System Structure



COMPONENT LAYER

PRIMITIVES

Button(4) · Input(4) · Card(6) · Badge · Avatar · Icon

COMPOSITE

Navbar · Sidebar · Modal · Toast · Dropdown · Tooltip

PATTERN LAYER

Chat Interface · Dashboard · Auth Forms · Pricing Grid
PDF Viewer · Image Gallery · Code Block · Search UI

PAGE LAYER

Landing · Dashboard · Chat · Settings · Admin · Profile

EXPERIENCE LAYER

Dark Mode
(Primary)

Light Mode
(Complete)

Mobile
(Adaptive)

GOVERNING LAYER

10 Design Laws · Review Checklist · Naming Convention
Accessibility Standards · Motion Guidelines

COLOR SYSTEM QUICK REFERENCE (DARK MODE):

Token	Value	Usage
bg-base	#0A0A0F	Outermost background
bg-elevated	#111118	Main content areas
bg-surface	#1A1A24	Cards, panels, modals
bg-overlay	#22222F	Dropdowns, popovers
primary-500	#6C63FF	Signature brand color
secondary-500	#22C4A0	Success, secondary actions
accent-amber	#F5A623	Warnings, highlights
accent-rose	#F25C7A	Errors, destructive actions
border-subtle	#1E1E2E	Section dividers
border-default	#2A2A3E	Cards, inputs
border-focus	#6C63FF	Focused elements
text-primary	#F0F0F8	Main body text
text-secondary	#9999B8	Labels, metadata
text-tertiary	#5C5C78	Hints, disabled

The design system is complete. Every decision has a rationale. Every component has a specification. Every rule has a reason.

This is a living document — it will evolve as the product does, but its foundation is solid enough to build on immediately.

Awaiting your approval to proceed to Phase 0 development.