



Assignment 1


```
{ } manifest.json U X JS appConfig.js U
{ } manifest.json > { } action > { } default_icon > abc 16
1  {
2
3
4      "manifest_version": 3,
5      "name": "AI Browser Extension for Code Generation",
6      "version": "1.0",
7      "description": "Test automation code generator",
8      "permissions": [
9          "storage",
10         "activeTab",
11         "scripting",
12         "tabs",
13         "sidePanel"
14     ],
15     "host_permissions": [
16         "<all_urls>"
17     ],
18     "action": {
19         "default_title": "Extension for AI Code Generation",
20         "default_icon": {
21             "16": "assets/images/logo-small.png",
22             "32": "assets/images/logo-small.png",
23             "48": "assets/images/logo-small.png",
24             "128": "assets/images/logo-small.png"
25         }
26     },
27     "icons": {
28         "16": "assets/images/logo-small.png",
29         "32": "assets/images/logo-small.png",
30         "48": "assets/images/logo-small.png",
31         "128": "assets/images/logo-small.png"
32     },
```

```
{ } manifest.json U JS appConfig.js U X
src > config > JS appConfig.js > ...
1 export const appConfig = {
2   appName: 'AI Code Generator',
3   logoPath: 'assets/images/logo-small.png',
4   colors: {
5     primary: '#f97316', // vibrant orange
6     primaryLight: '#fb923c', // lighter orange for hover
7     accent: '#6366f1', // modern indigo
8     success: '#22c55e',
9     successDark: '#16a34a',
10    danger: '#ef4444',
11    darkBg: '#1a1b26', // deep navy-charcoal
12    panelBg: '#262838', // elevated panel surface
13    mutedText: '#9ca3af',
14    // Inspector toggle / gradient accents
15    gradientStart: '#7c3aed', // violet
16    shadowColor: 'rgba(124,58,237,0.35)',
17    shadowColorHover: 'rgba(124,58,237,0.5)',
18    shadowColorActive: 'rgba(99,102,241,0.25)',
19    borderWhite: 'rgba(255,255,255,0.12)'
20  }
21 };
```




Assignment 2






Assignment 3

```
File Edit Selection View Go Run ... al-extension Update
manifest.json U JS popup.js U JS prompts.js U JS chat.js U X
src > scripts > JS chat.js > ChatUI > getPromptKeys
6 class ChatUI {
581   updateInspectorButtonState() {
591     this.inspectorButton.classList.remove('nas-content');
592   }
593   this.inspectorButton.innerHTML = `
594     <i class="fas fa-mouse-pointer"></i>
595     <span>Inspect</span>
596   `;
597 }
598
599
600   getPromptKeys(language, engine) {
601     const checkboxes = Array.from(document.querySelectorAll('input[name="javaGenerationMode"]:checked'));
602     const promptKeys = [];
603     const lang = language?.toLowerCase() || '';
604     const eng = engine?.toLowerCase() || '';
605
606     // Extract selected generation modes
607     const isFeatureChecked = checkboxes.some(box => box.value === 'FEATURE');
608     const isPageChecked = checkboxes.some(box => box.value === 'PAGE');
609
610     // Validate that at least one option is selected
611     if (!isFeatureChecked && !isPageChecked) {
612       console.warn('No generation mode selected. Defaulting to Page Object generation.');
```





```
import { Page, Locator } from '@playwright/test';
```

```
export class LoginPage {
```

```
  readonly page: Page;
```

```
  readonly usernameInput: Locator;
```

```
  readonly passwordInput: Locator;
```

```
  readonly submitButton: Locator;
```

```
  constructor(page: Page) {
```

```
    this.page = page;
```

```
    this.usernameInput = page.locator('#username');
```

```
    this.passwordInput = page.locator('#password');
```

```
    this.submitButton = page.locator('input.decorativeSubmit[type="submit"]');
```

```
  }
```

```
  async enterUsername(username: string): Promise<void> {
```

```
    await this.usernameInput.fill(username);
```

```
  }
```

```
async enterPassword(password: string): Promise<void> {  
    await this.passwordInput.fill(password);  
}
```

```
async clickLogin(): Promise<void> {  
    await this.submitButton.click();  
}
```

```
async login(username: string, password: string): Promise<void> {  
    await this.enterUsername(username);  
    await this.enterPassword(password);  
    await this.clickLogin();  
}  
}
```