

Scenario:

Customer tries to transfer ₹50,000.

Transaction failed.

Error shown: "Transaction could not be completed."

Expected discoveries:

1. Daily limit exceeded
2. Insufficient balance
3. Bank server unavailable
4. OTP expired
5. Network timeout
6. Beneficiary inactive
7. Fraud rule triggered
8. Core banking unavailable
9. UPI switch unavailable

CoT Prompt Provided:

A Customer tries to transfer ₹50,000 but Transaction failed with the error message - "Transaction could not be completed."

Act as an expert system and identify the specific failure point by considering the below list of categories sequentially.

Let's think step by step to diagnose this transaction failure. Also, Break down your reasoning into logical stages.

Categories :

1. Daily limit exceeded
2. Insufficient balance
3. Bank server unavailable

4. OTP expired

5. Network timeout

6. Beneficiary inactive

7. Fraud rule triggered

8. Core banking unavailable

9. UPI switch unavailable

AI Response:

Logical Diagnostic Stages

Stage 1: User-Side Account & Limit Constraints

1. Daily limit exceeded:

I would first check the user's account profile and transaction history. If the cumulative transfers for the day plus the current ₹50,000 exceed their set limit, this is the failure point.

2. Insufficient balance:

I would query the account ledger to ensure the available balance is $\geq$ ₹50,000. If the balance is lower, the transaction is rejected here.

6. Beneficiary inactive:

I would verify the status flag of the beneficiary account. If the account is marked as inactive, closed, or restricted, the transfer cannot proceed.

Stage 2: Technical & Network Infrastructure

3. Bank server unavailable:

I would check the health status of the destination bank's server. An "unavailable" status would immediately prevent the transaction.

5. Network timeout:

I would inspect the logs for the specific request timestamp. If the connection took longer than the defined threshold to receive an acknowledgment, a timeout is triggered.

8. Core banking unavailable:

I would check the status of the Core Banking Solution (CBS). If the CBS is unreachable, the system cannot finalize the debit or credit.

9. UPI switch unavailable: I would verify the connectivity status of the central UPI switch. If the switch is down, inter-bank communication is impossible.

Stage 3: Security & Validation Rules

4. OTP expired:

I would review the authentication logs to see if the time window for the OTP entry has elapsed. If the validation attempt occurred after the expiry time, the transaction fails.

7. Fraud rule triggered:

I would analyze the risk engine's decision logs for this transaction. If the transaction patterns (such as velocity or unusual location) triggered a high-risk score, the fraud rule will block the transfer.