

Step 1: Database & Network Access

Database Users

User	Description	Authentication Method	MongoDB Roles	Resources	Actions
reka127_db_user		SCRAM	atlasAdmin@admin	All Resources	EDIT DELETE
rekanew		SCRAM	atlasAdmin@admin	All Resources	EDIT DELETE
rekauserstory		SCRAM	atlasAdmin@admin	All Resources	EDIT DELETE

Step 2: Create Database & Collection

Data Explorer

Cluster0 > Rag_userstory > userstory

Documents 0 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

25 0 - 0 of 0

This collection has no data
It only takes a few seconds to import data from a JSON or CSV file.

Step 3: Create Vector Search Index

Search & Vector Search


Find a search index

VIEW COMPOUND QUERY EXAMPLE CREATE SEARCH INDEX

You have reached the 3 search and vector index limit for your M0 free tier cluster. [Upgrade Cluster](#)


Database	Collection	Index Name	Status	Queryable	Type	Index Fields
Rag_testcases	testcases	vector_index	READY	✓	vectorSearch	"embedding", "id", "module", "title", "description", ... 2 more
Rag_userstory	userstory	vector_index_user_story	READY	✓	vectorSearch	"embedding", "storyId", "projectId", "summary", "description", ... 1 more

Step 4: Get the Atlas Connection String



mongodb+srv://rekanew:vbhgnWUUD9AqkcBS@cluster0.ncom25a.mongodb.net/?appName=Cluster0

Step 5: Configure the .env File



Save and run – npm install

Method 1 (Ingestion through command)

Once successful, run below command -

node src/scripts/data-conversion/excel-to-userstories.js

```

s.js:\Reka_Learnings\0815-0816\RAG\rag-mongo-demo-ui>
Loading Excel file: src/data/userstories.xlsx
Available sheets: stories
Converting sheet "stories" to JSON...
Found 190 rows in Excel
Sample columns found: [
  'summary',
  'projectName',
  'description',
  'acceptanceCriteria',
  'storyId',
  'parentSummary',
  'statusCategory',
  'priority',
  'risk',
  'createdDate'
]
Column mapping available for: [
  'storyId', 'Story Key',
  'Story ID', 'ID',
  'Key', 'Issue Key',
  'summary', 'Summary',
  'Title', 'Story Title'
]

```

```

Transforming data to user story format...
✓ Transformed 190 rows
✓ Valid user stories: 190
⚠ Filtered out: 0 empty rows

🎉 SUCCESS! Converted user stories from Excel to JSON
📁 Input: src/data/userstories.xlsx (sheet: "stories")
📁 Output: src/data/stories.json
📊 Total user stories: 190

📄 Sample converted user story:
Key: HC-257
Summary: Consultant Dashboard My Inpatients
Status: To Do
Priority: P1
Story Points: Not set
Project: Health Care

💡 Next steps:
1. Review the generated src/data/stories.json file
2. Run: node src/scripts/create-userstories-embeddings-batch.js
3. Create vector index in MongoDB Atlas for user stories search

🎉 SUCCESS! Converted user stories from Excel to JSON
📁 Input: src/data/userstories.xlsx (sheet: "stories")
📁 Output: src/data/stories.json

```

Output

```

src > data > {} stories.json > ...
1  [
2    {
3      "key": "HC-257",
4      "summary": "Consultant Dashboard My Inpatients",
5      "description": "As a user, I want to consultant dashboard my inpatients so that the related func
6      "status": {
7        "name": "To Do",
8        "category": "To Do"
9      },
10     "priority": {
11       "name": "P1",
12       "id": "3"
13     },
14     "assignee": null,
15     "reporter": null,
16     "created": "2022-01-06T00:00:00.000Z",
17     "updated": "2026-08-17T11:20:51.557Z",
18     "components": [],
19     "labels": [],
20     "fixVersions": [],
21     "storyPoints": null,
22     "project": "Health Care",
23     "epic": "Emergency Management",
24     "acceptanceCriteria": "Given a user with valid access, when they open the dashboard, then releva
25     "businessValue": "",
26     "risk": "Critical",
27     "dependencies": "",
28     "notes": "",
29     "sprint": null,
30     "team": null,
31     "issueLinks": [],
32     "url": "",
33     "sourceType": "excel",
34     "importedAt": "2026-08-17T11:20:51.558Z"

```

node src/scripts/embeddings/create-userstories-embeddings-batch-mistral.js

```

PS D:\Reka_Learnings\0815-0816\RAG\rag-mongo-demo-ui> node src/scripts/embeddings/create-userstories-embeddings-batch-mistral.js


🚀 [Batch 1/4] Processing 50 user stories with Mistral AI...
🚀 [Batch 2/4] Processing 50 user stories with Mistral AI...
🚀 [Batch 3/4] Processing 50 user stories with Mistral AI...
✅ [Batch 2/4] Success! Cost: $0.000808 | Tokens: 8077
✅ [Batch 3/4] Success! Cost: $0.000806 | Tokens: 8060
✅ [Batch 1/4] Success! Cost: $0.000813 | Tokens: 8128
⏸️ Waiting 1000ms before next batch group...
🚀 [Batch 4/4] Processing 40 user stories with Mistral AI...
✅ [Batch 4/4] Success! Cost: $0.000641 | Tokens: 6413
📊 Progress: 190/190 (100.0%) | Rate: 44.7/sec | ETA: 0s | Cost: $0.003068

🎉 MISTRAL AI BATCH PROCESSING COMPLETE!
📊 Final Statistics:
🕒 Total Time: 5s
⚡ Processing Rate: 39.1 user stories/second
📄 Total User Stories: 190
✅ Successfully Processed: 190
❌ Failed: 0
📧 Success Rate: 100.0%
💰 Total Cost: $0.003068
🗣️ Total Tokens: 30,678
👤 Average Cost per User Story: $0.00001615
👤 Average Tokens per User Story: 161
💡 Cost Savings: ~90% cheaper than OpenAI embeddings

```

Ln 12, Col 2 Spaces: 4 UTF-8 LF {} Dotenv

Ingestions in Mongo DB




Delete command check

node .\src\scripts\utilities\delete-all-documents.js

```
💡 Cost Savings: ~90% cheaper than OpenAI embeddingnode .\src\scripts\utilities\delete-all-docu
ments.jska_Learnings\0815-0816\RAG\rag-mongo-demo-ui>
Deleted 190 documents from userstory
PS D:\Reka_Learnings\0815-0816\RAG\rag-mongo-demo-ui> |
```

Ingested data cleared



Run npm run dev to start the dev server

```
PS D:\Reka_Learnings\0815-0816\RAG\rag-mongo-demo-ui> npm run dev
[0] at afterResolve (node:internal/modules/esm/loader:607:52)
[0] at ModuleLoader.getOrCreateModuleJob (node:internal/modules/esm/loader:613:12)
[0] at node:internal/modules/esm/loader:632:32
[0] at TracingChannel.tracePromise (node:diagnostics_channel:362:14)
[0]
[0] Node.js v24.18.0
[0] npm run server exited with code 1
[1]
[1] > client@0.1.0 start
[1] > react-scripts start
[1]
[1] [baseline-browser-mapping] The data in this module is over two months old. To ensure accurate
Baseline data, please update: `npm i baseline-browser-mapping@latest -D`
[1] (node:28300) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
[1] (Use `node --trace-deprecation ...` to show where the warning was created)
[1] Browserslist: browsers data (caniuse-lite) is 11 months old. Please run:
[1] npx update-browserslist-db@latest
[1] Why you should do it regularly: https://github.com/browserslist/update-db#readme
[1] (node:28300) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
[1] (node:28300) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
[1] Starting the development server...
[1]
```

Method 2 (Ingestion through UI)

Upload user stories, convert to json and create embeddings

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Settings

Configure environment

RAG Pipeline

Home > Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

File Upload

Select data type and configure your Excel file

Data Type

US User Stories

SELECT EXCEL FILE (USER STORIES)

userstories.xlsx

25.6 KB

Selected

Sheet Name

stories

Name of the Excel sheet to convert (default: stories)

CONVERT USER STORIES

RESET

Expected User Stories Columns

Your Excel file should contain these columns:

Story ID / Key

Summary / Title

Description

Status

Priority

Assignee

Reporter

Story Points

Components

Labels

Sprint

Epic

User Stories converted successfully!

RAG Demo v1.2

Enterprise Edition

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Settings

Configure environment

RAG Pipeline

Home > Embeddings & Store

Create and manage embeddings

stories-1787037087933.json

198.29 KB

8/18/2026 12:41:28 PM

JSON

1 row selected

Rows per page: 10

1-3 of 3

Selected 1 file(s): stories-1787037087933.json

Processing Embeddings...

0/1

Current file: user-stories

Progress: 0%

Job ID: job-1787037183494-bs...

This process continues even if you refresh the page!

Batch processing started! Job ID: job-1787037183494-bs8t3z1wf

Starting batch processing for 1 files...

RAG Demo v1.2

Enterprise Edition

Processing Results

1 completed, 0 failed

user-stories

completed


Input file: src/data/stories-1787037087933.json

MISTRAL AI BATCH PROCESSING: 190 user stories

Using Mistral AI Embedding API for Cost-Effective Processing!


Configuration:

Batch Size:...



Method 3 (Ingestion through Postman) [without deleting previous content]

Uploaded userstory excel from local folder and convert to json



Create embeddings

Reka mano's Workspace

Search

POST upload POST S01 POST succ POST 2.L POST 4.C POST 2.L GET 1.He POST 4.C

Groq_API_Env

RAG MongoDB - Data Ingestion > 4. Create Embeddings - Batch (User Stories - FAST)

POST ((baseUri)) /api/create-embeddings-batch

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "files": [
3     "stories-1787040056550.json"
4   ],
5   "scriptName": "create-userstories-embeddings-batch-mistral.js",
6   "jobType": "userstories"
7 }
```

Body Cookies Headers 8 Test Results

200 OK 1.59 s 459 B Save Response

{ } JSON Preview Visualize

```
1 {
2   "success": true,
3   "jobId": "job-1787040080444-oj7uxbu80",
4   "message": "Batch embedding creation started using create-userstories-embeddings-batch-mistral.js",
5   "filesCount": 1,
6   "jobType": "userstories"
7 }
```

Data Ingested

WhatsApp Cluster0 Data | Cloud: MongoDB C Steps-for-RAG-Ingestion (1).pdf Assignments - July26 ToolDev - Gc X

https://cloud.mongodb.com/v2/6a7ec05d8cbab84f3fff23b2#/explorer/6a7ec116b707cd60f3bc0eef/Rag_testcases/user_stories/find

ORGANIZATION Reka's Org - 2026-08... PROJECT Project 0

Compare tiers

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- Rag_testcases
 - testcases
 - user_stories
- admin
- local
- sample_mflix

Cluster0 > Rag_testcases > user_stories

View monitoring Visualize Your Data

Documents 380 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or Generate query

Explain Reset Find Options

25 1 - 25 of 380

```
{
  "_id": ObjectId("6a840f12e8afe5c2d40ec6c3"),
  "key": "HC-257",
  "summary": "Consultant Dashboard My Inpatients",
  "description": "As a user, I want to consultant dashboard my inpatients so that the re...",
  "status": Object(2),
  "priority": Object(2),
  "assignee": null,
  "reporter": null,
  "created": "2022-01-06T00:00:00.000Z",
  "updated": "2026-08-18T07:50:50.563Z",
  "components": Array(empty),
  "labels": Array(empty),
  "fixVersions": Array(empty),
  "storyPoints": null
}
```

---XX--