

2520090030

R.Jagadeesh

SKILL WEEK 1

CREATE TABLE

MySQL Workbench

Arjun x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

2520030456_arun

- Tables
- Views
- Stored Procedures
- Functions

bankdb

bookflow_db

store_db

sys

Administration Schemas

Information

Schema: 2520030456_arun

Query 1

```
1 • CREATE DATABASE arun;
2 • USE arun;
3
4 • CREATE TABLE arun (
5     roll_no INT PRIMARY KEY,
6     name VARCHAR(50),
7     subject VARCHAR(50),
8     marks DECIMAL(5,2)
9 );
10
11 -- 2. Insert Data
12 • INSERT INTO arun (roll_no, name, subject, marks) VALUES
13 (1, 'Ravi', 'Math', 85.50),
14 (2, 'Sita', 'Math', 92.75),
15 (3, 'Anil', 'Math', 78.40),
16 (4, 'Priya', 'Math', 88.90),
17 (5, 'Vijay', 'Math', 80.25),
18 (6, 'subbusir', 'aws', 98.50),
19 (7, 'dwaraka', 'dbms', 95.75),
20 (8, 'ranjani', 'english', 97.40),
21 (9, 'kavithamam', 'awc1', 99.90);
```

Output

Action Output

#	Time	Action	Message
✓ 2	12:17:36	USE 2520030456_arun	0 row(s) affected

MySQL Workbench

Arjun x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

2520030456_arun

Tables

Views

Stored Procedures

Functions

bankdb

bookflow_db

store_db

sys

Administration Schemas

Information

Schema: 2520030456_arun

Query 1

```

1 • CREATE DATABASE arun;
2 • USE arun;
3
4 • CREATE TABLE arun (
5     roll_no INT PRIMARY KEY,
6     name VARCHAR(50),
7     subject VARCHAR(50),
8     marks DECIMAL(5,2)
9 );
10
11 -- 2. Insert Data
12 • INSERT INTO arun (roll_no, name, subject, marks) VALUES
13     (1, 'Ravi', 'Math', 85.50),
14     (2, 'Sita', 'Math', 92.75),
15     (3, 'Anil', 'Math', 78.40),
16     (4, 'Priya', 'Math', 88.90),
17     (5, 'Vijay', 'Math', 80.25),
18     (6, 'subbusir', 'aws', 98.50),
19     (7, 'dwaraka', 'dbms', 95.75),
20     (8, 'ranjani', 'english', 97.40),
21     (9, 'kavithamam', 'aws1', 99.90);
22

```

Output

Action Output

#	Time	Action	Message
9	12:28:45	USE arun	0 row(s) affected
10	12:28:50	USE arun	0 row(s) affected
11	12:28:54	USE arun	0 row(s) affected
12	12:28:58	USE arun	0 row(s) affected
13	12:29:02	USE arun	0 row(s) affected
14	12:29:10	CREATE TABLE arun (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), ma...	0 row(s) affected

Object Info Session

INSERT DATA

MySQL Workbench

Arjun x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

2520030456_arun

Tables

Views

Stored Procedures

Functions

bankdb

bookflow_db

store_db

sys

Administration Schemas

Information

Schema: 2520030456_arun

Query 1

```

7     subject VARCHAR(50),
8     marks DECIMAL(5,2)
9 );
10
11 -- 2. Insert Data
12 • INSERT INTO arun (roll_no, name, subject, marks) VALUES
13     (1, 'Ravi', 'Math', 85.50),
14     (2, 'Sita', 'Math', 92.75),
15     (3, 'Anil', 'Math', 78.40),
16     (4, 'Priya', 'Math', 88.90),
17     (5, 'Vijay', 'Math', 80.25),
18     (6, 'subbusir', 'aws', 98.50),
19     (7, 'dwaraka', 'dbms', 95.75),
20     (8, 'ranjani', 'english', 97.40),
21     (9, 'kavithamam', 'aws1', 99.90),
22     (10, 'seetha', 'azure', 82.25);
23
24 -- 3. Simple Select
25 • SELECT * FROM arun;
26
27 -- 4. Aggregate Functions

```

Output

Action Output

#	Time	Action	Message
10	12:28:50	USE arun	0 row(s) affected
11	12:28:54	USE arun	0 row(s) affected
12	12:28:58	USE arun	0 row(s) affected
13	12:29:02	USE arun	0 row(s) affected
14	12:29:10	CREATE TABLE arun (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), ma...	0 row(s) affected
15	12:30:14	INSERT INTO arun (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (3...	10 row(s) affected

Object Info Session

SIMPLE SELECT

MySQL Workbench

MySQL Workbench interface showing the Schemas tab and Query 1 editor.

Navigator: Schemas

Filter objects:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Query 1:

```
-- 4. Aggregate Functions
28 • SELECT COUNT(*) AS total_students FROM arun;
29 • SELECT SUM(marks) FROM arun;
30 • SELECT AVG(marks) FROM arun;
31 • SELECT MAX(marks) FROM arun;
32 • SELECT MIN(marks) FROM arun;

-- 5. Filtering with WHERE
35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
```

Result Grid:

SUM(marks)
899.60

Schema: 2520030456_arun

MySQL Workbench

MySQL Workbench interface showing the Schemas tab and Query 1 editor.

Navigator: Schemas

Filter objects:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Query 1:

```
-- 3. Simple Select
25 • SELECT * FROM arun;

-- 4. Aggregate Functions
28 • SELECT COUNT(*) AS total_students FROM arun;
29 • SELECT SUM(marks) FROM arun;
30 • SELECT AVG(marks) FROM arun;
31 • SELECT MAX(marks) FROM arun;
32 • SELECT MIN(marks) FROM arun;

-- 5. Filtering with WHERE
35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
```

Result Grid:

AVG(marks)
89.960000

Schema: 2520030456_arun

MySQL Workbench

Arjun x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter objects

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

23

24 -- 3. Simple Select

25 • SELECT * FROM arun;

26

27 -- 4. Aggregate Functions

28 • SELECT COUNT(*) AS total_students FROM arun;

29 • SELECT SUM(marks) FROM arun;

30 • SELECT AVG(marks) FROM arun;

31 • SELECT MAX(marks) FROM arun;

32 • SELECT MIN(marks) FROM arun;

33

34 -- 5. Filtering with WHERE

35 • SELECT * FROM arun WHERE marks > 85;

36 • SELECT * FROM arun WHERE marks >= 90;

Administration Schemas

Information

Result Grid

Filter Rows:

Export: Wrap Cell Content: [F12](#)

MAX(marks)
99.90

Schema:
2520030456_arun

. Filtering with where

MySQL Workbench

MySQL Workbench interface showing a query execution. The left sidebar displays the Schemas list, including 2520030456_arun. The main query editor shows a series of SQL statements, including a WHERE clause filtering for marks > 85. The bottom panel displays the Result Grid, showing a table with columns roll_no, name, subject, and marks. The data is filtered to show only rows where marks are greater than 85.

Query 1

```

29 • SELECT SUM(marks) FROM arun;
30 • SELECT AVG(marks) FROM arun;
31 • SELECT MAX(marks) FROM arun;
32 • SELECT MIN(marks) FROM arun;
33
34 -- 5. Filtering with WHERE
35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42

```

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
4	Priya	Math	88.90
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
NULL	NULL	NULL	NULL

MySQL Workbench

MySQL Workbench interface showing a query execution. The left sidebar displays the Schemas list, including 2520030456_arun. The main query editor shows a series of SQL statements, including a WHERE clause filtering for marks >= 90. The bottom panel displays the Result Grid, showing a table with columns roll_no, name, subject, and marks. The data is filtered to show only rows where marks are greater than or equal to 90.

Query 1

```

29 • SELECT SUM(marks) FROM arun;
30 • SELECT AVG(marks) FROM arun;
31 • SELECT MAX(marks) FROM arun;
32 • SELECT MIN(marks) FROM arun;
33
34 -- 5. Filtering with WHERE
35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42

```

Result Grid

roll_no	name	subject	marks
2	Sita	Math	92.75
6	subbusir	aws	98.50
7	dwaraka	dbms	95.75
8	ranjani	english	97.40
9	kavithamam	aws1	99.90
NULL	NULL	NULL	NULL

MySQL Workbench

MySQL Workbench interface showing the Query Editor and the Result Grid.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Query 1

```

29 • SELECT SUM(marks) FROM arun;
30 • SELECT AVG(marks) FROM arun;
31 • SELECT MAX(marks) FROM arun;
32 • SELECT MIN(marks) FROM arun;
33
34 -- 5. Filtering with WHERE
35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42

```

Result Grid

roll_no	name	subject	marks
3	Anil	Math	78.40
*	NULL	NULL	NULL

Schema:
2520030456_arun

MySQL Workbench

MySQL Workbench interface showing the Query Editor and the Result Grid.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Query 1

```

29 • SELECT SUM(marks) FROM arun;
30 • SELECT AVG(marks) FROM arun;
31 • SELECT MAX(marks) FROM arun;
32 • SELECT MIN(marks) FROM arun;
33
34 -- 5. Filtering with WHERE
35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42

```

Result Grid

roll_no	name	subject	marks
1	Ravi	Math	85.50
4	Priya	Math	88.90
5	Vijay	Math	80.25
10	seetha	azure	82.25
*	NULL	NULL	NULL

Schema:
2520030456_arun

MySQL Workbench

MySQL Workbench interface showing the 'Query 1' editor and the 'Result Grid'.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - bankdb
 - bookflow_db
 - store_db
 - sys

Query 1:

```

35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42
43 -- 6. Update Queries
44 • UPDATE arun SET marks = 90.00 WHERE roll_no = 3;
45
46 • UPDATE arun
47   SET subject = 'Remedial Math'
48   WHERE marks < 80;

```

Result Grid:

roll_no	name	subject	marks
4	Priya	Math	88.90
•	NULL	NULL	NULL

Schema: 2520030456_arun

MySQL Workbench

MySQL Workbench interface showing the 'Query 1' editor and the 'Result Grid'.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - bankdb
 - bookflow_db
 - store_db
 - sys

Query 1:

```

35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42
43 -- 6. Update Queries
44 • UPDATE arun SET marks = 90.00 WHERE roll_no = 3;
45
46 • UPDATE arun
47   SET subject = 'Remedial Math'
48   WHERE marks < 80;

```

Result Grid:

roll_no	name	subject	marks
1	Ravi	Math	85.50
2	Sita	Math	92.75
5	Vijay	Math	80.25
•	NULL	NULL	NULL

Schema: 2520030456_arun

MySQL Workbench

Arjun x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

2520030456_arun

- Tables
- Views
- Stored Procedures
- Functions

bankdb

bookflow_db

store_db

sys

Query 1 x

Limit to 1000 rows

```

35 • SELECT * FROM arun WHERE marks > 85;
36 • SELECT * FROM arun WHERE marks >= 90;
37 • SELECT * FROM arun WHERE marks < 80;
38 • SELECT * FROM arun WHERE marks BETWEEN 80 AND 90;
39 • SELECT * FROM arun WHERE name LIKE 'P%';
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42
43 -- 6. Update Queries
44 • UPDATE arun SET marks = 90.00 WHERE roll_no = 3;
45
46 • UPDATE arun
47   SET subject = 'Remedial Math'
48   WHERE marks < 80;

```

Administration Schemas

Information

Schema: 2520030456_arun

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Conte

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	4	Priya	Math	88.90
*	NULL	NULL	NULL	NULL

Update Queries

MySQL Workbench interface showing a query execution session.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Administration Schemas

Information

Schema:
2520030456_arun

Query 1

```
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42
43 -- 6. Update Queries
44 • UPDATE arun SET marks = 90.00 WHERE roll_no = 3;
45
46 • UPDATE arun
47   SET subject = 'Remedial Math'
48   WHERE marks < 80;
49
50 -- Disable safe update mode to allow mass updates without key constraint if needed
51 • SET SQL_SAFE_UPDATES = 0;
52 • SELECT * FROM arun;
53
54 • INSERT INTO arun
55   VALUES (11, 'TestStudent', 'Math', 75.00);
56
57 • UPDATE arun
58   SET subject = 'Remedial Math'
59   WHERE marks < 80;
60
```

Output

Action Output

#	Time	Action	Message
✓ 24	12:34:29	SELECT * FROM arun WHERE marks < 80 LIMIT 0, 1000	1 row(s) returned
✓ 25	12:34:45	SELECT * FROM arun WHERE marks BETWEEN 80 AND 90 LIMIT 0, 1000	4 row(s) returned
✓ 26	12:35:04	SELECT * FROM arun WHERE name LIKE 'P%' LIMIT 0, 1000	1 row(s) returned
✓ 27	12:35:19	SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay') LIMIT 0, 1000	3 row(s) returned
✓ 28	12:35:36	SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%') LIMIT 0, 1000	3 row(s) returned
✓ 29	12:35:52	UPDATE arun SET marks = 90.00 WHERE roll_no = 3	1 row(s) affected

Object Info Session

MySQL Workbench interface showing a query editor and a result grid.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Query 1:

```
52 • SELECT * FROM arun;
53
54 • INSERT INTO arun
55 VALUES (11, 'TestStudent', 'Math', 75.00);
56
57 • UPDATE arun
58 SET subject = 'Remedial Math'
59 WHERE marks < 80;
60
61 -- 7. Delete Queries
62 • DELETE FROM arun WHERE roll_no = 5;
```

Result Grid:

	roll_no	name	subject	marks
▶	1	Ravi	Math	85.50
	2	Sita	Math	92.75
	3	Anil	Math	90.00
	4	Priya	Math	88.90
	5	Vijay	Math	80.25
	6	subbusir	aws	98.50
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	9	kavithamam	aws1	99.90
	10	seetha	azure	82.25
*	NULL	NULL	NULL	NULL

Schema:
2520030456_arun

MySQL Workbench interface showing a query editor and output window.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Query 1

```
40 • SELECT * FROM arun WHERE name IN ('Ravi', 'Sita', 'Vijay');
41 • SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');
42
43 -- 6. Update Queries
44 • UPDATE arun SET marks = 90.00 WHERE roll_no = 3;
45
46 • UPDATE arun
47   SET subject = 'Remedial Math'
48   WHERE marks < 80;
49
50 -- Disable safe update mode to allow mass updates without key constraint if needed
51 • SET SQL_SAFE_UPDATES = 0;
52 • SELECT * FROM arun;
53
54 • INSERT INTO arun
55   VALUES (11, 'TestStudent', 'Math', 75.00);
56
57 • UPDATE arun
58   SET subject = 'Remedial Math'
59   WHERE marks < 80;
60
```

Output:

Action Output

#	Time	Action
✓ 28	12:35:36	SELECT * FROM arun WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%') LIMIT 0, 1000
✓ 29	12:35:52	UPDATE arun SET marks = 90.00 WHERE roll_no = 3
✗ 30	12:36:25	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80
✓ 31	12:36:37	SET SQL_SAFE_UPDATES = 0
✓ 32	12:36:37	SELECT * FROM arun LIMIT 0, 1000
✓ 33	12:37:40	INSERT INTO arun VALUES (11, 'TestStudent', 'Math', 75.00)

MySQL Workbench interface showing a query execution session.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Administration Schemas

Information

Schema:
2520030456_arun

Query 1

```
-- Disable safe update mode to allow mass updates without key constrain
SET SQL_SAFE_UPDATES = 0;
SELECT * FROM arun;

INSERT INTO arun
VALUES (11, 'TestStudent', 'Math', 75.00);

UPDATE arun
SET subject = 'Remedial Math'
WHERE marks < 80;

-- 7. Delete Queries
DELETE FROM arun WHERE roll_no = 5;
DELETE FROM arun WHERE marks < 75;

-- 8. Sorting
SELECT * FROM arun ORDER BY marks ASC;
SELECT * FROM arun ORDER BY marks DESC;
SELECT * FROM arun ORDER BY name ASC;
SELECT * FROM arun ORDER BY name DESC;
```

Output

Action Output

#	Time	Action
✓ 29	12:35:52	UPDATE arun SET marks = 90.00 WHERE roll_no = 3
✗ 30	12:36:25	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80
✓ 31	12:36:37	SET SQL_SAFE_UPDATES = 0
✓ 32	12:36:37	SELECT * FROM arun LIMIT 0, 1000
✓ 33	12:37:40	INSERT INTO arun VALUES (11, 'TestStudent', 'Math', 75.00)
✓ 34	12:38:00	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80

DELETE QUERIES

MySQL Workbench

Arjun x

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

Limit to 1000 rows

SCHEMAS

Filter objects

2520030456_arun

- Tables
- Views
- Stored Procedures
- Functions

bankdb

bookflow_db

store_db

sys

Administration Schemas

Information

Schema:
2520030456_arun

```
50 -- Disable safe update mode to allow mass updates without key constraint if needed
51 • SET SQL_SAFE_UPDATES = 0;
52 • SELECT * FROM arun;
53
54 • INSERT INTO arun
55 VALUES (11, 'TestStudent', 'Math', 75.00);
56
57 • UPDATE arun
58 SET subject = 'Remedial Math'
59 WHERE marks < 80;
60
61 -- 7. Delete Queries
62 • DELETE FROM arun WHERE roll_no = 5;
63 • DELETE FROM arun WHERE marks < 75;
64
65 -- 8. Sorting
66 • SELECT * FROM arun ORDER BY marks ASC;
67 • SELECT * FROM arun ORDER BY marks DESC;
68 • SELECT * FROM arun ORDER BY name ASC;
69 • SELECT * FROM arun ORDER BY name DESC;
```

Output

Action Output

#	Time	Action
✗ 30	12:36:25	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80
✓ 31	12:36:37	SET SQL_SAFE_UPDATES = 0
✓ 32	12:36:37	SELECT * FROM arun LIMIT 0, 1000
✓ 33	12:37:40	INSERT INTO arun VALUES (11, 'TestStudent', 'Math', 75.00)
✓ 34	12:38:00	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80
✓ 35	12:38:18	DELETE FROM arun WHERE roll_no = 5

Object Info Session

MySQL Workbench interface showing a query editor and its output.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Administration Schemas

Information:

Schema:
2520030456_arun

Query 1:

```
-- Disable safe update mode to allow mass updates without key constraint if needed
SET SQL_SAFE_UPDATES = 0;
SELECT * FROM arun;

INSERT INTO arun
VALUES (11, 'TestStudent', 'Math', 75.00);

UPDATE arun
SET subject = 'Remedial Math'
WHERE marks < 80;

-- 7. Delete Queries
DELETE FROM arun WHERE roll_no = 5;
DELETE FROM arun WHERE marks < 75;

-- 8. Sorting
SELECT * FROM arun ORDER BY marks ASC;
SELECT * FROM arun ORDER BY marks DESC;
SELECT * FROM arun ORDER BY name ASC;
SELECT * FROM arun ORDER BY name DESC;
```

Output:

Action Output

#	Time	Action
30	12:36:25	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80
31	12:36:37	SET SQL_SAFE_UPDATES = 0
32	12:36:37	SELECT * FROM arun LIMIT 0, 1000
33	12:37:40	INSERT INTO arun VALUES (11, 'TestStudent', 'Math', 75.00)
34	12:38:00	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80
35	12:38:18	DELETE FROM arun WHERE roll_no = 5

MySQL Workbench interface showing a query execution session.

Navigator:

- 2520030456_arun
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bankdb
- bookflow_db
- store_db
- sys

Administration Schemas

Information:

Schema:
2520030456_arun

Query 1

```
50 -- Disable safe update mode to allow mass updates without key constraint if needed
51 SET SQL_SAFE_UPDATES = 0;
52 SELECT * FROM arun;
53
54 INSERT INTO arun
55 VALUES (11, 'TestStudent', 'Math', 75.00);
56
57 UPDATE arun
58 SET subject = 'Remedial Math'
59 WHERE marks < 80;
60
61 -- 7. Delete Queries
62 DELETE FROM arun WHERE roll_no = 5;
63 DELETE FROM arun WHERE marks < 75;
64
65 -- 8. Sorting
66 SELECT * FROM arun ORDER BY marks ASC;
67 SELECT * FROM arun ORDER BY marks DESC;
68 SELECT * FROM arun ORDER BY name ASC;
69 SELECT * FROM arun ORDER BY name DESC;
```

Output:

Action Output

#	Time	Action
✓ 31	12:36:37	SET SQL_SAFE_UPDATES = 0
✓ 32	12:36:37	SELECT * FROM arun LIMIT 0, 1000
✓ 33	12:37:40	INSERT INTO arun VALUES (11, 'TestStudent', 'Math', 75.00)
✓ 34	12:38:00	UPDATE arun SET subject = 'Remedial Math' WHERE marks < 80
✓ 35	12:38:18	DELETE FROM arun WHERE roll_no = 5
✓ 36	12:38:32	DELETE FROM arun WHERE marks < 75

Object Info Session

Sorting

MySQL Workbench

Arjun x

File Edit View Query Database Server Tools Scripting Help

Query 1 x

Limit to 1000 rows

```
59 WHERE marks < 80;
60
61 -- 7. Delete Queries
62 • DELETE FROM arun WHERE roll_no = 5;
63 • DELETE FROM arun WHERE marks < 75;
64
65 -- 8. Sorting
66 • SELECT * FROM arun ORDER BY marks ASC;
67 • SELECT * FROM arun ORDER BY marks DESC;
68 • SELECT * FROM arun ORDER BY name ASC;
69 • SELECT * FROM arun ORDER BY name DESC;
```

Result Grid

	roll_no	name	subject	marks
▶	11	TestStudent	Remedial Math	75.00
	10	seetha	azure	82.25
	1	Ravi	Math	85.50
	4	Priya	Math	88.90
	3	Anil	Math	90.00
	2	Sita	Math	92.75
	7	dwaraka	dbms	95.75
	8	ranjani	english	97.40
	6	subbusir	aws	98.50
	9	kavithamam	aws1	99.90
*	NULL	NULL	NULL	NULL

MySQL Workbench interface showing a query editor and a result grid.

Query Editor:

```
57 • UPDATE arun
58   SET subject = 'Remedial Math'
59   WHERE marks < 80;
60
61   -- 7. Delete Queries
62 • DELETE FROM arun WHERE roll_no = 5;
63 • DELETE FROM arun WHERE marks < 75;
64
65   -- 8. Sorting
66 • SELECT * FROM arun ORDER BY marks ASC;
67 • SELECT * FROM arun ORDER BY marks DESC;
```

Result Grid:

	roll_no	name	subject	marks
▶	9	kavithamam	aws1	99.90
	6	subbusir	aws	98.50
	8	ranjani	english	97.40
	7	dwaraka	dbms	95.75
	2	Sita	Math	92.75
	3	Anil	Math	90.00
	4	Priya	Math	88.90
	1	Ravi	Math	85.50
	10	seetha	azure	82.25
	11	TestStudent	Remedial Math	75.00
•	NULL	NULL	NULL	NULL

Buttons: Delete selected rows

MySQL Workbench interface showing a query editor and a result grid.

Query Editor:

```
58 SET subject = 'Remedial Math'
59 WHERE marks < 80;
60
61 -- 7. Delete Queries
62 • DELETE FROM arun WHERE roll_no = 5;
63 • DELETE FROM arun WHERE marks < 75;
64
65 -- 8. Sorting
66 • SELECT * FROM arun ORDER BY marks ASC;
67 • SELECT * FROM arun ORDER BY marks DESC;
68 • SELECT * FROM arun ORDER BY name ASC;
```

Result Grid:

	roll_no	name	subject	marks
▶	3	Anil	Math	90.00
	7	dwaraka	dbms	95.75
	9	kavithamam	aws1	99.90
	4	Priya	Math	88.90
	8	ranjani	english	97.40
	1	Ravi	Math	85.50
	10	seetha	azure	82.25
	2	Sita	Math	92.75
	6	subbusir	aws	98.50
	11	TestStudent	Remedial Math	75.00
*	NULL	NULL	NULL	NULL

