

OSSP:

Commands:

Uname : It displays the System information

Lscpu : It displays the complete CPU information

```
jagadeesh-14@Jagadeesh:~$ nano process.c
jagadeesh-14@Jagadeesh:~$ gcc process.c -o process
jagadeesh-14@Jagadeesh:~$ ./process
Enter Linux command: lscpu

Child Process
Child PID = 523
Architecture:                x86_64
  CPU op-mode(s):            32-bit, 64-bit
  Address sizes:              39 bits physical, 48 bits virtual
  Byte Order:                 Little Endian
CPU(s):                       8
  On-line CPU(s) list:       0-7
Vendor ID:                    GenuineIntel
  Model name:                11th Gen Intel(R) Core(TM) i7-1185G
                             7 @ 3.00GHz
    CPU family:              6
    Model:                   140
  Thread(s) per core:        2
  Core(s) per socket:         4
  Socket(s):                  1
  Stepping:                   1
  BogoMIPS:                   5990.39
```

Ps : It displays the running p

```
jagadeesh-14@Jagadeesh:~$ nano process.c
jagadeesh-14@Jagadeesh:~$ gcc process.c -o process
jagadeesh-14@Jagadeesh:~$ ./process
Enter Linux command: ps

Child Process
Child PID = 537
  PID TTY          TIME CMD
  327 pts/0        00:00:00 bash
  536 pts/0        00:00:00 process
  537 pts/0        00:00:00 ps

Parent Process
Parent PID = 536
Child PID = 537
jagadeesh-14@Jagadeesh:~$ |
```

rocess of our file

Relation Between Hardware Resources and Operating System Services:

1. CPU

The operating system shares the CPU among multiple programs by giving each one a turn to execute.

Example: When we open Chrome and a music player together, the OS schedules CPU time for both. It Process Both Chrome And music player

2. Memory (RAM) -> Memory Management

The operating system gives memory to each program that is running. It makes sure one program does not use another program's memory.

Example: Chrome and VS Code each get their own memory space while running.

3. Storage (SSD) → File System Management

The operating system stores and organizes files on the storage device.
Example: Saving a document in the Documents folder on our computer.

4. I/O Devices → Device Management

The operating system uses device drivers to control input and output devices.