

TASK-03

QUIZ GAME WEB APPLICATION

```
<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>Quiz Game</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      background: #1e1e2f;

      display: flex;

      justify-content: center;

      align-items: center;

      height: 100vh;

      color: white;

    }

    .quiz-container {

      background: #2c2c3e;

      padding: 25px;

      border-radius: 10px;

      width: 350px;
```

```
}  
  
h2 {  
    margin-bottom: 15px;  
}  
  
.option {  
    margin: 8px 0;  
}  
  
button {  
    margin-top: 15px;  
    padding: 10px;  
    width: 100%;  
    background: #4caf50;  
    color: white;  
    border: none;  
    border-radius: 5px;  
    cursor: pointer;  
}  
  
button:hover {  
    background: #45a049;  
}  
  
</style>
```

```
</head>
```

```
<body>
```

```
<div class="quiz-container">
```

```
  <h2 id="question"></h2>
```

```
  <div id="options"></div>
```

```
  <button onclick="nextQuestion()">Next</button>
```

```
</div>
```

```
<script>
```

```
  const quizData = [
```

```
    {
```

```
      question: "What does HTML stand for?",
```

```
      options: ["Hyper Text Markup Language", "High Text  
Machine Language", "Hyperlinks Text Markup", "None"],
```

```
      answer: 0
```

```
    },
```

```
    {
```

```
      question: "Which language is used for styling web  
pages?",
```

```
      options: ["HTML", "Java", "CSS", "Python"],
```

```
    answer: 2
  },
  {
    question: "Which is used for web scripting?",
    options: ["C++", "JavaScript", "Python", "PHP"],
    answer: 1
  }
];
```

```
let currentQuestion = 0;
```

```
let score = 0;
```

```
function loadQuestion() {
  const q = quizData[currentQuestion];
  document.getElementById("question").innerText =
q.question;
  const optionsDiv = document.getElementById("options");
  optionsDiv.innerHTML = "";

  q.options.forEach((option, index) => {
    optionsDiv.innerHTML += `
```

```
<div class="option">
  <input type="radio" name="option" value="${index}">
    ${option}
</div>
`;
});
}
```

```
function nextQuestion() {
  const selected =
document.querySelector('input[name="option"]:checked');
  if (!selected) {
    alert("Please select an option!");
    return;
  }
```

```
  if (parseInt(selected.value) ===
quizData[currentQuestion].answer) {
    score++;
  }
```

```
currentQuestion++;  
if (currentQuestion < quizData.length) {  
    loadQuestion();  
} else {  
    document.querySelector(".quiz-container").innerHTML =  
        `

## 

}  
}
```

```
loadQuestion();  
</script>
```

```
</body>
```

```
</html>
```

OUTPUT:

What does HTML stand for?

- ☒ Hyper Text Markup Language
- ☐ High Text Machine Language
- ☐ Hyperlinks Text Markup
- ☐ None

Next

Which language is used for styling web pages?

- ☐ HTML
- ☐ Java
- ☒ CSS
- ☐ Python

Next

Which is used for web scripting?

- ☐ C++
- ☒ JavaScript
- ☐ Python
- ☐ PHP

Next

Your Score: 3/3