Cucumber Report

| Start : Jan 11, 9:18:35.217 pm	End : Jan 11, 9:21:03.567 pm	Duration : 2 m 28.350 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 0	PASSED - 15 FAILED - 2 SKIPPED - 0

1	4	17

0 %	50 %	88 %
Pass %	Pass %	Pass %

#	Feature Name	T	P	F	S	Duration
1	Orange HRM Application	4	2	2	0	2 m 28.350 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Orange HRM Application	Test browser Functionality	1	1	0	0	12.930 s
2	Orange HRM Application	Test login fuctionality	2	2	0	0	2.798 s
3	Orange HRM Application	test pim page functionality	7	6	1	0	1 m 6.848 s
4	Orange HRM Application	test pim page functionality	7	6	1	0	1 m 5.604 s

Orange HRM Application

FAILED	DURATION - 2 m 28.350 s		Scenarios		Steps	
			Total - 4		Total - 17	
/ 9:18:35.217 pm // 9:21:03.567 pm /			Pass - 2	4	Pass - 15	17
			Fail - 2		Fail - 2	
			Skip - 0		Skip - 0	

Test browser Functionality

PASSED	DURATION - 12.930 s		Steps	
			Total - 1	
/ 9:18:35.225 pm // 9:18:48.155 pm /			Pass - 1	1
			Fail - 0	
Orange HRM Application			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user open "Chrome" and enter url	PASSED	12.914 s

Test login fuctionality

PASSED	DURATION - 2.798 s		Steps	
			Total - 2	
/ 9:18:48.239 pm // 9:18:51.037 pm /			Pass - 2	2
			Fail - 0	
Orange HRM Application			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When enter valid username and password and click on login button	PASSED	1.497 s
	Admin admin123		
2	Then verify home page title and url	PASSED	1.289 s

test pim page functionality

FAILED	DURATION - 1 m 6.848 s		Steps
FAILED	*DURATION - 1 m 6.848 s*		Total - 7
/ 9:18:51.055 pm // 9:19:57.903 pm /			Pass - 6
Orange HRM Application			Fail - 1
			Skip - 0

#	Step / Hook Details	Status	Duration
1	When user click on pim link	PASSED	2.132 s

2	And validiate url
	
	`link`
	`pim`
		PASSED	0.022 s

3	And user click on add employee button and enter "Rekha" , "Misal" and click on save button	PASSED	3.138 s
4	And user capture employee id and click on employee list	PASSED	0.612 s
5	And enter employee id and click on search button	PASSED	10.380 s
6	And select the search employee and click on delete	PASSED	15.452 s
7	And verify employee delete or not	FAILED	35.102 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()=' Yes, Delete ']"} (Session info: chrome=120.0.6099.201) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5f35886bf952e5a5a2cadf9216e5596, findElement {using=xpath, value=//button[text()=' Yes, Delete ']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.201, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65165}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65165/devtoo..., se:cdpVersion: 120.0.6099.201, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5f35886bf952e5a5a2cadf9216e5596
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy26.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)		
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465)		
	at PageLayer.PIMPage.verify_employee_delete_or_not(PIMPage.java:108)		
	at Steps.StepDefination.verify_employee_delete_or_not(StepDefination.java:104)		
	at ?.verify employee delete or not(file:///G:/softech%20class/Backup21oct%20batch/OrangeWithBDDWithALL/AllFeatureFiles/orange.feature:20)		
	* Not displayable characters are replaced by '?'.		

test pim page functionality

FAILED	DURATION - 1 m 5.604 s		Steps	
/ 9:19:57.963 pm // 9:21:03.567 pm /			Total - 7	
Orange HRM Application			Pass - 6	7
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When user click on pim link	PASSED	1.296 s
2	And validiate url	PASSED	0.016 s

#	Step / Hook Details	Status	Duration
	link pim		
3	And user click on add employee button and enter "Kavita" , "Misal" and click on save button	PASSED	2.813 s
4	And user capture employee id and click on employee list	PASSED	0.816 s
5	And enter employee id and click on search button	PASSED	10.351 s
6	And select the search employee and click on delete	PASSED	15.225 s
7	And verify employee delete or not	FAILED	35.075 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()=' Yes, Delete ']"} (Session info: chrome=120.0.6099.201) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5f35886bf952e5a5a2cadf9216e5596, findElement {using=xpath, value=//button[text()=' Yes, Delete ']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.201, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65165}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65165/devtoo..., se:cdpVersion: 120.0.6099.201, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5f35886bf952e5a5a2cadf9216e5596
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy26.getWrappedElement(Unknown Source)
	   at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	   at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465)		
	at PageLayer.PIMPage.verify_employee_delete_or_not(PIMPage.java:108)		
	at Steps.StepDefination.verify_employee_delete_or_not(StepDefination.java:104)		
	at ?.verify employee delete or not(file:///G:/softech%20class/Backup21oct%20batch/OrangeWithBDDWithALL/AllFeatureFiles/orange.feature:20)		
	* Not displayable characters are replaced by '?'.		