Cucumber Report

| Start : Jan 10, 8:50:34.873 pm	End : Jan 10, 8:50:48.584 pm	Duration : 13.711 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 0	PASSED - 3 FAILED - 2 SKIPPED - 12

#	Feature Name	T	P	F	S	Duration
1	Orange HRM Application	4	2	2	0	13.711 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Orange HRM Application	Test browser Functionality	1	1	0	0	10.937 s
2	Orange HRM Application	Test login fuctionality	2	2	0	0	2.205 s
3	Orange HRM Application	test pim page functionality	7	0	1	6	0.105 s
4	Orange HRM Application	test pim page functionality	7	0	1	6	0.339 s

Orange HRM Application

FAILED	DURATION - 13.711 s		Scenarios			Steps	
			Total - 4			Total - 17	
/ 8:50:34.873 pm // 8:50:48.584 pm /			Pass - 2	4		Pass - 3	17
			Fail - 2			Fail - 2	
			Skip - 0			Skip - 12	

Test browser Functionality

PASSED	DURATION - 10.937 s			Steps	
				Total - 1	
/ 8:50:34.880 pm // 8:50:45.817 pm /				Pass - 1	1
Orange HRM Application				Fail - 0	
				Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user open "Chrome" and enter url	PASSED	10.927 s

Test login fuctionality

PASSED	DURATION - 2.205 s			Steps	
				Total - 2	
/ 8:50:45.873 pm // 8:50:48.078 pm /				Pass - 2	2
Orange HRM Application				Fail - 0	
				Skip - 0	

#	Step / Hook Details	Status	Duration
1	When enter valid username and password and click on login button	PASSED	1.027 s
	Admin admin123		
2	Then verify home page title and url	PASSED	1.168 s

test pim page functionality

FAILED	DURATION - 0.105 s
/ 8:50:48.099 pm // 8:50:48.204 pm /	
Orange HRM Application	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	When user click on pim link	FAILED	0.092 s

org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified   (Session info: chrome=120.0.6099.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b55d86b6a13c866b5498e253b9b263, findElement {using=name, value=//span[text()='PIM']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52055}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52055/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b55d86b6a13c866b5498e253b9b263
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy21.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at UtilsLayer.Wait.visibilityStatus(Wait.java:16) at UtilsLayer.Wait.click(Wait.java:31) at PageLayer.PIMPage.clickOnPimLink(PIMPage.java:57) at Steps.StepDefination.user_click_on_pim_link(StepDefination.java:60) at ?.user click on pim link(file:///G:/softech%20class/Backup21oct%20batch/OrangeWithBDDWithALL/AllFeatureFiles/orange.feature:12) * Not displayable characters are replaced by '?'.		
2	And validiate url link pim	SKIPPED	0.001 s
3	And user click on add employee button and enter "Rekha" , "Misal" and click on save button	SKIPPED	0.000 s
4	And user capture employee id and click on employee list	SKIPPED	0.000 s
5	And enter employee id and click on search button	SKIPPED	0.001 s
6	And select the search employee and click on delete	SKIPPED	0.000 s
7	And verify employee delete or not	SKIPPED	0.000 s

test pim page functionality

FAILED	DURATION - 0.339 s		Steps	
/ 8:50:48.245 pm // 8:50:48.584 pm /			Total - 7	
			Pass - 0	
Orange HRM Application			Fail - 1	7
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	When user click on pim link	FAILED	0.318 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=120.0.6099.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#invalid-selector-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0b55d86b6a13c866b5498e253b9b263, findElement {using=name, value=//span[text()='PIM']}] Capabilities {acceptInsecureCerts: false,		

#	Step / Hook Details	Status	Duration

	browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52055}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52055/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0b55d86b6a13c866b5498e253b9b263
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy21.isDisplayed(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)
	  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:37)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	  at UtilsLayer.Wait.visibilityStatus(Wait.java:16)
	  at UtilsLayer.Wait.click(Wait.java:31)
	  at PageLayer.PIMPage.clickOnPimLink(PIMPage.java:57)
	  at Steps.StepDefination.user_click_on_pim_link(StepDefination.java:60)
	  at ?.user click on pim link(file:///G:/softech%20class/Backup21oct%20batch/OrangeWithBDDWithALL/AllFeatureFiles/orange.feature:12)
	* Not displayable characters are replaced by '?'.		

2	And validiate url
	
	`link`
	`pim`
		SKIPPED	0.001 s

3	And user click on add employee button and enter "Kavita" , "Misal" and click on save button	SKIPPED	0.001 s
4	And user capture employee id and click on employee list	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	And enter employee id and click on search button	SKIPPED	0.001 s
6	And select the search employee and click on delete	SKIPPED	0.000 s
7	And verify employee delete or not	SKIPPED	0.001 s