

Cucumber Report

10-Jan-2024, 8:58:16 pm

Start : Jan 10, 8:54:33.857 pm

End : Jan 10, 8:58:13.874 pm

Duration : 3 m 40.017 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 2
SKIPPED - 0

PASSED - 7
FAILED - 2
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	<u>Orange HRM Application</u>	4	2	2	0	3 m 40.017 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Orange HRM Application</u>	<u>Test browser Functionality</u>	1	1	0	0	12.408 s
2	<u>Orange HRM Application</u>	<u>Test login fuctionality</u>	2	2	0	0	2.579 s
3	<u>Orange HRM Application</u>	<u>test pim page functionality</u>	7	2	1	4	2 m 2.853 s
4	<u>Orange HRM Application</u>	<u>test pim page functionality</u>	7	2	1	4	1 m 22.062 s

Orange HRM Application



FAILED	DURATION - 3 m 40.017 s	Scenarios		Steps	
/ 8:54:33.857 pm // 8:58:13.874 pm /		Total - 4		Total - 17	
		Pass - 2		Pass - 7	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 8	

Test browser Functionality

<div>PASSED</div>	<div>DURATION - 12.408 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 8:54:33.864 pm // 8:54:46.272 pm /</div>			<div>Total - 1</div>	
<div>Orange HRM Application</div>			<div>Pass - 1</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
1	Given user open "Chrome" and enter url	PASSED	12.394 s

Test login fuctionality

<div>PASSED</div>	<div>DURATION - 2.579 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 8:54:46.328 pm // 8:54:48.907 pm /</div>			<div>Total - 2</div>	
<div>Orange HRM Application</div>			<div>Pass - 2</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
1	When enter valid username and password and click on login button	PASSED	2.523 s
	Admin admin123		
2	Then verify home page title and url	PASSED	0.054 s

test pim page functionality

<div>FAILED</div> <div>DURATION - 2 m 2.853 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 8:54:48.930 pm // 8:56:51.783 pm /</div>				
<div>Orange HRM Application</div>				

#	Step / Hook Details	Status	Duration
1	When user click on pim link	PASSED	1.595 s
2	And validate url	PASSED	0.032 s
	<div>link</div> <div>pim</div>		
3	And user click on add employee button and enter "Rekha" , "Misal" and click on save button	FAILED	2 m 1.210 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.name: firstName' (tried for 80 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at UtilsLayer.Wait.visibilityStatus(Wait.java:16) at UtilsLayer.Wait.sendKeys(Wait.java:26) at PageLayer.PIMPage.user_click_on_add_employee_button_and_enter_and_click_on_save_button(PIMPage.java:62) at Steps.StepDefination.user_click_on_add_employee_button_and_enter_and_click_on_save_button(StepDefination.java:75) at ?.user click on add employee button and enter "Rekha" , "Misal" and click on save button(file:///G:/softech%20class/Backup21oct%20batch/OrangeWithBDDWithALL/AllFeatureFiles/orange.feature:16)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='firstName']"} (Session info: chrome=120.0.6099.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6bb7e28e803a47539015591dce051069, findElement {using=name, value=firstName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52218}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52218/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6bb7e28e803a47539015591dce051069</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at UtilsLayer.Wait.visibilityStatus(Wait.java:16) at UtilsLayer.Wait.sendKeys(Wait.java:26) at PageLayer.PIMPage.user_click_on_add_employee_button_and_enter_and_click_on_save_button(PIMPage.java:62) at Steps.StepDefination.user_click_on_add_employee_button_and_enter_and_click_on_save_button(StepDefination.java:75) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And user capture employee id and click on employee list	SKIPPED	0.001 s
5	And enter employee id and click on search button	SKIPPED	0.000 s
6	And select the search employee and click on delete	SKIPPED	0.000 s
7	And verify employee delete or not	SKIPPED	0.002 s

test pim page functionality

<div>FAILED</div> <div>DURATION - 1 m 22.062 s</div>		<table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>80</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>0</td></tr></tbody></table>	Step	Count	1	2	2	0	3	80	4	0	5	0	6	0	7	0	<div>Steps</div> <div>Total - 7</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 4</div>	
Step	Count																			
1	2																			
2	0																			
3	80																			
4	0																			
5	0																			
6	0																			
7	0																			
/ 8:56:51.812 pm // 8:58:13.874 pm /																				
Orange HRM Application																				

#	Step / Hook Details	Status	Duration
1	When user click on pim link	PASSED	1.824 s
2	And validate url	PASSED	0.022 s
	<div>link</div> <div>pim</div>		
3	<p>And user click on add employee button and enter "Kavita" , "Misal" and click on save button</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.200) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6bb7e28e803a47539015591dce051069, findElement {using=name, value=firstName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.200, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52218}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52218/devtoo..., se:cdpVersion: 120.0.6099.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6bb7e28e803a47539015591dce051069 at jdk.internal.reflect.GeneratedConstructorAccessor11.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:295) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:227) at UtilsLayer.Wait.visibilityStatus(Wait.java:16) at UtilsLayer.Wait.sendKeys(Wait.java:26)</pre>	FAILED	1 m 20.186 s

#	Step / Hook Details	Status	Duration
	at PageLayer.PIMPage.user_click_on_add_employee_button_and_enter_and_click_on_save_button(PIMPage.java:62) at Steps.StepDefination.user_click_on_add_employee_button_and_enter_and_click_on_save_button(StepDefination.java:75) at ?.user click on add employee button and enter "Kavita" , "Misal" and click on save button(file:///G:/softech%20class/ Backup21oct%20batch/OrangeWithBDDWithALL/AllFeatureFiles/orange.feature:16) * Not displayable characters are replaced by '?'. 		
4	And user capture employee id and click on employee list	SKIPPED	0.003 s
5	And enter employee id and click on search button	SKIPPED	0.001 s
6	And select the search employee and click on delete	SKIPPED	0.002 s
7	And verify employee delete or not	SKIPPED	0.001 s