TEST PLAN DOCUMENT

EASYCART– Manual Testing Project

1. Document Control

Item	Details
Document Name	Test Plan
Project Name	EasyCart
Testing Type	Manual Testing
Prepared By	Rekha P

2. Introduction

2.1 Purpose

The purpose of this Test Plan is to define the testing strategy, scope, approach, resources, and schedule for validating the **EasyCart website**

The objective is to ensure that the application functions as expected and that identified defects are properly reported and tracked.

2.2 Scope

This Test Plan covers **manual testing of the EasyCart web application**, including:

- User Registration
- User Login
- Homepage Display
- Product Search
- Add to Cart
- Proceed to Checkout
- Entering required Details
- Place Order
- Logout
- Functional and basic non-Functional Testing

2.3 References

- EasyCart Application

3. Test Strategy

3.1 Types of Testing

Testing Type	Description
Smoke Testing	Verify basic website functionality and stability.
Functional Testing	Validate registration, login, product search, cart, checkout, and place order functionalities.
Integration Testing	Validate interactions between login, product search, cart, and checkout modules.
System Testing	Validate the complete shopping flow from registration/login to placing an order.
Usability Testing	Verify the user interface and ease of navigation.
Compatibility Testing	Verify website compatibility across supported browsers.
Validation Testing	Verify valid, invalid, empty, and boundary inputs in applicable fields.
Negative Testing	Verify website behavior when invalid inputs or actions are provided.
Regression Testing	Verify existing functionalities after defect fixes or changes.
Basic Security Testing	Check login validation and basic access restrictions.

3.2 Test Levels

- **System Testing**
- **User Acceptance Testing (UAT – support only)**

4. Test Environment

Item	Details
Application Type	Web Application
Environment	QA
OS	Windows
Browsers	Chrome, Firefox, Edge
Testing Type	Manual Testing

5. Test Scope

5.1 In-Scope

EasyCart Modules

- Registration
- User Login
- Homepage Display
- Add to Cart
- Cart validation
- Proceed to Checkout
- Entering Required Details
- Place Order
- Basic UI and Field Validation

5.2 Out-of-Scope

- Performance testing
- Load testing
- Stress testing
- Source-code/unit-level testing
- Production environment testing

6. Entry & Exit Criteria

6.1 Entry Criteria

Testing will begin when:

- EasyCart application is accessible. Test data is prepared.
- Valid login credentials are available.
- Test scenarios are prepared.
- Test cases are prepared.

6.2 Exit Criteria

Testing will be completed when:

- All planned test cases are executed.
- Failed test cases are documented.
- Test Summary Report is prepared.

7. Suspension & Resumption Criteria

7.1 Suspension Criteria

Testing may be suspended when:

- Application is unavailable.
- Application crashes frequently.
- A blocking defect prevents further testing.
- Test environment is unavailable.
- Required test data is unavailable.

7.2 Resumption Criteria

Testing will resume when:

- A stable build is provided.
- Blocking defects verified.
- Test environment is restored.
- Required test data is available.

8. Test Deliverables

The following documents will be prepared:

- Test Plan
- Test Scenarios

- Test Cases
- Defect Reports
- Test Execution Report and RTM
- Test Summary Report

9. Defect Management

- Defects will be logged in **Excel**.
- Priority will be assigned.
- Screenshots will be attached wherever required.
- Defects will be tracked until closure.
- Failed test cases will be linked with corresponding defects.

Defect Status

Open → In Progress → Fixed → Retest → Closed

If the defect still exists: Retest → Reopen

10. Roles & Responsibilities

QA Tester	Test case design and execution
QA Tester	Defect identification and reporting

11. Test Schedule

Phase	**Duration**
Test Planning	1 Day
Test Scenario Design	2 Days
Test Case Design	7 Days
Defect Reporting	2 Days

Test Closure	1 Day

12. Risks & Mitigation

Risk	**Mitigation**
Requirement changes	Maintain updated test cases
Time constraints	Perform priority-based testing
Defect fixing delays	Track defects regularly

13. Test Metrics

The following metrics will be tracked:

- Test Case Execution Percentage
- Pass / Fail Ratio and Defect Count

14.Tools

Tool	**Purpose**
Excel	Test Case Management
Excel	Defect Tracking
Google Chrome	Browser Testing
Microsoft Edge	Browser Compatibility Testing

15. Assumptions

- The EasyCart website will be accessible during testing.
- Required test credentials will be available.
- Necessary test data will be available.
- Customer-side modules will be accessible for testing.
- Expected results will be identified based on observed behavior and available requirements.

16. Test Closure

Testing will be closed when:

- All planned test cases are executed.
- Exit criteria are satisfied.

- Defects are documented.
- Final testing results are documented.