

# 1. Admin page on website



## 2. User page on website



## 3. Admin Table in Database:

MariaDB [prince]> Describe admin;

+		+   Type	•		•	+   Default	•	•
į	username id hash	varchar(32)   int(10) unsigned   char(255)	Ì	NO NO YES	     PRI 	NULL NULL NULL	     	+

3 rows in set (0.003 sec)

MariaDB [prince]> insert into admin (username,id,hash) VALUES ('rekharani','12345','\$2y\$10\$ Query OK, 1 row affected (0.006 sec)

MariaDB [prince]> select \* from admin;

+	username	id	hash	+
Ī	rekharani	12345	\$2y\$10\$Z.CDH6VERiLRXkWkOld1kebXT.gmWYRWAzACxgD0394npUPGj4J/y	ļ

1 row in set (0.000 sec)

MariaDB [prince]>

### 4. Virus Table in Database:

MariaDB [prince]>

#### 5. Virusdb table after insertion of records.

MariaDB [prince]>

```
MariaDB [prince]> select * from virusdb;
            | file
l name
            | princemalikprincemal |
corona
            | 23423432432423423423
l hello
            | hello!!!..iamthefjdk |
| helpmeet
| jhumka
            | namakishqka...jabana |
| khatarnak | iam#thevirusi*willbe
l mini
            | miniminimiiniminrekh
l namak
            | hello!!!..iamthefjdk |
| tanky
            | 37489273487239847taj |
            | namakishqka...jabana |
l virus2
| virusname | hello!!!..iamthefjdk |
| winky
          | rekharanirekrkhajkls |
11 rows in set (0.000 sec)
```