


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>limeroad order</u>	14.054 s	3	1	2	0	24	8	2	14

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration	
1	<u>limeroad order</u>	3	1	2	0	14.054 s	

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	limeroad order	user able to click on shop men	8	8	0	0	13.955 s
2	2 limeroad order	user able to click on shop men	8	0	1	7	0.029 s
3	3 <u>limeroad order</u>	user able to click on shop men	8	0	1	7	0.012 s

DETAILED SECTION -- 5 --

limeroad order

FAILED	DURATION - 14.054 s	Scenarios		Steps	
		Total - 3		Total - 24	
/ 10:19:07.715 am	// 10:19:21.769 am /	Pass - 1	3	Pass - 8	24
		Fail - 2	S J	Fail - 2	
		Skip - 0		Skip - 14	
				- 1	


user able to click on shop men



#	Step / Hook Details	Status	Duration
1	When user able to launch the url "https://www.limeroad.com/"	PASSED	1.657 s
2	And user able to click on shop men	PASSED	6.180 s
3	And user able to mousehover men	PASSED	0.871 s
4	And user able to click kurtas under ethnic wear section	PASSED	0.839 s
5	And user able to click the first product	PASSED	2.131 s
6	And user able to select the size	PASSED	1.352 s
7	And user able to click on add to cart button	PASSED	0.271 s
8	Then User able to close the browser	PASSED	0.619 s


user able to click on shop men

DETAILED SECTION -- 6 --



#	Step / Hook Details	Status	Duration
1	When user able to launch the url "https://www.limeroad.com/"	FAILED	0.010 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-LSDS11E', ip: '192.168.43.78', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriverOptions*RemoteWindow.maximize(RemoteWebDriver.java:837) at com.baseelime.New_Baselime.Base_class.launchUrl(Base_class.java:55) at com.Step_Definition_class.user_able_to_launch_the_url(StepDefinition_class.java:29) at ?.user able to launch the url "https://www.limeroad.com/"(file:///C:/Users/admin/eclipse-workspace/selenium/New_Baselime/src/test/java/com/feature/lime.feature:17) * Not displayable characters are replaced by '?'.		
2	And user able to click on shop men	SKIPPED	0.001 s
3	And user able to mousehover men	SKIPPED	0.001 s
4	And user able to click ethnic wear sets under ethnic wear section	SKIPPED	0.001 s
5	And user able to click the second product	SKIPPED	0.001 s
6	And user able to select the size	SKIPPED	0.001 s
7	And user able to click on add to cart button	SKIPPED	0.001 s
8	Then User able to close the browser	SKIPPED	0.002 s

user able to click on shop men



#	Step / Hook Details	Status	Duration
1	When user able to launch the url "https://www.limeroad.com/"	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-LSDS11E', ip: '192.168.43.78', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriverSemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:837) at com.baseelime.New_Baselime.Base_class.launchUrl(Base_class.java:55) at com.Step_Definition_class.user_able_to_launch_the_url(StepDefinition_class.java:29) at ?.user able to launch the url "https://www.limeroad.com/"(file:///C:/Users/admin/eclipse-workspace/selenium/New_Baselime/src/test/java/com/feature/lime.feature:30) * Not displayable characters are replaced by '?'.		
2	And user able to click on shop men	SKIPPED	0.000 s
3	And user able to mousehover men	SKIPPED	0.000 s
4	And user able to click nehru jackets under ethnic wear section	SKIPPED	0.000 s
5	And user able to click the third product	SKIPPED	0.000 s
6	And user able to select the size	SKIPPED	0.000 s
7	And user able to click on add to cart button	SKIPPED	0.000 s
8	Then User able to close the browser	SKIPPED	0.001 s