



Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

Back to Project

Status

Changes

Console Output

View as plain text

Edit Build Information

Delete build '#17'

Git Build Data

No Tags

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build



Console Output

Started by user [admin](#)

Obtained Jenkinsfile from git <https://github.com/rekhask/ecommerceApplication.git>

Running in Durability level: MAX_SURVIVABILITY

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [Jenkins](#) in C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

using credential a71509d7-9c19-42b7-9a32-a04ae9cd1ab1

> git.exe rev-parse --is-inside-work-tree # timeout=10

Fetching changes from the remote Git repository

> git.exe config remote.origin.url <https://github.com/rekhask/ecommerceApplication.git> #
timeout=10

Fetching upstream changes from <https://github.com/rekhask/ecommerceApplication.git>

> git.exe --version # timeout=10

```
using GIT_ASKPASS to set credentials
```

```
> git.exe fetch --tags --force --progress -- https://github.com/rekhask/ecommerceApplication.git
```

```
Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17
```

```
> git.exe rev-parse "refs/remotes/origin/origin/master^{commit}" # timeout=10
Checking out Revision 60cc3553e11376c9d58d85d6340ce71bd1e8d8d4 (refs/remotes/origin/master)
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f 60cc3553e11376c9d58d85d6340ce71bd1e8d8d4 # timeout=10
Commit message: "Ecomm_14_updated Jenkins file"
> git.exe rev-list --no-walk 82acb767f56d5ff5731a716d06dd76440eccf92a # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Tool Install)
[Pipeline] tool
[Pipeline] envVarsForTool
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build Stage)
[Pipeline] tool
[Pipeline] envVarsForTool
[Pipeline] withEnv
[Pipeline] {
[Pipeline] bat
```

```
C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce>mvn clean compile
```

```
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:ecommerce-app >-----
[INFO] Building ecommerce-app 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ ecommerce-app ---
[INFO] Deleting C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce\target
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ ecommerce-app ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO] Copying 1 resource
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ ecommerce-app ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 20 source files to C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce\target\classes
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 4.705 s
[INFO] Finished at: 2020-02-24T16:10:25-05:00
```

```
[INFO] -----  
[Pipeline] }
```

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

```
[Pipeline] // stage  
[Pipeline] stage  
[Pipeline] { (Testing Stage)  
[Pipeline] tool  
[Pipeline] envVarsForTool  
[Pipeline] withEnv  
[Pipeline] {  
[Pipeline] bat
```

C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce>mvn test

```
[INFO] Scanning for projects...  
[INFO]  
[INFO] -----< com.example:ecommerce-app >-----  
[INFO] Building ecommerce-app 0.0.1-SNAPSHOT  
[INFO] -----[ jar ]-----  
[INFO]  
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ ecommerce-app ---  
[INFO] Using 'UTF-8' encoding to copy filtered resources.  
[INFO] Copying 1 resource  
[INFO] Copying 1 resource  
[INFO]  
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ ecommerce-app ---  
[INFO] Nothing to compile - all classes are up to date  
[INFO]  
[INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ ecommerce-app ---  
[INFO] Using 'UTF-8' encoding to copy filtered resources.  
[INFO] skip non existing resourceDirectory C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce\src\test\resources  
[INFO]  
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ ecommerce-app ---  
[INFO] Changes detected - recompiling the module!  
[INFO] Compiling 6 source files to C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce\target\test-classes  
[INFO] /C:/Program Files (x86)/Jenkins/workspace/pipeline-jenkins-ecommerce/src/test/java/com/example/demo/TestUtils.java: C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce\src\test\java\com\example\demo\TestUtils.java uses or overrides a deprecated API.  
[INFO] /C:/Program Files (x86)/Jenkins/workspace/pipeline-jenkins-ecommerce/src/test/java/com/example/demo/TestUtils.java: Recompile with -Xlint:deprecation for details.  
[INFO]  
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ ecommerce-app ---  
[INFO]  
[INFO] -----  
[INFO] T E S T S  
[INFO] -----  
[INFO] Running com.example.demo.controllers.CartControllerTest  
SLF4J: Class path contains multiple SLF4J bindings.  
SLF4J: Found binding in  
[jar:file:/C:/WINDOWS/system32/config/systemprofile/.m2/repository/ch/qos/logback/logback-
```

```
classic/1.2.3/logback-classic-1.2.3.jar!/org/slf4j/impl/StaticLoggerBinder.class]
```

```
SLF4J: Found binding in
```

Jenkins ► pipeline-jenkins-ecommerce ► #17

```
SLF4J: See http://www.slf4j.org/codes.html#multiple\_bindings for an explanation.
```

```
SLF4J: Actual binding is of type [ch.qos.logback.classic.util.ContextSelectorStaticBinder]
```

```
16:10:35.821 [main] DEBUG org.springframework.test.context.junit4.SpringJUnit4ClassRunner -
```

```
SpringJUnit4ClassRunner constructor called with [class
```

```
com.example.demo.controllers.CartControllerTest]
```

```
16:10:35.830 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
```

```
CacheAwareContextLoaderDelegate from class
```

```
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
```

```
16:10:35.850 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
```

```
BootstrapContext using constructor [public
```

```
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.springframework.test.context.CacheAwareContextLoaderDelegate)]
```

```
16:10:35.879 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
```

```
TestContextBootstrapper for test class [com.example.demo.controllers.CartControllerTest] from class [org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
```

```
16:10:35.889 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
```

```
Neither @ContextConfiguration nor @ContextHierarchy found for test class
```

```
[com.example.demo.controllers.CartControllerTest], using SpringBootTestContextLoader
```

```
16:10:35.894 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not
```

```
detect default resource location for test class [com.example.demo.controllers.CartControllerTest]:
```

```
class path resource [com/example/demo/controllers/CartControllerTest-context.xml] does not exist
```

```
16:10:35.897 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not
```

```
detect default resource location for test class [com.example.demo.controllers.CartControllerTest]:
```

```
class path resource [com/example/demo/controllers/CartControllerTestContext.groovy] does not exist
```

```
16:10:35.897 [main] INFO org.springframework.test.context.support.AbstractContextLoader - Could not
```

```
detect default resource locations for test class [com.example.demo.controllers.CartControllerTest]:
```

```
no resource found for suffixes {-context.xml, Context.groovy}.
```

```
16:10:35.899 [main] INFO
```

```
org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect
```

```
default configuration classes for test class [com.example.demo.controllers.CartControllerTest]:
```

```
CartControllerTest does not declare any static, non-private, non-final, nested classes annotated
```

```
with @Configuration.
```

```
16:10:35.975 [main] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not
```

```
find an 'annotation declaring class' for annotation type
```

```
[org.springframework.test.context.ActiveProfiles] and class
```

```
[com.example.demo.controllers.CartControllerTest]
```

```
16:10:36.101 [main] DEBUG
```

```
org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified
```

```
candidate component class: file [C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-
```

```
ecommerce\target\classes\com\example\demo\EcommerceApplication.class]
```

```
16:10:36.104 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
```

```
Found @SpringBootTestConfiguration com.example.demo.EcommerceApplication for test class
```

```
com.example.demo.controllers.CartControllerTest
```

```
16:10:36.209 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
```

```
@TestExecutionListeners is not present for class [com.example.demo.controllers.CartControllerTest]:
```

```
using defaults.
```

```
16:10:36.212 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
```

```
Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:
```

```
[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
```

```
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
```

```
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener
Jenkins    ▶ pipeline-jenkins-ecommerce    ▶ #17
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener]
16:10:36.242 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@7a220c9a,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@2421cc4,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@30c93896,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@59a0
08ba, org.springframework.test.context.support DirtiesContextTestExecutionListener@338c99c8,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@21ba0741,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@58ce9668,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@172b013,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener@56673b2c,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@2796aae,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@b4711e2,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListe
ner@1fa1cab1,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListe
ner@70f02c32,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@62010f5c]
16:10:36.250 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
@ProfileValueSourceConfiguration [null] for test class
[com.example.demo.controllers.CartControllerTest]
16:10:36.251 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
ProfileValueSource type [class org.springframework.test.annotation.SystemProfileValueSource] for
class [com.example.demo.controllers.CartControllerTest]
16:10:36.254 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
@ProfileValueSourceConfiguration [null] for test class
[com.example.demo.controllers.CartControllerTest]
16:10:36.256 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
ProfileValueSource type [class org.springframework.test.annotation.SystemProfileValueSource] for
class [com.example.demo.controllers.CartControllerTest]
16:10:36.257 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
@ProfileValueSourceConfiguration [null] for test class
[com.example.demo.controllers.CartControllerTest]
16:10:36.258 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
ProfileValueSource type [class org.springframework.test.annotation.SystemProfileValueSource] for
class [com.example.demo.controllers.CartControllerTest]
16:10:36.264 [main] DEBUG
org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test
class: context [DefaultTestContext@5a2d131d testClass = CartControllerTest, testInstance = [null],
testMethod = [null], testException = [null], mergedContextConfiguration =
[WebMergedContextConfiguration@14fc1f0 testClass = CartControllerTest, locations = '{}', classes =
```

```
'{class com.example.demo.EcommerceApplication}', contextInitializerClasses = '[]', activeProfiles =
 '{}', propertySourceLocations = '{}', propertySourceProperties =
```

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

```
[org.springframework.boot.test.autoconfigure.web.servlet.MockMvcAutoConfiguration,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcSecurityAutoConfiguration,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcWebClientAutoConfiguration,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcWebDriverAutoConfiguration]],
org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@24fcf36f,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@ea6147e, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@78123e82,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@e7e8512,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@56cdfb3b], resourceBasePath = 'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes =
map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true]],
class annotated with @DirtiesContext [false] with mode [null].
16:10:36.275 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
@ProfileValueSourceConfiguration [null] for test class
[com.example.demo.controllers.CartControllerTest]
16:10:36.276 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved
ProfileValueSource type [class org.springframework.test.annotation.SystemProfileValueSource] for
class [com.example.demo.controllers.CartControllerTest]
16:10:37.354 [main] DEBUG org.springframework.test.context.support.TestPropertySourceUtils - Adding
inlined properties to environment: {spring.jmx.enabled=false,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true, server.port=-1}
```

```
.  _ _ _ _ _
/ \ / \ _ _ _ _ _ ( _ ) _ _ _ _ \ \ \ \ \
( ( ) \ _ _ | ' _ | ' _ | ' _ \ _ _ | \ \ \ \ \
\ \ / _ _ ) | _ ) | | | | | | ( _ | ) ) ) )
' | _ _ | . _ | | | | | _ _ , | / / / /
=====|_|=====|_|/_/_/_/_/
:: Spring Boot ::          (v2.1.5.RELEASE)
```

```
2020-02-24 16:10:37.981 INFO 15208 --- [main] c.e.demo.controllers.CartControllerTest
: Starting CartControllerTest on DESKTOP-GBON6IF with PID 15208 (started by DESKTOP-GBON6IF$ in
C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce)
2020-02-24 16:10:37.987 INFO 15208 --- [main] c.e.demo.controllers.CartControllerTest
: No active profile set, falling back to default profiles: default
2020-02-24 16:10:39.382 INFO 15208 --- [main] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data repositories in DEFAULT mode.
2020-02-24 16:10:39.493 INFO 15208 --- [main] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 96ms. Found 4 repository interfaces.
2020-02-24 16:10:40.744 INFO 15208 --- [main] trationDelegate$BeanPostProcessorChecker
: Bean 'org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration' of type
[org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration$$EnhancerBySpring
CGLIB$$c945a412] is not eligible for getting processed by all BeanPostProcessors (for example:
not eligible for auto-proxying)
2020-02-24 16:10:41.152 INFO 15208 --- [main] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2020-02-24 16:10:41.392 INFO 15208 --- [main] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
```



```
2020-02-24 16:10:41.515 INFO 15208 --- [main] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [
```

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

```
2020-02-24 16:10:41.627 INFO 15208 --- [main] org.hibernate.Version
: HHH000412: Hibernate Core {5.3.10.Final}
2020-02-24 16:10:41.632 INFO 15208 --- [main] org.hibernate.cfg.Environment
: HHH000206: hibernate.properties not found
2020-02-24 16:10:41.728 INFO 15208 --- [main] o.hibernate.annotations.common.Version
: HCANN000001: Hibernate Commons Annotations {5.0.4.Final}
2020-02-24 16:10:42.389 INFO 15208 --- [main] org.hibernate.dialect.Dialect
: HHH000400: Using dialect: org.hibernate.dialect.H2Dialect
2020-02-24 16:10:43.528 INFO 15208 --- [main] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence unit 'default'
2020-02-24 16:10:44.671 WARN 15208 --- [main] aWebConfiguration$JpaWebMvcConfiguration
: spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed
during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2020-02-24 16:10:44.889 INFO 15208 --- [main] o.s.s.web.DefaultSecurityFilterChain
: Creating filter chain: any request,
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@53153d5e,
org.springframework.security.web.context.SecurityContextPersistenceFilter@1c528f2f,
org.springframework.security.web.header.HeaderWriterFilter@3aa8c337,
org.springframework.web.filter.CorsFilter@5b407336,
org.springframework.security.web.authentication.logout.LogoutFilter@6a8bcb64,
com.example.demo.security.JWTAuthenticationFilter@160cf225,
com.example.demo.security.JWTAuthenticationVerificationFilter@6a262980,
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@71135794,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@639cb0c8,
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@10230657,
org.springframework.security.web.session.SessionManagementFilter@6761f75b,
org.springframework.security.web.access.ExceptionTranslationFilter@46c9ee28,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@3cb376a3]
2020-02-24 16:10:45.473 INFO 15208 --- [main] o.s.s.concurrent.ThreadPoolTaskExecutor
: Initializing ExecutorService 'applicationTaskExecutor'
2020-02-24 16:10:46.081 INFO 15208 --- [main] o.s.b.t.m.w.SpringBootMockServletContext
: Initializing Spring TestDispatcherServlet ''
2020-02-24 16:10:46.081 INFO 15208 --- [main] o.s.t.web.servlet.TestDispatcherServlet
: Initializing Servlet ''
2020-02-24 16:10:46.113 INFO 15208 --- [main] o.s.t.web.servlet.TestDispatcherServlet
: Completed initialization in 31 ms
2020-02-24 16:10:46.157 INFO 15208 --- [main] c.e.demo.controllers.CartControllerTest
: Started CartControllerTest in 8.793 seconds (JVM running for 11.075)
[INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 10.704 s - in
com.example.demo.controllers.CartControllerTest
[INFO] Running com.example.demo.controllers.ItemControllerTest
2020-02-24 16:10:46.353 INFO 15208 --- [main] .b.t.c.SpringBootTestContextBootstrapper
: Neither @ContextConfiguration nor @ContextHierarchy found for test class
[com.example.demo.controllers.ItemControllerTest], using SpringBootTestContextLoader
2020-02-24 16:10:46.356 INFO 15208 --- [main] o.s.t.c.support.AbstractContextLoader
: Could not detect default resource locations for test class
[com.example.demo.controllers.ItemControllerTest]: no resource found for suffixes {-context.xml,
Context.groovy}.
2020-02-24 16:10:46.357 INFO 15208 --- [main] t.c.s.AnnotationConfigContextLoaderUtils
: Could not detect default configuration classes for test class
```

```
[com.example.demo.controllers.ItemControllerTest]: ItemControllerTest does not declare any static, non-private, non-final, nested classes annotated with @Configuration.
```

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

```
com.example.demo.controllers.ItemControllerTest
2020-02-24 16:10:46.443 INFO 15208 --- [          main] .b.t.c.SpringBootTestContextBootstrapper
: Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListe
ner,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListe
ner, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener]
2020-02-24 16:10:46.445 INFO 15208 --- [          main] .b.t.c.SpringBootTestContextBootstrapper
: Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@26a004ed,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@2b6a4da7,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@75b6bd41,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@2145
7b14, org.springframework.test.context.support DirtiesContextTestExecutionListener@7e484bd,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@7e1ae693,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@3e0600a4,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@341141ab
, org.springframework.security.test.context.support.ReactorContextTestExecutionListener@1773faf8,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@3ef4a8fb,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@30f99ca1,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListe
ner@edb8f0c,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListe
ner@6f70015,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@1d5fc340]
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.014 s - in
com.example.demo.controllers.ItemControllerTest
[INFO] Running com.example.demo.controllers.OrderControllerTest
2020-02-24 16:10:46.516 INFO 15208 --- [          main] c.e.demo.controllers.OrderController
: user order submit api inititaded
2020-02-24 16:10:46.517 INFO 15208 --- [          main] c.e.demo.controllers.OrderController
: order submitted successfully
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.001 s - in
com.example.demo.controllers.OrderControllerTest
[INFO] Running com.example.demo.controllers.UserControllerTest
2020-02-24 16:10:46.519 INFO 15208 --- [          main] .b.t.c.SpringBootTestContextBootstrapper
: Neither @ContextConfiguration nor @ContextHierarchy found for test class
[com.example.demo.controllers.UserControllerTest], using SpringBootTestContextLoader
2020-02-24 16:10:46.520 INFO 15208 --- [          main] o.s.t.c.support.AbstractContextLoader
```



```
: Could not detect default resource locations for test class
[com.example.demo.controllers.UserControllerTest]: no resource found for suffixes {-context.xml,
```

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

```
: Could not detect default configuration classes for test class
[com.example.demo.controllers.UserControllerTest]: UserControllerTest does not declare any static,
non-private, non-final, nested classes annotated with @Configuration.
2020-02-24 16:10:46.522 INFO 15208 --- [           main] .b.t.c.SpringBootTestContextBootstrapper
: Found @SpringBootConfiguration com.example.demo.EcommerceApplication for test class
com.example.demo.controllers.UserControllerTest
2020-02-24 16:10:46.524 INFO 15208 --- [           main] .b.t.c.SpringBootTestContextBootstrapper
: Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListe
ner,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListe
ner, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener]
2020-02-24 16:10:46.526 INFO 15208 --- [           main] .b.t.c.SpringBootTestContextBootstrapper
: Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@75c45c4b,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@7202009e,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@133d0471,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@33ce
c966, org.springframework.test.context.support DirtiesContextTestExecutionListener@643fed50,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@65b07b9,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@7dbe858f,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@387ef6a7
, org.springframework.security.test.context.support.ReactorContextTestExecutionListener@2330c995,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@7d086485,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@74130456,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListe
ner@3b171fbd,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListe
ner@1ece052b,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@20dc763b]
2020-02-24 16:10:46.561 INFO 15208 --- [           main] c.e.demo.controllers.UserController
: create user api initiated.
2020-02-24 16:10:46.561 INFO 15208 --- [           main] c.e.demo.controllers.UserController
: Username set with u12345
2020-02-24 16:10:46.561 INFO 15208 --- [           main] c.e.demo.controllers.UserController
: password validation
2020-02-24 16:10:46.562 INFO 15208 --- [           main] c.e.demo.controllers.UserController
: password is encoded
2020-02-24 16:10:46.562 INFO 15208 --- [           main] c.e.demo.controllers.UserController
```

: user created successfully

[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.032 s - in

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

```
2020-02-24 16:10:46.586 INFO 15208 --- [          main] .b.t.c.SpringBootTestContextBootstrapper
: Neither @ContextConfiguration nor @ContextHierarchy found for test class
[com.example.demo.EcommerceApplicationTests], using SpringBootTestLoader
2020-02-24 16:10:46.587 INFO 15208 --- [          main] o.s.t.c.support.AbstractContextLoader
: Could not detect default resource locations for test class
[com.example.demo.EcommerceApplicationTests]: no resource found for suffixes {-context.xml,
Context.groovy}.
2020-02-24 16:10:46.587 INFO 15208 --- [          main] t.c.s.AnnotationConfigContextLoaderUtils
: Could not detect default configuration classes for test class
[com.example.demo.EcommerceApplicationTests]: EcommerceApplicationTests does not declare any
static, non-private, non-final, nested classes annotated with @Configuration.
2020-02-24 16:10:46.594 INFO 15208 --- [          main] .b.t.c.SpringBootTestContextBootstrapper
: Found @SpringBootConfiguration com.example.demo.EcommerceApplication for test class
com.example.demo.EcommerceApplicationTests
2020-02-24 16:10:46.595 INFO 15208 --- [          main] .b.t.c.SpringBootTestContextBootstrapper
: Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListe
ner,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListe
ner, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener,
org.springframework.security.test.context.support.ReactorContextTestExecutionListener]
2020-02-24 16:10:46.596 INFO 15208 --- [          main] .b.t.c.SpringBootTestContextBootstrapper
: Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@2da8ed80,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@d827673,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@d695f9d,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@7daf
167, org.springframework.test.context.support DirtiesContextTestExecutionListener@6df4d8f1,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@735b1ad2,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@34893693,
org.springframework.security.test.context.support.WithSecurityContextTestExecutionListener@6408a8ac
, org.springframework.security.test.context.support.ReactorContextTestExecutionListener@2f70d78c,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@456c53a,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@7916568d,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListe
ner@58fadccb,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListe
ner@711fbcef,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@43d2c8e3]
```

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

:: Spring Boot :: (v2.1.5.RELEASE)

```
2020-02-24 16:10:46.639 INFO 15208 --- [main] c.e.demo.EcommerceApplicationTests
: Starting EcommerceApplicationTests on DESKTOP-GBON6IF with PID 15208 (started by DESKTOP-GBON6IF$
in C:\Program Files (x86)\Jenkins\workspace\pipeline-jenkins-ecommerce)
2020-02-24 16:10:46.639 INFO 15208 --- [main] c.e.demo.EcommerceApplicationTests
: No active profile set, falling back to default profiles: default
2020-02-24 16:10:46.861 INFO 15208 --- [main] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data repositories in DEFAULT mode.
2020-02-24 16:10:46.877 INFO 15208 --- [main] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 13ms. Found 4 repository interfaces.
2020-02-24 16:10:46.983 INFO 15208 --- [main] trationDelegate$BeanPostProcessorChecker
: Bean 'org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration' of type
[org.springframework.transaction.annotation.ProxyTransactionManagementConfiguration$$EnhancerBySpring
CGLIB$$c945a412] is not eligible for getting processed by all BeanPostProcessors (for example:
not eligible for auto-proxying)
2020-02-24 16:10:47.054 INFO 15208 --- [main] com.zaxxer.hikari.HikariDataSource
: HikariPool-2 - Starting...
2020-02-24 16:10:47.055 INFO 15208 --- [main] com.zaxxer.hikari.HikariDataSource
: HikariPool-2 - Start completed.
2020-02-24 16:10:47.074 INFO 15208 --- [main] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [
name: default
...]
2020-02-24 16:10:47.083 INFO 15208 --- [main] org.hibernate.dialect.Dialect
: HHH000400: Using dialect: org.hibernate.dialect.H2Dialect
2020-02-24 16:10:47.260 INFO 15208 --- [main] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence unit 'default'
2020-02-24 16:10:47.728 WARN 15208 --- [main] aWebConfiguration$JpaWebMvcConfiguration
: spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed
during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2020-02-24 16:10:47.857 INFO 15208 --- [main] o.s.s.web.DefaultSecurityFilterChain
: Creating filter chain: any request,
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@6bca6c4c,
org.springframework.security.web.context.SecurityContextPersistenceFilter@671561b9,
org.springframework.security.web.header.HeaderWriterFilter@347f0950,
org.springframework.web.filter.CorsFilter@7de2c19c,
org.springframework.security.web.authentication.logout.LogoutFilter@1db7c267,
com.example.demo.security.JWTAuthenticationFilter@5dcec8e9,
com.example.demo.security.JWTAuthenticationVerificationFilter@4bc49d70,
org.springframework.security.web.savedrequest.RequestCacheAwareFilter@3aebdb4,
org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@4fd70118,
org.springframework.security.web.authentication.AnonymousAuthenticationFilter@73543048,
org.springframework.security.web.session.SessionManagementFilter@5ab1107d,
org.springframework.security.web.access.ExceptionTranslationFilter@64a00fe0,
org.springframework.security.web.access.intercept.FilterSecurityInterceptor@6c8f5262]
2020-02-24 16:10:48.353 INFO 15208 --- [main] o.s.s.concurrent.ThreadPoolTaskExecutor
: Initializing ExecutorService 'applicationTaskExecutor'
```

```
2020-02-24 16:10:48.729 INFO 15208 --- [main] c.e.demo.EcommerceApplicationTests
: Started EcommerceApplicationTests in 2.13 seconds (JVM running for 13.648)
```

Jenkins ▶ pipeline-jenkins-ecommerce ▶ #17

```
2020-02-24 16:10:48.800 INFO 15208 --- [Thread-5] o.s.s.concurrent.ThreadPoolTaskExecutor
: Shutting down ExecutorService 'applicationTaskExecutor'
2020-02-24 16:10:48.799 INFO 15208 --- [Thread-3] o.s.s.concurrent.ThreadPoolTaskExecutor
: Shutting down ExecutorService 'applicationTaskExecutor'
2020-02-24 16:10:48.803 INFO 15208 --- [Thread-5] j.LocalContainerEntityManagerFactoryBean
: Closing JPA EntityManagerFactory for persistence unit 'default'
2020-02-24 16:10:48.804 INFO 15208 --- [Thread-3] j.LocalContainerEntityManagerFactoryBean
: Closing JPA EntityManagerFactory for persistence unit 'default'
2020-02-24 16:10:48.811 INFO 15208 --- [Thread-5] com.zaxxer.hikari.HikariDataSource
: HikariPool-2 - Shutdown initiated...
2020-02-24 16:10:48.812 INFO 15208 --- [Thread-3] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Shutdown initiated...
2020-02-24 16:10:48.833 INFO 15208 --- [Thread-3] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Shutdown completed.
2020-02-24 16:10:48.836 INFO 15208 --- [Thread-5] com.zaxxer.hikari.HikariDataSource
: HikariPool-2 - Shutdown completed.
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 13, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 20.851 s
[INFO] Finished at: 2020-02-24T16:10:49-05:00
[INFO] -----
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```