Series	Size	Nominal_size_ir	Fits_pipe_from_	Fits_pipe_to_mi	Wall_thickness_	Net_weight_kg	Rubber_width_r	Installation_too	Order_code_30	Order_code_31	Order_code_DK	Product_page
Small	DN150	6	140	152	1	2.0	400	SLP150	DN150-S	DN150-S-A	DN150-DK	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN200	8	180	202	1.2	3.0	400	SLP200-300	DN200-S	DN200-S-A	DN200-DK	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN225	9	200	227	1.2	3.5	400	SLP200-300	DN225-S	DN225-S-A	DN225-DK	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN250	10	220	253	1.2	4.0	400	SLP200-300	DN250-S	DN250-S-A	—	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN300	12	230	305	1.2	4.6	400	SLP200-300 / SL	DN300-S	DN300-S-A	DN300-DK	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN400	16	320	405	1.5	7.2	400	SLP300-400	DN400-S	DN400-S-A	DN400-DK	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN450	18	380	455	1.5	9.5	400	SLP500-600				https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN500	22	415	505	2	11.7	400	SLP500-600	DN500-S	DN500-S-A	DN500-DK	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Small	DN600	24	515	605	2	14.5	400	SLP500-600	DN600-S	DN600-S-A	DN600-DK	https://reliancetrenchless.com/products/instant-lock-sleeves-small
Large	DN600	—	—	—	3	—	300	—	DN600-B	DN600-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN700	—	—	—	3	—	300	—	DN700-B	DN700-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN800	32	770	810	3	22.4	300	SL Big Tool	DN800-B	DN800-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN900	—	—	—	3	—	300	—	DN900-B	DN900-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1000	40	970	1010	3	28.0	300	SL Big Tool	DN1000-B	DN1000-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1200	48	1170	1210	3	33.8	300	SL Big Tool	DN1200-B	DN1200-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1300	—	—	—	3	—	300	—	DN1300-B	DN1300-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1350	54	1320	1360	3	48.6	300	SL Big Tool	DN1350-B	DN1350-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1400	56	1370	1410	4	50.4	300	SL Big Tool	DN1400-B	DN1400-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1500	60	1470	1510	4	54.0	300	SL Big Tool	DN1500-B	DN1500-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1600	—	—	—	4	—	300	—	DN1600-B	DN1600-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN1800	72	1770	1810	4	64.8	300	SL Big Tool	DN1800-B	DN1800-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large
Large	DN2000	80	1970	2010	4	72.0	300	SL Big Tool	DN2000-B	DN2000-B-A		https://reliancetrenchless.com/products/instant-lock-sleeves-large

Model	Pipe_range_mm	Cylinder_A_dia	Cylinder_A_len	Cylinder_B_hei	Cylinder_B_len	Product_page
SLP150	150–225	90	520	90–110	640	https://reliancetrenchless.com/products/instant-lock-sleeves-small
SLP200-300	200–300	110	480	110–130	720	https://reliancetrenchless.com/products/instant-lock-sleeves-small
SLP300-400	300–400	200	480	210–260	750	https://reliancetrenchless.com/products/instant-lock-sleeves-small
SLP500-600	500–600	340	540	400–440	800	https://reliancetrenchless.com/products/instant-lock-sleeves-small
SLPN600-700	600–700	—	—	—	—	https://reliancetrenchless.com/products/instant-lock-sleeves-small
SL Big Tool	600+	—	—	—	—	https://reliancetrenchless.com/products/instant-lock-sleeves-large

Facts only from reliancetrenchless.com — confirm with Reliance before ordering.

Instant-Lock Internal Pipe Repair Sleeve Model Range | Reliance Trenchless

Source of truth:
https://reliancetrenchless.com/products/instant-lock-sleeves-small
https://reliancetrenchless.com/products/instant-lock-sleeves-large
Contact: https://reliancetrenchless.com/contact · sales@reliancetrenchless.com

How to use: Measure internal diameter at the repair location. Use Series Small (DN150–600, rubber 400 mm, SLP packers) or Large (DN600–2000, rubber 300 mm, SL Big Tool). At DN600 overlap, confirm family with Reliance.
Do not confuse with: Not internal pipe joint seals (WW/DW); not resin/fiberglass point repair; sleeve installation packers (SLP) are not pipe repair packers (RP).

Confirm dimensions, materials, operating limits, inspection documents, availability and delivery terms with Reliance for each project.

Small DK drinking-water codes listed where published. Large has no DK column on the product page. Blank fit/weight cells are unpublished on the page (—).