| Series | Model | Special_feature | Pump_dual_spe | Mixer_drive | Delivery_rate | Delivery_pressu | Max_conveying | Max_horizontal | Mixer_volume | Hopper_volume | Engine_voltage | Weight | Dimensions | Net_weight | Packing_weight | Packing_dimen | Product_page |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Worm_pump | P60/120 | Standard | 4.5/5.5 kW | 3 kW | 20/40 l/min | 40 bar | 40 m | 60 m | 120 l | 100 l | 3P 380 V / 50 Hz | 460 kg | 2370 × 870 × 14 | 545 kg | 680 kg | 2440 × 930 × 15 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Worm_pump | P90/160 | Large Scale | 6.5/8.0 kW or 7.5 | 4 kW | 30/60 l/min | 40 bar | 40 m | 60 m | 150 l | 160 l | 3P 380 V / 50 Hz | 510 kg | 2490 × 920 × 13 | 595 kg | 730 kg | 2560 × 980 × 15 | https://reliancetrenchless.com/products/mortar-sprayer-system |

| Series | Model | Feeding_feature | Voltage | Spraying_diame | Nozzle_power | Nozzle_speed | Nozzle_weight | Winch_power | Winch_speed | Nozzle_dimensi | Gantry_weight | Gantry_dimensi | Packing_weight | Packing_dimen | Product_page |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spraying_system | RSS-HT | Hollow | 2 P 220 V / 50 H | 600–1800 mm | 1800 W 220 V | 3600 r/min | 17 kg | 730 W 220 V | 0.10 m/s | 460 × 270 × 200 | 101 kg | 1620 × 720 × 95( | 155 kg | 1330 × 610 × 80( | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Spraying_system | RSS-SP | Side | 2 P 220 V / 50 H | 600–1800 mm | 1200 W 220 V | 3000 r/min | 13.5 kg | 730 W 220 V | 0.10 m/s | 470 × 340 × 190 | 101 kg | 1620 × 720 × 95( | 152 kg | 1330 × 610 × 80( | https://reliancetrenchless.com/products/mortar-sprayer-system |

| Series | Item | Size_or_note | Qty_per_kit | Product_page |
|---|---|---|---|---|
| Spraying_kit | P60/120 worm pu | 3-phase · 30–50 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Spraying_kit | RSS-HT spraying | 1-phase · auto w | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Spraying_kit | DN38 mortar hos | 2 × 12 m | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Spraying_kit | DN13 air hose | 2 × 12.5 m | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Pneumatic_DN2( | RSS titanium pne | DN200–600 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Pneumatic_DN2( | Pneumatic wheel | DN200 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Pneumatic_DN2( | Pneumatic wheel | DN300–600 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Pneumatic_DN2( | Wellhead pulley | DN600–900 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Pneumatic_DN2( | Variable-speed w | — | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Hand_gun_kit | P60/120 worm pu | 3-phase · 30–50 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Hand_gun_kit | DN38-250 ejectic | Air compressor 1 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Hand_gun_kit | DN38 mortar hos | 2 × 12 m | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Hand_gun_kit | DN13 air hose | 2 × 12.5 m | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Grout_pump_kit | P60/120 worm pu | 3-phase · 30–50 | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Grout_pump_kit | DN25-35 grouting | — | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Grout_pump_kit | DN25 mortar hos | 2 × 12 m | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Grout_pump_kit | Grout sealing ma | — | 1 | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Grout_pump_kit | Polyurethane gro | 10 kg / set | — | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | High-pressure cle | 50 L/min · 120–150 bar | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | DN38-250 ejectic | — | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | DN38-720 ejectic | — | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | Electric wheel bra | DN800–1600 | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | Electric wheel bra | DN400–2000 | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | Pneumatic wheel | DN400–2000 | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | RSS-HT spinning | — | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | TYP 2L6 (Germa | — | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | DN38 mortar hos | 12 m | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | DN13 air hose ex | 12.5 m | | https://reliancetrenchless.com/products/mortar-sprayer-system |
| Optional_accessı | R70 mortar | 1 t | | https://reliancetrenchless.com/products/mortar-sprayer-system |

**Facts only from reliancetrenchless.com — confirm with Reliance before ordering.**

Manhole Mortar Sprayer System Specs | Reliance Trenchless

Source of truth:
https://reliancetrenchless.com/products/mortar-sprayer-system
Contact: https://reliancetrenchless.com/contact · sales@reliancetrenchless.com

How to use: Compare worm pump (P60/120 vs P90/160) and spraying system (RSS-HT vs RSS-SP), then pick a kit. On-site setup/training available per product page.
Do not confuse with: Not CIPP lining equipment; not Instant-Lock sleeves. Page lists both Weight and Net weight with different values for pumps — confirm shipping details in quotation.

Confirm dimensions, materials, operating limits, inspection documents, availability and delivery terms with Reliance for each project.