Fraction of Myotis-Thysanodes genome with hits in Myotis-Lucifugus genome 1.00 SUPER 12 SUPER_7 SUPER_22 SUPER_32 0.75 SUPER SUPER_SUPER SUPER_4 SUPER 2 **RBHs** 0.50 SUPER_3 SUPER__21 SUPER__10 SUPER__19 0.25 SUPERSUPER_6 SUPER__13 SUPER__11 SUPER 15 0.00 **UBERSEFERSSIDSEREE 35 37** PER_24SUPER_35 SSUPPEER 730 0.00 0.25 0.75 0.50 1.00

PAF 1

Fraction of Myotis-Thysanodes genome with hits in Myotis-Lucifugus genome 1.00 SUPER 12 SUPER_7 SUPER_22 SUPER_32 0.75 SUPER_ SUPER 2 **RBHs** 0.50 SUPER_3 SUPER__21 SUPER__10 SUPER__19 0.25 SUPERUPER_6 SUPER__13 SUPER__11 SUPER 15 SUPER_24 SUPERSUPS 0.00 SIPERSULAR GOOD SUBSTITUTE OF THE ENGINEER EST 30

0.50

PAF 2

0.75

1.00

0.25

0.00

Fraction of Myotis-Thysanodes genome with hits in Myotis-Lucifugus genome 1.00 **UPER__88** SUPER SUPER UPER__45 0.75 SUPER__21 SUPER__24 0.50 SUPER__30 SUPER_35 SUPER_37 UPER_42 UPER_96 SUPER 29 SUPER__27 0.25 **UPER__80** UPER 44 UPER___99 SUPER__36SUPER__23 UPER 38 UPER_31ER_28 0.00 **UPER__35** SUPER__71 0.00 0.25 0.75 0.50 1.00

PAF 1