### IT450 RYAN ELLORIN - INSERT STATEMENTS

### PRODUCT TABLE

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10001 ',' Continental Breakfast 15 person Minimum - Assorted Bagels, Cream Cheese, Butter and Jellies Fresh Seasonal Fruit Orange Juice', 89.99);

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10002 ',' Deluxe Continental Breakfast -12 person Minimum - Fresh Baked Danish Assorted Bagels, Cream Cheese, Butter and Jellies Variety of Yogurt Fresh Seasonal Fruit Orange Juice', 79.99);

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10003 ',' Hot Breakfast Buffet -12 person Minimum- Orange Juice included with all hot breakfast buffets Vegetarian Egg Bake Vegetarian Quiche Chef's Choice of Egg Bake with Breakfast Meat Chef's Choice of Quiche with Breakfast Meat Burritos served with Salsa and Sour Cream Croissant Sandwiches of Ham and Cheese Ham Biscuits', 79.99);

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10004 ',' Deluxe Breakfast Buffet - Crabcake Benedict with Hollandaise Crispy Bacon Strips Sausage Patties Homestyle Grits Country Ham Slices Coastal Breakfast-Style Hash Brown Potatoes',74.99);

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10005 ',' Super Breakfast - French Toast with Syrup Assorted Breakfast Breads and Pastries, Butter and Jellies Assorted Bagels, Cream Cheese, Butter and Jellies Variety of Yogurt Fresh Seasonal Fruit', 49.99);

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10006 ',' Lunch: Smithfield Ham and Big Eye Swiss ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10006 ',' Lunch: Smithfield Ham and Big Eye Swiss ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10007 ',' Lunch: Roast Beef with Red Pepper Jam ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10008 ',' Lunch: Pan Roasted Turkey and American Cheese ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10009 ',' Lunch: Albacore Tuna with Celery and Red Onion ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10010 ',' Lunch: Chicken Salad Waldorf with Raisins and Walnuts ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10011 ',' Lunch Salad: Coastal Greens with candied walnuts, sundried cranberries, goat cheese with Balsamic Dressing ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10012 ',' Lunch Salad: Caesar Salad with croutons and parmesan cheese ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10013 ',' Lunch Salad: Wedge of Iceberg with Bleu Cheese Dressing ', 8.49 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10014 ',' Homemade Potato Salad (Southern-style) Per Person ', 1.95 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10015 ',' German Potato Salad with Whole Grain Mustard Per Person ', 1.95 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10016 ',' Mediterranean Pasta Salad with Roasted Red Peppers and Cucumbers Per Person ', 1.95 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10017 ',' Macaroni Salad Per Person ', 1.95 );

INSERT INTO PRODUCT (PRODUCT\_NUM, DESCRIPTION, UNIT\_PRICE) VALUES (' 10018 ',' Tossed Garden Salad with Italian or Ranch Dressing Per Person ', 1.95 );

```
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10019 ','
                                                                            A Dozen Gourmet Cookies
            9.95 );
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10020 ','
                                                                            Herb Crusted Chicken Breast
with Chardonnay Butter Sauce ',
                                  9.95
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10021 ','
                                                                             Chicken Florentine (breaded
and stuffed) ',
                   9.95
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10022 ','
                                                                            Lemon Thyme Chicken ',
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10023 ','
                                                                             Sautéed Chicken with Sweet
Marsala and Mushrooms ',
                           9.95
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10024 ','
                                                                             Chicken Cacciatore (Red
Peppers and Mushrooms) ', 9.95
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10025 ','
                                                                            Chicken Piccata with Capers
                   9.95);
and Lemon ',
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10026 ','
                                                                             Salmon with Fresh Dill Cream
            9.95);
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10027 ','
                                                                            Herb Crusted Atlantic Salmon
            9.95);
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10028 ','
                                                                            Green Beans with Caramelized
           1.95 );
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10029 ','
                                                                            Broccoli Almondine ',
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10030 ','
                                                                            Roasted Seasonal Vegetables
(zucchini, squash, red onion) ',
                                         1.95 );
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10031 ','
                                                                            Vegetable Medley ',
      1.95 );
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10032 ','
                                                                            Grilled Fresh Asparagus
            1.95 );
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10033 ','
                                                                             Spring Peas with Sauteed
                   1.95
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10034 ','
                                                                             Roasted Garlic Mashers
            1.95);
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10035 ','
                                                                             Yukon Gold Potato Gratin
            1.95 );
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10036 ','
                                                                             Herb Roasted Red Potatoes
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10037 ','
                                                                            Parmesan Risotto
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10038 ','
                                                                            Wild Rice Pilaf
INSERT INTO PRODUCT (PRODUCT NUM, DESCRIPTION, UNIT PRICE) VALUES (' 10039 ','
                                                                           Buttermilk Mashers
```

#### CUSTOMERS TABLE

```
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(1, 'Raya', 'Fletcher', '128 Aenean Rd.', 'Southaven', 'MS', '79449', '1-351-932-2518', '1-270-215-0937', 'a@ac.co.uk');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(2, 'Brooke', 'Burks', 'P.O. Box 943, 3099 Eget St.', 'Los Angeles', 'CA', '90211', '1-373-456-8332', '1-436-692-
0423', 'vulputate.dui.nec@Cumsociisnatoque.org');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(3, 'Sonia', 'William', 'P.O. Box 892, 7780 Orci, St.', 'Rochester', 'MN', '23623', '1-193-994-1296', '1-806-985-
1384', 'sem@Vivamusmolestie.edu');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(4, 'Amanda', 'Montoya', '228-8633 Donec Av.', 'Hilo', 'HI', '61812', '1-828-423-3710', '1-905-782-
6809', 'nonummy.ut@tinciduntneque.com');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(5, 'Quentin', 'Fleming', 'P.O. Box 407, 4396 Amet Av.', 'Meridian', 'ID', '24815', '1-204-774-0367', '1-124-469-
3555', 'mauris@neque.co.uk');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(6, 'Zorita', 'Spencer', '2710 Penatibus St.', 'Metairie', 'LA', '53596', '1-478-649-2263', '1-313-974-
1155', 'sit@aliquet.org');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(7, 'Rhoda', 'Solis', '650-366 Dolor Rd.', 'Huntsville', 'AL', '35293', '1-664-482-0559', '1-568-344-
3741', 'tempor.arcu@fames.ca');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(8, 'Hannah', 'Blackwell', 'Ap #785-7958 Quis, Rd.', 'Louisville', 'KY', '67562', '1-191-313-3759', '1-688-251-
6568','sem@scelerisquelorem.org');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(9,'Rhona','Mays','875-765 Sed Ave','Denver','CO','60118','1-306-992-2238','1-825-651-
0452', 'arcu@cursuspurus.edu');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(10, 'Evangeline', 'Chaney', 'Ap #610-5818 Commodo Rd.', 'Pittsburgh', 'PA', '13355', '1-355-204-1928', '1-308-350-
8179', 'non.nisi.Aenean@eratin.com');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(11, 'Jolene', 'Bradford', '613-2059 In, Rd.', 'Hartford', 'CT', '91520', '1-766-927-1465', '1-336-548-
0775', 'metus@elitAliquam.co.uk');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(12, 'Julie', 'Cummings', '867-4096 Accumsan St.', 'Fort Worth', 'TX', '37018', '1-573-982-0229', '1-458-968-
8348', 'lacus.Ut.nec@Aliquameratvolutpat.com');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(13, 'Kyra', 'Oneal', '311-2622 Morbi Av.', 'Denver', 'CO', '91833', '1-866-651-0327', '1-899-309-
2063', 'Quisque.purus@vitaenibhDonec.net');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(14, 'Sacha', 'Wilkerson', '664-5270 Pulvinar Street', 'Shreveport', 'LA', '53056', '1-425-635-1139', '1-912-766-
0824', 'neque@ut.net');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(15, 'Lee', 'Ballard', 'Ap #418-324 Mauris Rd.', 'Nampa', 'ID', '49472', '1-653-473-8472', '1-324-952-
1461', 'bibendum@enimconsequat.com');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(16, 'Donna', 'Todd', '282-8273 Cubilia St.', 'San Jose', 'CA', '90436', '1-452-597-3010', '1-922-487-
5133', 'vel.arcu@estac.edu');
```

```
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(17, 'Nero', 'Mcbride', '910-8980 Ut Street', 'Grand Island', 'NE', '62232', '1-333-276-2346', '1-869-594-
0196', 'nec.urna@pellentesqueSed.com');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(18, 'Declan', 'Hall', '975-3978 Tempus Street', 'Owensboro', 'KY', '56575', '1-861-416-0297', '1-407-747-
1415', 'eget.metus.In@sedsemegestas.ca');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(19, 'Alec', 'Donaldson', 'P.O. Box 626, 841 Ullamcorper St.', 'Mesa', 'AZ', '85978', '1-257-752-4266', '1-861-888-
5499','cursus.Integer@Duissit.co.uk');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(20, 'Elijah', 'Ruiz', 'Ap #406-8681 Risus Street', 'Evansville', 'IN', '12384', '1-281-360-8134', '1-734-549-
6236', 'non.egestas.a@vitaesemper.edu');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(21, 'Kessie', 'Calderon', '5298 Ipsum St.', 'Portland', 'ME', '30334', '1-462-157-1283', '1-542-960-
2044', 'gravida.nunc.sed@CrasinterdumNunc.co.uk');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(22, 'Ainsley', 'Leonard', 'P.O. Box 610, 4160 Neque. St.', 'Chicago', 'IL', '91178', '1-329-264-1859', '1-728-177-
7173', 'eros@sociisnatoque.edu');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(23, 'Kalia', 'Clements', 'Ap #962-5276 Odio Ave', 'Portland', 'OR', '51024', '1-780-882-3254', '1-265-513-
8109', 'mattis.Cras@ametdapibus.co.uk');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(24, 'Gage', 'Morris', '5194 Sem, St.', 'Hillsboro', 'OR', '96771', '1-336-549-0904', '1-444-723-
3647', 'Cum.sociis@venenatis.org');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(25, 'Ivory', 'Baird', 'P.O. Box 426, 3668 Purus Rd.', 'West Jordan', 'UT', '97257', '1-405-495-0990', '1-378-434-
7142', 'nibh.vulputate@quamelementumat.edu');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(26, 'Maris', 'David', '617-3619 Mauris Av.', 'Jonesboro', 'AR', '71738', '1-437-702-4705', '1-387-946-
7230', 'sem@venenatisamagna.net');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(27, 'Geraldine', 'Mccall', 'Ap #664-464 Lectus Ave', 'Allentown', 'PA', '87694', '1-218-652-8956', '1-928-455-
5160', 'dictum.eu@Curabiturconsequatlectus.org');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(28, 'Hedy', 'Moore', 'P.O. Box 805, 4529 Ridiculus St.', 'West Jordan', 'UT', '79270', '1-440-805-8072', '1-843-726-
4147', 'sem.semper.erat@vitaevelitegestas.com');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(29, 'Avye', 'Walter', '835 Pretium St.', 'Tuscaloosa', 'AL', '36767', '1-949-153-1391', '1-371-905-
2493', 'Sed.molestie@Crasvulputatevelit.co.uk');
INSERT INTO CUSTOMERS (CUST ID, FNAME, LNAME, ADDRESS, CITY, STATE, ZIP, HPHONE, CPHONE, EMAIL) VALUES
(30, 'Leo', 'Warner', 'P.O. Box 374, 2328 Dignissim Avenue', 'Gresham', 'OR', '25609', '1-971-850-8043', '1-970-908-
4399', 'cursus@urnajusto.net');
```

# CATERING EVENT TABLE

INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Etiam Vestibulum Massa PC ', 9 );	VALUES	(' 101	','	1-Jan-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Malesuada Vel LLP ', 17 );	VALUES	(' 102	','	15-Jan-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Dis Parturient Corporation ', 30 );</pre>	VALUES	(' 103	','	19-Jan-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Et Ipsum Cursus Consulting ', 4 );</pre>	VALUES	(' 104	','	22-Jan-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Nec Luctus PC ', 25 );	VALUES	(' 105	','	23-Jan-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID,EVENT_DATE,LOCATION,CUST_ID) Aliquet Phasellus Consulting ', 5 );</pre>	VALUES	(' 106	','	25-Jan-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Rutrum Industries ', 19 );</pre>	VALUES	(' 107	','	27-Jan-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Risus Associates ', 6 );</pre>	VALUES	(' 108	','	29-Jan-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Augue Malesuada Limited ', 29 );	VALUES	(' 109	','	9-Feb-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Diam At Corp. ', 22 );	VALUES	(' 110	','	17-Feb-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Sagittis Industries ', 11 );	VALUES	(' 111	','	21-Feb-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) MURRAY CENTER ', 1 );	VALUES	(' 112	','	5-Mar-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Arcu Vestibulum Ut LLP', 3 );</pre>	VALUES	(' 113	','	8-Mar-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Vestibulum Massa Rutrum Ltd ', 21 );	VALUES	(' 114	','	13-Mar-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Sociis Associates ', 10 );</pre>	VALUES	(' 115	','	17-Mar-2014	','
INSERT	INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Magna PC ', 20 );	VALUES	(' 116	','	19-Mar-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Pretium Aliquet Inc. ', 12 );</pre>	VALUES	(' 117	','	21-Mar-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Et Ultrices Posuere PC', 7);</pre>	VALUES	(' 118	','	22-Mar-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Lacus Nulla Company ', 18 );</pre>	VALUES	(' 119	','	25-Mar-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Aliquam Erat Volutpat LLP ', 8 );</pre>	VALUES	(' 120	','	1-Apr-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Convallis Est Consulting ', 23 );</pre>	VALUES	(' 121	','	3-Apr-2014	','
INSERT	<pre>INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) Dictum Augue Malesuada Institute ', 14 );</pre>	VALUES	(' 122	','	4-Apr-2014	','

```
INSERT INTO CATERING_EVENT (EVENT_ID, EVENT DATE, LOCATION, CUST ID) VALUES (' 123 ',' 6-Apr-2014
      Mi Tempor Lorem Associates ', 27 );
INSERT INTO CATERING EVENT (EVENT ID, EVENT DATE, LOCATION, CUST ID) VALUES (' 124 ',' 9-Apr-2014
      Enim Nec Tempus Corp. ',
                               15
INSERT INTO CATERING EVENT (EVENT ID, EVENT DATE, LOCATION, CUST ID) VALUES (' 125 ','
                                                                              16-Apr-2014
      Lectus LLC ',
                         2
                               );
INSERT INTO CATERING EVENT (EVENT ID, EVENT DATE, LOCATION, CUST ID) VALUES (' 126
                                                                             20-Apr-2014
                                                                                             ','
      Consectetuer Rhoncus Nullam Associates ', 24
INSERT INTO CATERING EVENT (EVENT ID, EVENT DATE, LOCATION, CUST ID) VALUES (' 127 ','
                                                                             23-Apr-2014
      Nisl Sem Consequat Institute ',
                                      16
                                             );
INSERT INTO CATERING EVENT (EVENT ID, EVENT DATE, LOCATION, CUST ID) VALUES (' 128 ',' 24-Apr-2014
      Morbi Quis Urna Ltd ', 26 );
INSERT INTO CATERING_EVENT(EVENT_ID, EVENT_DATE, LOCATION, CUST_ID) VALUES (' 129 ',' 26-Apr-2014
      Lorem Associates ', 13
                                      );
INSERT INTO CATERING EVENT (EVENT DATE, LOCATION, CUST ID) VALUES (' 130 ',' 30-Apr-2014 ','
      Sed PC ', 28 );
```

### STAFF TABLE

```
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2000, 'Sydney', 'Allen', '25-Mar-2014', 'Ap #445-2421 Donec
Road', 'Chattanooga', 'TN', '89518', 'rhoncus.Proin@etlibero.com', '1-934-508-2872');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2001, 'Roth', 'Sullivan', '11-Jan-2014', 'P.O. Box 326, 328 Sit
Av.','Metairie','LA','75815','Morbi.neque.tellus@utnullaCras.org','1-803-715-8740');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2002, 'Cassandra', 'Klein', '8-Jan-2014', '5651 Consequat,
Rd.', 'Burlington', 'VT', '49986', 'et@liberolacus.co.uk', '1-827-722-0531');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2003, 'Ouentin', 'Byers', '28-Feb-2014', 'P.O. Box 680, 7706 Elit,
St.', 'Savannah', 'GA', '74522', 'tempor@Duis.net', '1-991-849-8796');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2004, 'Tanek', 'Mcgee', '23-Feb-2014', 'P.O. Box 502, 9313 Aliquet
Av.', 'Denver', 'CO', '40670', 'Phasellus.dapibus.quam@justonec.net', '1-465-128-8466');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2005, 'Charles', 'Burns', '29-Jan-2014', '4463 Amet, Avenue', 'Shreveport', 'LA', '65503', 'metus@sitamet.net', '1-202-
755-5998');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2006, 'Pamela', 'Buck', '8-Mar-2014', 'Ap #420-729 Ridiculus
Rd.','Phoenix','AZ','85016','gravida.nunc@Curabitur.com','1-100-142-8596');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2007, 'Simone', 'Head', '25-Feb-2014', 'P.O. Box 326, 3428 Ipsum
Rd.','Casper','WY','72819','lectus.pede@hendreritconsectetuercursus.edu','1-220-873-7361');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2008, 'Rhoda', 'Swanson', '31-Mar-2014', '113-8932 Nulla Av.', 'Provo', 'UT', '76231', 'dis@maurisanunc.org', '1-477-
821-4392');
INSERT INTO STAFF (STAFF ID, FNAME, LNAME, EMP STARTDATE, ADDRESS, CITY, STATE, ZIP, EMAIL, CPHONE) VALUES
(2009, 'Elvis', 'Espinoza', '23-Mar-2014', '8559 Euismod
Rd.', 'Phoenix', 'AZ', '86585', 'id.libero@loremsitamet.edu', '1-670-854-8839');
```

### SKILL TABLE

<pre>INSERT INTO SKILL(SKILL_ID,</pre>	DESCRIPTION,	STAFF_ID)	VALUES	( 1	, '	MANAGER	٠,	2000	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	( 1	, '	MANAGER	٠,	2002	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	( 2	, '	SERVER	٠,	2005	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	( 2	, '	SERVER	٠,	2006	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(2	, '	SERVER	٠,	2007	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(2	, '	SERVER	٠,	2004	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(2	, '	SERVER	٠,	2009	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(3	, '	SET UP	STAFF	٠,	2004	);
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(3	, '	SET UP	STAFF	٠,	2009	);
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(3	, '	SET UP	STAFF	٠,	2003	);
<pre>INSERT INTO SKILL(SKILL_ID,</pre>	DESCRIPTION,	STAFF_ID)	VALUES	(4	, '	CHEF	٠,	2008	);	
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(4	, '	CHEF	٠,	2000	);	
<pre>INSERT INTO SKILL(SKILL_ID,     );</pre>	DESCRIPTION,	STAFF_ID)	VALUES	(5	, '	MANAGER	ASSISTA	ANT	٠,	2001
<pre>INSERT INTO SKILL(SKILL_ID,</pre>	DESCRIPTION,	STAFF_ID)	VALUES	(6	, '	DELIVER	ER	٠,	2003	);
INSERT INTO SKILL(SKILL_ID,	DESCRIPTION,	STAFF_ID)	VALUES	(7	, '	BAKER	٠,	2002	);	

# TEMP AGENCY TABLE

INSERT INTO TEMP\_AGENCY (TEMPAGENCY\_ID, AGENCY\_NAME, ADDRESS, CITY, STATE, ZIP, PHONE) VALUES (500, 'Eu Sem Limited', '936-6760 Mattis Road', 'Broken Arrow', 'OK', '25731', '1-972-476-5429');

INSERT INTO TEMP\_AGENCY (TEMPAGENCY\_ID, AGENCY\_NAME, ADDRESS, CITY, STATE, ZIP, PHONE) VALUES (501, 'Massa Mauris Foundation', '614-2385 Mi. Av.', 'Racine', 'WI', '20757', '1-954-490-0501');

INSERT INTO TEMP\_AGENCY (TEMPAGENCY\_ID, AGENCY\_NAME, ADDRESS, CITY, STATE, ZIP, PHONE) VALUES (502, 'At Ltd', 'P.O. Box 196, 960 Adipiscing Rd.', 'Juneau', 'AK', '99934', '1-992-509-0321');

INSERT INTO TEMP\_AGENCY (TEMPAGENCY\_ID, AGENCY\_NAME, ADDRESS, CITY, STATE, ZIP, PHONE) VALUES (503, 'Sed Dictum Eleifend Inc.','279-8764 Cras Rd.','Newark','DE','12610','1-433-166-7882');

INSERT INTO TEMP\_AGENCY (TEMPAGENCY\_ID, AGENCY\_NAME, ADDRESS, CITY, STATE, ZIP, PHONE) VALUES (504, 'Eu Tellus Company', 'P.O. Box 444, 3742 Auctor Rd.', 'Lawton', 'OK', '21453', '1-574-897-7104');

# PART TIME TABLE

```
INSERT INTO PART_TIME (STAFF_ID, TEMPAGENCY_ID) VALUES (2001,501);
INSERT INTO PART_TIME (STAFF_ID, TEMPAGENCY_ID) VALUES (2003,502);
INSERT INTO PART_TIME (STAFF_ID, TEMPAGENCY_ID) VALUES (2004,503);
INSERT INTO PART_TIME (STAFF_ID, TEMPAGENCY_ID) VALUES (2005,500);
INSERT INTO PART_TIME (STAFF_ID, TEMPAGENCY_ID) VALUES (2006,501);
INSERT INTO PART_TIME (STAFF_ID, TEMPAGENCY_ID) VALUES (2007,504);
INSERT INTO PART_TIME (STAFF_ID, TEMPAGENCY_ID) VALUES (2009,503);
```

# FULL TIME TABLE

```
INSERT INTO FULL_TIME (STAFF_ID, SALARY, INSURANCE_PLAN) VALUES (2000, '45000', 'Gold');

INSERT INTO FULL_TIME (STAFF_ID, SALARY, INSURANCE_PLAN) VALUES (2002, '45000', 'Silver');

INSERT INTO FULL TIME (STAFF ID, SALARY, INSURANCE PLAN) VALUES (2008, '35000', 'Silver');
```

## EVENT STAFF TABLE

```
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                   TO DATE(' 3/9/2014 7:34:00
      ','MM/DD/YYYY:hh24:mi:SS
                                '),to date(' 3/9/2014 12:34:00
                                                                   ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 108 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                   TO DATE(' 4/25/2014 22:54:00
      ','MM/DD/YYYY:hh24:mi:SS
                                '),to date(' 4/26/2014 4:54:00
                                                                   ','MM/DD/YYYY:hh24:mi:SS '),
      2003 , 116 );
INSERT INTO EVENT STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_ID) VALUES(
                                                                   TO DATE ('
                                                                                1/8/2014 19:24:00
                              '),to date(' 1/8/2014 23:24:00
      ','MM/DD/YYYY:hh24:mi:SS
                                                                   ','MM/DD/YYYY:hh24:mi:SS '),
      2000 ,
                  110 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                   TO DATE ('
                                                                                 3/16/2014 17:27:00
      ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 3/16/2014 23:27:00
                                                                   ','MM/DD/YYYY:hh24:mi:SS '),
      2004 , 109 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                                 4/27/2014 6:43:00
                                                                   TO DATE ('
      ','MM/DD/YYYY:hh24:mi:SS
                              '),to date(' 4/27/2014 11:43:00
                                                                   ','MM/DD/YYYY:hh24:mi:SS '),
      2008 , 123 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                   TO DATE ('
                                                                                2/9/2014 11:15:00
      ','MM/DD/YYYY:hh24:mi:SS
                             '),to date(' 2/9/2014 16:15:00
                                                                   ','MM/DD/YYYY:hh24:mi:SS
      2000 , 122
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                   TO DATE ('
                                                                                2/15/2014 13:10:00
      ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 2/15/2014 19:10:00
                                                                   ','MM/DD/YYYY:hh24:mi:SS '),
      2007 , 120 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES ( TO DATE ('
                                                                                3/13/2014 4:03:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/13/2014 9:03:00
                                                                  ','MM/DD/YYYY:hh24:mi:SS '),
      2004 , 106 );
```

```
INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_ID) VALUES( TO_DATE(' 2/22/2014 10:00:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/22/2014 15:00:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2009
                 111 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                TO DATE ('
                                                                            3/7/2014 1:07:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/7/2014 6:07:00
      2004 , 115 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES ( TO DATE ('
                                                                             1/2/2014 18:29:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/2/2014 22:29:00
                                                               2000 , 110 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES( TO DATE(' 3/31/2014 0:22:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/31/2014 5:22:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2005 , 117 );
                                                                TO DATE(' 4/16/2014 19:00:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/16/2014 23:00:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 107 );
                                                                TO DATE(' 3/3/2014 13:43:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/3/2014 19:43:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2009 , 117 );
                                                                 TO DATE(' 4/20/2014 13:01:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/20/2014 16:01:00
      2005 , 120 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE(' 3/26/2014 16:44:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/26/2014 21:44:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2007 , 103 );
                                                                 TO DATE(' 3/6/2014 4:15:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 3/6/2014 9:15:00
      2007 , 121 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE(' 3/20/2014 4:22:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/20/2014 9:22:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 102 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                TO DATE(' 1/24/2014 3:59:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/24/2014 8:59:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2006 , 113 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                TO DATE(' 2/12/2014 5:28:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/12/2014 9:28:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2004 , 118 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                TO DATE(' 4/5/2014 14:27:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/5/2014 20:27:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 102 );
                                                                TO DATE(' 2/25/2014 2:33:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/25/2014 7:33:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 115 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                TO DATE(' 3/17/2014 9:34:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/17/2014 15:34:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 105 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES( TO DATE(' 3/13/2014 7:52:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/13/2014 11:52:00
      2008 , 118 );
INSERT INTO EVENT STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_ID) VALUES(
                                                                TO DATE(' 3/31/2014 18:21:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/1/2014 0:21:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2009 , 122 );
```

```
','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/12/2014 5:17:00
      2009
                 112 );
                                                               TO DATE ('
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                           3/25/2014 14:46:00
      ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 3/25/2014 19:46:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2005 ,
                 116 );
                                                               TO_DATE('
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                           4/19/2014 22:43:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/20/2014 2:43:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2006 , 113 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                               TO DATE ('
                                                                           4/19/2014 17:27:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/19/2014 22:27:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2005 , 119 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                               TO DATE(' 3/11/2014 2:59:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/11/2014 7:59:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 105 );
                                                               TO DATE(' 1/19/2014 14:45:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/19/2014 18:45:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 107 );
                                                                TO DATE(' 1/24/2014 20:39:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/25/2014 2:39:00
      2000 , 118 );
                                                                TO DATE(' 4/22/2014 8:00:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/22/2014 12:00:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 109 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                TO DATE(' 2/7/2014 5:57:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 2/7/2014 8:57:00
      2001 , 105 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                TO DATE ('
                                                                           3/4/2014 17:30:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/4/2014 20:30:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 101 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               TO DATE(' 3/25/2014 9:17:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/25/2014 14:17:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2007 , 118 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               TO DATE(' 1/13/2014 1:31:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/13/2014 4:31:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 106 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               TO DATE(' 3/27/2014 1:52:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/27/2014 7:52:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2008 , 101 );
                                                               TO DATE(' 4/23/2014 0:32:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/23/2014 6:32:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 101 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                               TO DATE(' 4/25/2014 23:01:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/26/2014 4:01:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2003 , 123 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES( TO DATE(' 1/11/2014 0:13:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/11/2014 3:13:00 ','MM/DD/YYYY:hh24:mi:SS '),
      2008 , 113 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES ( TO DATE (' 4/23/2014 9:58:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/23/2014 13:58:00 ','MM/DD/YYYY:hh24:mi:SS '),
      2006 , 120 );
```

```
2004 ,
                 112 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF_ID, EVENT_ID) VALUES(
                                                              TO_DATE(' 1/23/2014 2:47:00 ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/23/2014 8:47:00
      2000 , 102 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES ( TO DATE ('
                                                                          2/16/2014 4:12:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/16/2014 9:12:00
                                                              2009 , 112 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES ( TO DATE ('
                                                                           1/2/2014 15:50:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/2/2014 20:50:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2004 , 104 );
                                                              TO DATE(' 1/23/2014 15:57:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/23/2014 19:57:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2007 , 102 );
                                                               TO DATE(' 3/22/2014 6:08:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/22/2014 11:08:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2006 , 124 );
                                                               TO DATE(' 3/7/2014 5:33:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/7/2014 10:33:00
      2009 , 121 );
                                                               TO DATE(' 1/30/2014 19:24:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/30/2014 23:24:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2006 , 102 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               TO DATE(' 3/31/2014 12:56:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 3/31/2014 18:56:00
      2009 , 106 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               TO DATE ('
                                                                          2/7/2014 21:19:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/8/2014 0:19:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2009 , 114 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                              TO DATE(' 4/4/2014 4:01:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/4/2014 9:01:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2003 , 103 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               TO DATE(' 4/4/2014 8:44:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/4/2014 11:44:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2005 , 124 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                               TO DATE(' 2/21/2014 12:47:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/21/2014 18:47:00
                                                               ','MM/DD/YYYY:hh24:mi:SS '),
      2004 , 118 );
                                                               TO DATE(' 3/17/2014 8:25:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/17/2014 13:25:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2006 , 108 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                               TO DATE(' 3/2/2014 10:14:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/2/2014 14:14:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2001 , 112 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES( TO DATE(' 1/24/2014 11:15:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/24/2014 17:15:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2001 , 119 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES( TO DATE(' 1/25/2014 3:31:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/25/2014 9:31:00
                                                              ','MM/DD/YYYY:hh24:mi:SS '),
      2003 , 106 );
```

```
INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_ID) VALUES( TO_DATE(' 4/28/2014 7:07:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/28/2014 11:07:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2003 ,
                 112 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                 TO_DATE(' 4/26/2014 21:33:00 ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/27/2014 0:33:00
      2008 ,
                 117 );
                                                                 TO DATE ('
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                              3/14/2014 11:33:00
      ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 3/14/2014 17:33:00 ','MM/DD/YYYY:hh24:mi:SS '),
      2005 , 116 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                 TO DATE ('
                                                                              4/3/2014 9:58:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/3/2014 12:58:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2008 , 121 );
                                                                 TO DATE(' 1/17/2014 0:13:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/17/2014 5:13:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2007 , 107 );
                                                                 TO DATE(' 4/23/2014 13:26:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/23/2014 16:26:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 117 );
                                                                  TO DATE(' 4/2/2014 3:29:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                  ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/2/2014 9:29:00
      2007 , 106 );
                                                                  TO DATE(' 1/12/2014 19:29:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/12/2014 22:29:00
                                                                  ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 106 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                  TO DATE(' 2/19/2014 11:00:00
                                                                  ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 2/19/2014 16:00:00
      2000 , 120 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                  TO DATE(' 3/20/2014 18:59:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/20/2014 21:59:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2001 , 116 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE(' 3/30/2014 14:40:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/30/2014 18:40:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2007 , 111 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE(' 4/6/2014 19:29:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/6/2014 22:29:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2009 , 110 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE ('
                                                                              4/4/2014 23:14:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/5/2014 4:14:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2009 , 105 );
                                                                 TO DATE(' 4/19/2014 8:42:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/19/2014 12:42:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 103 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE(' 4/10/2014 17:03:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/10/2014 23:03:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2008 , 101 );
                                                                 TO DATE(' 4/9/2014 14:05:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/9/2014 17:05:00
      2004 , 112 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES ( TO DATE (' 3/8/2014 3:27:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/8/2014 7:27:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2001 , 115 );
```

```
INSERT INTO EVENT_STAFF (START_TIME,END_TIME,STAFF_ID,EVENT_ID) VALUES( TO_DATE(' 1/30/2014 12:01:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/30/2014 18:01:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2004 ,
                 103 );
                                                                 TO DATE ('
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                             2/20/2014 11:37:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/20/2014 14:37:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2002 ,
                 101 );
INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT ID) VALUES(
                                                                TO_DATE('
                                                                             4/9/2014 22:08:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/10/2014 3:08:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2008 , 105 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES ( TO DATE ('
                                                                             4/5/2014 11:07:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/5/2014 14:07:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2006 , 108 );
                                                                TO DATE(' 1/21/2014 17:51:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/21/2014 21:51:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 113 );
                                                                 TO DATE(' 4/16/2014 17:41:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/16/2014 20:41:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2001 , 114 );
                                                                 TO DATE(' 1/4/2014 0:30:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/4/2014 5:30:00
      2009 , 105 );
                                                                 TO DATE(' 4/17/2014 7:46:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/17/2014 10:46:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2009 , 108 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE(' 2/16/2014 6:45:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),to_date(' 2/16/2014 12:45:00
      2009 , 109 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE ('
                                                                             3/9/2014 15:53:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/9/2014 18:53:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2004 , 115 );
                                                                TO DATE(' 1/27/2014 11:39:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 1/27/2014 16:39:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2000 , 104 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES (
                                                                 TO DATE(' 2/22/2014 5:01:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/22/2014 8:01:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2009 , 105 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                 TO DATE ('
                                                                             4/1/2014 21:47:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/2/2014 1:47:00
                                                                 ','MM/DD/YYYY:hh24:mi:SS '),
      2003 , 121 );
                                                                 TO DATE(' 4/24/2014 5:54:00
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 4/24/2014 10:54:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2001 , 109 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES(
                                                                 TO DATE(' 2/1/2014 15:14:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/1/2014 21:14:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2002 , 107 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES( TO DATE(' 2/11/2014 7:48:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 2/11/2014 12:48:00
      2000 , 113 );
INSERT INTO EVENT STAFF (START TIME, END TIME, STAFF ID, EVENT ID) VALUES( TO DATE(' 3/25/2014 18:17:00
      ','MM/DD/YYYY:hh24:mi:SS '),to date(' 3/25/2014 21:17:00
                                                                ','MM/DD/YYYY:hh24:mi:SS '),
      2007 , 121 );
```

INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_I	D) VALUES ( TO_DATE (' 1/22/2014 5:36:00
','MM/DD/YYYY:hh24:mi:SS '),to_date(' 1/22/2014 2003 , 121 );	
INSERT INTO EVENT_STAFF (START_TIME,END_TIME,STAFF_ID,EVENT_I	D) VALUES( TO DATE(' 2/13/2014 7:10:00
','MM/DD/YYYY:hh24:mi:SS '),to_date(' 2/13/2014 2000 , 104 );	
INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_I	D) VALUES( TO DATE(' 2/25/2014 16:19:00
','MM/DD/YYYY:hh24:mi:SS '),to_date(' 2/25/2014 2001 , 110 );	
INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_I	D) VALUES( TO DATE(' 1/25/2014 22:57:00
','MM/DD/YYYY:hh24:mi:SS '),to_date(' 1/26/2014 2001 , 113 );	4 2:57:00 ','MM/DD/YYYY:hh24:mi:SS '),
INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_I	D) VALUES( TO_DATE(' 4/9/2014 17:35:00
','MM/DD/YYYY:hh24:mi:SS '),to_date(' 4/9/2014 2000 , 115 );	22:35:00 ','MM/DD/YYYY:hh24:mi:SS '),
INSERT INTO EVENT_STAFF (START_TIME, END_TIME, STAFF_ID, EVENT_I	
','MM/DD/YYYY:hh24:mi:SS '),to_date(' 1/28/2014	

# INVOICE TABLE

<pre>INSERT INTO ');</pre>	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100001	','	4-Jan-2014	','	101
<pre>INSERT INTO ');</pre>	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100002	','	18-Jan-2014	','	102
<pre>INSERT INTO ');</pre>	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100003	','	22-Jan-2014	','	103
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100004	','	25-Jan-2014	','	104
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100005	','	26-Jan-2014	','	105
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100006	','	28-Jan-2014	','	106
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100007	','	30-Jan-2014	','	107
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES ('	100008	','	1-Feb-2014	','	108
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES ('	100009	','	12-Feb-2014	','	109
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES ('	100010	','	20-Feb-2014	','	110
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100011	','	24-Feb-2014	','	111
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100012	','	8-Mar-2014	','	112
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100013	','	11-Mar-2014	','	113

INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100014 ','	16-Mar-2014	','	114
INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100015 ','	20-Mar-2014	','	115
INSERT INTO	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES('	100016 ','	22-Mar-2014	','	116
INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100017 ','	24-Mar-2014	','	117
INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100018 ','	25-Mar-2014	','	118
INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100019 ','	28-Mar-2014	','	119
INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100020 ','	4-Apr-2014	','	120
<pre>INSERT INTO ');</pre>	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100021 ','	6-Apr-2014	','	121
INSERT INTO	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100022 ','	7-Apr-2014	','	122
INSERT INTO	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100023 ','	9-Apr-2014	','	123
INSERT INTO	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100024 ','	12-Apr-2014	','	124
<pre>INSERT INTO ');</pre>	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100025 ','	19-Apr-2014	','	125
<pre>INSERT INTO ');</pre>	INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100026 ','	23-Apr-2014	','	126
INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100027 ','	26-Apr-2014	','	127
<pre>INSERT INTO ');</pre>	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100028 ','	27-Apr-2014	','	128
INSERT INTO	INVOICE (INVOICE_NUM, INVOICE_DATE, EVENT_ID)	VALUES('	100029 ','	29-Apr-2014	','	129
<pre>INSERT INTO ');</pre>	<pre>INVOICE(INVOICE_NUM, INVOICE_DATE, EVENT_ID)</pre>	VALUES ('	100030 ','	3-May-2014	','	130

### LINE ITEM TABLE

```
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10037
                                                                                                ','
                                                                                                        100001 ')
                                                                        13
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        16
                                                                                        10023
                                                                                                        100001 ')
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10016
                                                                                                        100002 ')
                                                                        12
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10029
                                                                                                        100002
                                                                                                                ');
                                                                        20
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        15
                                                                                        10024
                                                                                                        100002
                                                                                                                ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        18
                                                                                        10011
                                                                                                        100003
                                                                                                                ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        14
                                                                                        10019
                                                                                                        100003
                                                                                                                ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10017
                                                                                                        100004
                                                                        11
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10027
                                                                                                        100004
                                                                        18
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10010
                                                                                                        100004
                                                                        14
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10030
                                                                                                        100005
                                                                                                                ');
                                                                        2.0
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10036
                                                                                                        100005
                                                                        10
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10012
                                                                                                        100005 ');
                                                                        11
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        13
                                                                                        10019
                                                                                                ','
                                                                                                        100005 '):
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                                ','
                                                                                                        100005 ');
                                                                        17
                                                                                        10020
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        16
                                                                                        10021
                                                                                                        100006 '):
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        13
                                                                                        10025
                                                                                                        100006 ');
                                                                                                ٠, ١
                                                                                                        100007
                                                                                                                1):
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        13
                                                                                        10023
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                       16
                                                                                        10035
                                                                                                        100007
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                                        100007
                                                                        18
                                                                                        10024
                                                                                                1,1
                                                                                                        100008
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        1
                                                                                        10002
                                                                                                1 . 1
                                                                                                                1):
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10012
                                                                                                ','
                                                                                                        100009
                                                                                                                '):
                                                                        12
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        18
                                                                                        10021
                                                                                                        100009
                                                                                                                ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                                        100010
                                                                                        10003
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        17
                                                                                        10023
                                                                                                        100011
                                                                                                                ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10028
                                                                                                        100011
                                                                                                                1):
                                                                        19
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        20
                                                                                        10025
                                                                                                        100012 ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10033
                                                                                                        100012 ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                                ','
                                                                                                        100012 ');
                                                                        15
                                                                                        10011
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10004
                                                                                                ٠,٠
                                                                                                        100013 '):
                                                                        1
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                        13
                                                                                        10008
                                                                                                        100014 ');
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                        10010
                                                                                                1,1
                                                                                                        100014 ');
                                                                        12
INSERT INTO LINE ITEM (QUANTITY, PRODUCT NUM, INVOICE NUM) VALUES (
                                                                                                        100014 ');
                                                                        12
                                                                                        10022
```

INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	15	, '	10014	','	100015	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	20	, '	10037	','	100015	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	13	, '	10036	','	100015	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	14	, '	10039	','	100015	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	16	, '	10006	','	100015	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	1	, '	10001	','	100016	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	16	, '	10022	','	100017	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	18	, '	10034	','	100017	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	20	, '	10011	','	100017	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	1	, '	10030	','	100018	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	11	, '	10008	','	100019	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	19	, '	10033	','	100019	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	1	, '	10039	','	100020	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	10	, '	10035	','	100021	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	15	, '	10013	','	100021	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	15	, '	10017	','	100022	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	19	, '	10037	','	100022	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	15	, '	10024	','	100022	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	1	, '	10002	','	100023	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	20	, '	10031	','	100024	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	13	, '	10009	','	100024	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	1	, '	10002	','	100025	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	1	, '	10005	','	100026	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	12	, '	10010	','	100027	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	12	, '	10024	','	100027	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	18	, '	10037	','	100027	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	1	, '	10005	','	100028	');
INSERT	INTO	LINE_ITE	M(QUANTITY	PRODUCT_NUM	M, INVOICE_NUM)	VALUES	(	20	, '	10006	','	100029	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	15	, '	10036	','	100029	');
INSERT	INTO	LINE_ITE	M(QUANTITY)	PRODUCT_NU	M, INVOICE_NUM)	VALUES	(	13	, '	10001	','	100030	');